

WELCOME TO THE MOST LUXURIOUS EXPERIENCE



UNDOUBTEDLY THE BEST TRAVEL COMPANION

TRAVEL ADAPTORS

Admit it, you have regretted travelling without one when there has been a shortage of time or sockets and a lot of devices to charge. The GM Travel Adaptors are versatile and indispensable travel companions, no matter wherever you go.



GM 3001 GM 3002 GM 3003 GM 3004



GM 3303 GM 3304 GM 3305 GM 3306



GM 3051



GM 3005 GM 3007 GM 3008 GM 3009



GM 3011 GM 3012 GM 3013

SURGE
Protector



GM 3048 GM 3049 GM 3050



GM 3017



GM 3019

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
PLUG TOPS				
GM 3001	8536	6 Amp Safe 3 Pin Plug Top	77.00	20/600
GM 3002	8536	16 Amp Safe 3 Pin Plug Top	96.00	10/300
GM 3003	8536	6 Amp Elite 3 Pin Plug Top	89.00	20/600
GM 3004	8536	16 Amp Elite 3 Pin Plug Top	100.00	10/300
GM 3303	8536	6 Amp Axton 3 Pin Plug Top *	88.00	20/600
GM 3304	8536	16 Amp Axton 3 Pin Plug Top *	103.00	10/300
GM 3305	8536	6 Amp Magnus 3 Pin Plug Top *	88.00	20/600
GM 3306	8536	16 Amp Magnus 3 Pin Plug Top *	103.00	10/300
		* with indicator		
2 PIN PLUG				
GM 3051	8536	2 Pin Multi Plug Adaptor	53.00	20/600
UNIVERSAL TRAVEL ADAPTORS				
GM 3005	8536	Mini 3 Pin Travel Universal Adaptor suitable for all kinds of plugs used around the world	99.00	10/360
GM 3007	8536	2 Pin Travel Universal Adaptor with surge protector & safety shutter	188.00	10/180
GM 3008	8536	3 Pin Travel Universal Adaptor with surge protector & safety shutter	224.00	10/180
GM 3009	8536	2 Pin Square Travel Universal Adaptor with indicator & safety shutter	218.00	10/180
GM 3011	8536	2 Pin Travel Universal Multi Plug with surge protector & indicator	200.00	10/180
GM 3012	8536	3 Pin Travel Universal Multi Plug with surge protector & indicator	249.00	10/180
GM 3013	8536	3 Pin Travel Universal Adaptor suitable for 16A sockets with surge protector & safety shutter	237.00	10/180
GM 3048	8536	3 Pin Multi Plug Adaptor	132.00	10/180
GM 3049	8536	3 Pin Universal Adaptor with indicator	133.00	10/180
GM 3050	8536	16amp 3 Pin Multi Plug Adaptor	204.00	10/120
GM 3017	8536	Spice 3 Pin Multiplug	132.00	10/120
GM 3019	8536	3 Pin Universal Multi Plug Adaptor with master switch, 2 international & 2 pin sockets & indicator	333.00	5/90


**CU
BA**

**G-HOOP
4+1
POWER STRIP**



180°
PLUG
ROTATION

Double USB Charger
Timer Charger



Travel
Charger



GM 3222



GM 3261



GM 3262



GM 3263



GM 3264



GM 3276



GM 3277



GM 3278



GM 3279



GM 3280

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
USB / WORLD TRAVEL ADAPTORS				
GM 3222	8536	Atlas Universal Travel Adaptor with 2.1A 'A' Type USB charger Available in 5 Colours. ● ● ● ● ●	989.00	5/60
CUBA SERIES				
GM 3261	8537	Cuba 4+1 Power Strip with master switch, indicator, safety shutter, 3 international sockets & 3 USB port 2.4A available in 2 colours. ○ ●	999.00	10/80
GM 3262	8537	Cuba 3+1 Power Strip with master switch, indicator, safety shutter, 2 international sockets & 3 USB port 2.4A available in 2 colours. ○ ●	849.00	10/80
GM 3263	8537	PD Charger with PD Type C+QC 3.0 USB+5v2.4 A dual USB charger with timer charger	3199.00	5/100
GM 3264	8537	4 Port USB Travel Charger with Usb Charger 4 Port 2.4 A Available In 3 Colours. ○ ● ●	649.00	20/160
GM 3276	8537	Cuba G-Hoop Power Strip 5+1 with master switch, indicator, safety shutter, 4 international sockets, & 2 USB port 3.1A	1299.00	10/80
GM 3277	8537	Cuba G-Hoop Power Strip 4+1 with master switch, indicator, safety shutter, 3 international sockets, & 2 USB port 3.1A	1099.00	10/80
GM 3278	8537	Cuba G-Hoop Power Strip 3+1 with master switch, indicator, safety shutter, 2 international sockets, & 2 USB port 3.1A	999.00	10/80
GM 3279	8537	Cuba G-Hoop Power Strip 2+1 with master switch, indicator, safety shutter, 1 international socket, & 2 USB port 3.1A	799.00	10/80
GM 3280	8537	Cuba Tower Power Strip 9+1 with master switch, indicator, safety shutter, 8 international sockets & 3 USB port 3.1A	1699.00	10/80

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
CUBA SERIES WITH 'C' TYPE & 'A' TYPE USB PORT				
GM 3341	8537	Cuba 4+1 Power Strip with master switch, indicator, safety shutter, 3 international sockets & Type 'C' & Type 'A' 2 USB port 3.4A available in 2 colours. ○ ●	1099.00	10/80
GM 3342	8537	Cuba 3+1 Power Strip with master switch, indicator, safety shutter, 2 international sockets & Type 'C' & Type 'A' 2 USB port 3.4A available in 2 colours. ○ ●	934.00	10/80
GM 3343	8537	4 Port USB Travel Charger with 2 'A' Type 3.4A & 2 'C' Type 2.1A USB Charger Available In 3 Colours. ○ ● ●	714.00	20/160
GM 3325	8537	Cuba G-Hoop Power Strip 5+1 with master switch, indicator, safety shutter, 4 international sockets & Type 'C' & Type 'A' USB port 3.1A	1429.00	10/80
GM 3326	8537	Cuba G-Hoop Power Strip 4+1 with master switch, indicator, safety shutter, 3 international sockets & Type 'C' & Type 'A' USB port 3.1A	1209.00	10/80
GM 3327	8537	Cuba G-Hoop Power Strip 3+1 with master switch, indicator, safety shutter, 2 international sockets & Type 'C' & Type 'A' USB port 3.1A	1099.00	10/80
GM 3328	8537	Cuba G-Hoop Power Strip 2+1 with master switch, indicator, safety shutter, 1 international socket & Type 'C' & Type 'A' USB port 3.1A	879.00	10/80
GM 3329	8537	Cuba Tower Power Strip 9+1 with master switch, indicator, safety shutter, 8 international sockets & Type 'C' & Type 'A' 2 USB ports 3.4A	1869.00	10/80



GM 3341



GM 3342



GM 3343



GM 3325



GM 3326



GM 3327



GM 3328



GM 3329



GM 3020 GM 3021 GM 3022 GM 3091



GM 3099 GM 3026 GM 3027 GM 3233



GM 3224 GM 3225



GM 3216 GM 3217



GM 3218 GM 3219



GM 3220 GM 3221 GM 3223



GM 3211 GM 3212



GM 3023 GM 3024 GM 3028 GM 3073 GM 3025



GM 1176 GM 1177 GM 1186 GM 1179

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
LAMP HOLDERS				
GM 3020	8536	Angle Holder	51.00	20/400
GM 3021	8536	Batten Holder	51.00	20/400
GM 3022	8536	Jumbo Batten Holder	63.00	20/400
GM 3091	8536	Uno Angle Holder *	58.00	20/400
GM 3099	8536	Uno Batten Holder *	58.00	20/400
GM 3026	8536	Play Angle Holder *	61.00	20/400
GM 3027	8536	Play Batten Holder *	61.00	20/400
GM 3233	8536	Play Jumbo Batten Holder *	69.00	20/400
		* with auto safe lock		
PLATE TYPE LAMP HOLDERS				
GM 3224	8536	Helix Angle Holder	83.00	20/300
GM 3225	8536	Helix Batten Holder	83.00	20/300
GM 3216	8536	Helix Plus Angle Holder	83.00	20/300
GM 3217	8536	Helix Plus Batten Holder	83.00	20/300
PLATE TYPE LAMP HOLDERS / CEILING ROSE				
GM 3218	8536	Unek Angle Holder	78.00	20/300
GM 3219	8536	Unek Batten Holder	78.00	20/300
GM 3220	8536	Apex Angle Holder	78.00	20/300
GM 3221	8536	Apex Batten Holder	78.00	20/300
GM 3223	8536	Apex Ceiling Rose	69.00	20/500
GM 3211	8536	Square Angle Holder	60.00	20/400
GM 3212	8536	Square Batten Holder	60.00	20/400
CEILING ROSE / PENDANT HOLDER				
GM 3023	8536	Pilot Ceiling Rose *	45.00	20/600
GM 3024	8536	Jumbo Ceiling Rose *	54.00	20/400
GM 3028	8536	Play Ceiling Rose *	47.00	20/600
GM 3073	8536	Play Jumbo Ceiling Rose *	57.00	20/400
GM 3025	8536	Pendant Holder	46.00	20/600
		* with auto safe lock		
ROUND PLATES				
GM 1176	8538	Round Plate (dummy) Size 3.5 Inch	12.00	50/1500
GM 1177	8538	Round Plate Size 3.5 Inch	12.00	50/1500
GM 1186	8538	Medium Plate Size 4.25 Inch	17.00	50/1500
GM 1179	8538	Fan Plate Size 6.5 Inch	43.00	50/400

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
2 PIN FLEX BOXES WITH HANDLE				
GM 3040	8537	Square 2 Pin Flex Box 5 Mtr. *	431.00	5/60
GM 3043	8537	Jewel 2 Pin Flex Box 5 Mtr. *	485.00	5/60
GM 3047	8537	G Flex 2 Pin Flex Box 5 Mtr. *	497.00	5/45
GM 3245	8537	Meridian 2 Pin Flex Box 5 Mtr. *	585.00	5/60
		* with handle, indicator & international socket		
3 PIN FLEX BOXES WITH HANDLE				
GM 3045	8537	Square 3 Pin Flex Box 4 Mtr. *	568.00	5/60
GM 3046	8537	Jewel 3 Pin Flex Box 4 Mtr. *	579.00	5/60
GM 3208	8537	Jewel 16A 3 Pin Flex Box 4 Mtr.* with Circuit Breaker	1322.00	5/30
GM 3250	8537	Meridian 3 Pin Flex Box 4 Mtr. *	639.00	5/60
		* with handle, indicator & international socket		
2 PIN FLEX BOXES				
GM 3041	8537	Trio 2 Pin Flex Box 5 Mtr. *	414.00	5/60
GM 3042	8537	G Star 2 Pin Flex Box 5 Mtr. *	453.00	5/60
GM 3071	8537	Orbit 2 Pin Flex Box 5 Mtr. *	431.00	5/60
GM 3072	8537	Geo 2 Pin Flex Box 4.2 Mtr. *	402.00	5/60
GM 3066	8537	Geo 2 Pin Flex Box 8.2 Mtr. *	573.00	5/60
GM 3259	8537	Trio 2 Pin Flex Box 8.2 Mtr. *	550.00	5/60
GM 3014	8537	Orion 2 Pin Flex Box 4.2 Mtr. *	402.00	5/60
GM 3240	8537	Drei 2 Pin Flex Box 5 Mtr. *	507.00	5/60
		* with indicator & international socket		
3 PIN FLEX BOXES				
GM 3249	8537	Drei 3 Pin Flex Box 4 Mtr. *	585.00	5/60
GM 3093	8537	Geo 3 Pin Flex Box 5 Mtr. *	550.00	5/60
		* with indicator & international socket		



GM 3040

GM 3043



GM 3047

GM 3245



GM 3045

GM 3046



GM 3208

GM 3250



GM 3041

GM 3042

GM 3071



GM 3072

GM 3066

GM 3259



GM 3014


GM 3240



GM 3249

GM 3093





Flex Box and Spike Guard



SECURITY WAS NEVER REALLY AN OPTION AT HOME

SPIKE GUARDS & FLEX BOXES

We understand that all your gadgets and appliances are an important part of your home and precious to you. And they must be protected at all times. What more do we say?



GM 3206



GM 3207



GM 6002



GM 3058



GM 3059



GM 3061



GM 3062



GM 3202



GM 3203



GM 3252



GM 3255



GM 3256

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
EXTENSION CORDS / PARALLEL WIRE				
GM 3206	8537	G-on Mini 2 Pin Extension Cord 2.5 Mtr. *	387.00	5/60
GM 3207	8537	G-on Mini 3 Pin Extension Cord 1.5 Mtr. *	461.00	5/60
GM 6002	8537	Parallel Wire Link 5 Mtr. with 2 Pin Plug & Pendant Holder * with indicator, safety shutter & 2 International sockets	286.00	10/100
SPIKE GUARDS				
GM 3058	8537	G-Power 4+1 Spike Guard with master switch, indicator, safety shutter, international sockets & surge protector	833.00	5/45
GM 3059	8537	G-Power 6+1 Spike Guard with master switch, indicator, safety shutter, international sockets & surge protector	1020.00	5/30
GM 3061	8537	E-Book 4+4 Spike Guard with individual switch, with indicator, safety shutter, international sockets & surge protector	1099.00	5/45
GM 3062	8537	E-Book 6+1 Spike Guard with master switch, with indicator, safety shutter, international sockets & surge protector	1026.00	5/30
GM 3202	8537	Spike Shield 4+1 Spike Guard with master switch, indicator, safety shutter, international sockets & surge protector	860.00	5/45
GM 3203	8537	Quadro 4+1 Spike Guard with master switch, indicator, safety shutter, international sockets & surge protector	799.00	5/45
GM 3252	8537	4SQ 4+1 Spike Guard with master switch, indicator, safety shutter, surge protector & 4 international sockets	843.00	5/45
GM 3255	8537	Lemoid 4+1 Spike Guard with master switch, indicator, surge protector & 4 international sockets	1049.00	5/30
GM 3256	8537	Lemoid 6+1 Spike Guard with master switch, indicator, 6 international sockets & surge protector	1325.00	10/40

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
SPIKE GUARDS / POWER STRIPS WITH USB				
GM 3204	8537	Quadro 4+4 Spike Guard with individual switch, indicator, safety shutter, surge protector, 3 international sockets & twin USB- 2.1A	1450.00	5/45
GM 3205	8537	Quadro 8+1 Spike Guard with master switch, indicator, safety shutter, surge protector, 7 international sockets & twin USB- 2.1A	1653.00	5/30
GM 3251	8537	4SQ 4+1 Spike Guard with master switch, indicator, safety shutter, surge protector, 3 international sockets & 2 USB- 2.1 A	1344.00	5/45
GM 3254	8537	Lemoid 4+1 Spike Guard with master switch, indicator, surge protector, 3 international sockets & 1 USB- 2.1 A	1302.00	10/60
GM 3258	8537	Lemoid 4+1 Spike Guard USB with Detachable TWIN USB - 2.1 A 3 international sockets, master switch & surge protector	1213.00	10/60
GM 3260	8537	Lemoid 4+1 Spike Guard USB with 3 USB - 2.1 A, 3 international sockets, master switch & surge protector	1344.00	10/60
GM 3290	8537	Lemoid 4+1 Spike Guard USB with 2 USB 2.1 A + 1 USB Type C, 3 international sockets, master switch & surge protector	1430.00	10/60
GM 3044	8537	Saturn 5+1+1 Power Strip with master switch, indicator, safety shutter, 5 international sockets & twin USB- 2.1A	1599.00	5/45
POWER STRIPS				
GM 3201	8537	Spike Shield 2+2+1 Power Strip with master switch, indicator, safety shutter, 2 international sockets & 2 pin sockets	639.00	5/45
GM 3065	8537	Quadro 4+1 Power Strip with master switch, indicator, safety shutter, international sockets (5 Mtr.)	948.00	5/45
GM 3253	8537	I-Croft 4+1 Power Strip with master switch, indicator & 4 international sockets	617.00	5/45
GM 3060	8537	E-Book 4+1 Power Strip with master switch, indicator, safety shutter, international sockets	650.00	5/45
GM 3068	8537	Power Mate 4+1 Power Strip with master switch, indicator & international sockets	660.00	5/45
GM 3257	8537	Oooh 4+1 Power Strip with master switch, indicator & international sockets	660.00	5/45
GM 3246	8537	Saturn 6+1 Power Strip with master switch, indicator, safety shutter, & international sockets	1048.00	5/45



GM 3204

GM 3205



GM 3251

GM 3254



GM 3258

GM 3260



GM 3290

GM 3044



GM 3201

GM 3065



GM 3253

GM 3060



GM 3068

GM 3257



GM 3246



GM 4001 GM 4002 GM 4003 GM 4004



GM 4005 GM 4006 GM 4007 GM 4008



GM 4009 GM 4010 GM 4011 GM 4012



GM 4014 GM 4015



GM 4026



GM 4075

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
DING DONG DOORBELLS				
GM 4001	8531	Ultima *	209.00	5/120
GM 4002	8531	Spectra *	228.00	5/120
GM 4003	8531	Designer *	228.00	5/120
GM 4004	8531	Radius	203.00	5/120
GM 4005	8531	Alpha	203.00	5/120
GM 4006	8531	Phototrix	209.00	5/120
GM 4007	8531	Prime	203.00	5/120
GM 4008	8531	Strio *	228.00	5/120
GM 4009	8531	Vibro *	228.00	5/120
GM 4010	8531	Wavion *	228.00	5/120
GM 4011	8531	Resono *	234.00	5/120
GM 4012	8531	Tessa *	256.00	5/120
GM 4014	8531	Premio *	228.00	5/120
GM 4015	8531	Accord *	228.00	5/120

* stereophonic ding-dong bell

DIVINE MANTRA DOORBELLS				
GM 4026	8531	Gayatri Mantra	366.00	5/120
GM 4075	8531	G - Code Multitune Mantra Bell with dual speaker, 25 selectable mantras and flashing light	795.00	5/60

NOTHING BUT A WARM WELCOME

It all begins with a doorbell in welcoming your guests. GM doorbells help you make the right impression on your guests with a range of options to choose from. With utmost versatility of ding-dong bells, mantra bells, polyphonic doorbells, multi-tune doorbells and more, GM doorbells promise a warm welcome always.





CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
PLUG IN CONTINUOUS MANTRAS				
GM 4095	8531	Vedanta Plug In Continuous Mantra *	435.00	5/120
GM 4096	8531	Nirvana Plug In Continuous Mantra *	435.00	5/120
GM 4097	8531	Aastha Plug In Continuous Mantra *	419.00	5/120
* with LED & 18 Mantras				
MULTITUNE MUSICAL DOORBELLS				
GM 4028	8531	Channel G - Multi-tune with flashing light	398.00	5/120
GM 4030	8531	Ultra Musical Decor double colour combination	398.00	5/120
GM 4031	8531	Sparkle- Electronic Duo-tune with flashing light and choice of 2 different tunes	419.00	5/120
GM 4032	8531	I- Magic - Musical Chime with flash flickering technology	376.00	5/90
GM 4033	8531	Rock 'n' Roll Dual Tune with choice of 2 different tunes	313.00	10/200
GM 4058	8531	G-Tune Multi-tune with selectable tunes, volume control & flashing light	1007.00	5/120
GM 4091	8531	Torus Musical Multi-tune with flash light and flash flickering technology	413.00	5/120
MULTITUNE MUSICAL DOORBELLS				
GM 4074	8531	I-Dot Musical Bell with 5 different colours	366.00	5/120
GM 4076	8531	I-Wiz Musical Bell with stereophonic sound	440.00	5/120
GM 4081	8531	G-Code Doorbell with dual speaker, 21 selectable melodies & flashing light	742.00	5/60
GM 3324	8531	Gbelong Multitune Doorbell with 36 selectable melodies & flashing light	NEW 445.00	5/60
GM 4100	8531	Nexus Multitune Doorbell with 36 selectable melodies	NEW 445.00	5/60
MULTITUNE MUSICAL DOORBELLS				
GM 4092	8531	Groove with stereophonic sound	398.00	5/120
GM 4093	8531	Celestia with selectable melodies & flashing light	398.00	5/120
GM 4013	8531	Cuckoo Bird Chime with Flashing Light	329.00	5/120

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
WIRELESS DOORBELLS				
GM 4061	8531	Wave Digital Wireless Doorbell with remote, 32 selectable melodies & flashing light	1260.00	5/60
GM 4062	8531	Theme Wireless Digital with remote, 32 selectable melodies & flashing light	1260.00	5/60
WIRELESS DOORBELLS				
GM 4088	8531	Zio Wireless Digital Doorbell with remote, 36 selectable melodies, volume control, shuffle function & flashing light	1260.00	5/60
GM 4089	8531	Auro Wireless Digital Doorbell with remote, 36 selectable melodies, volume control, shuffle function & flashing light	1260.00	5/60
GM 4044	8531	Glossia Multitune Doorbell with remote, volume control, 36 musical sounds, waterproof transmitter/IP44, 200 metre operating range & LED indicator for transmitter and receiver	975.00	5/60
GM 4098	8531	Jinglz Multitune Doorbell with remote, 30 selectable melodies, IP20	890.00	5/60
GM 4099	8531	Claria Multitune Doorbell with remote, 30 selectable melodies, volume control, IP20	990.00	5/60
PLUG IN WIRELESS DOORBELLS				
GM 4087	8531	Vio Plug in Wireless Indoor Chime with remote, 32 selectable melodies, volume control, shuffle function & flashing light	1320.00	5/60
GM 4094	8531	Gusto Plug in Wireless Doorbells with battery less remote, 32 selectable melodies, volume control, shuffle function & flashing light	1390.00	5/60
GM 4101	8531	Kinetic Plug in Wireless Doorbell NEW with remote, plug in chime, 36 customisable melodies, volume control, LED incicator	1810.00	5/40





GM 3030



GM 3034



GM 3029



GM 3031



GM 3032



GM 3035



GM 3036



GM 3075



GM 3089



GM 3247



GM 3039



GM 3081



GM 3082



GM 3083



GM 3084



GM 3200



GM 3074



WR 7631

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
SENSOR NIGHT LAMPS				
GM 3030	9405	Sensor Night Lamp *	195.00	5/100
GM 3034	9405	Evox Night Lamp *	231.00	10/180
		* with auto sensing device & LED		
PLUG IN LED NIGHT LAMPS				
GM 3029	9405	Night Lamp	115.00	10/300
GM 3031	9405	Xoom Night Lamp	100.00	10/200
GM 3032	9405	Nano Night Lamp	105.00	10/200
GM 3035	9405	Galaxy Night Lamp with switch	189.00	10/180
GM 3036	9405	Focus Night Lamp	105.00	10/420
GM 3075	9405	Eco Lite edge glow night lamp	189.00	10/180
GM 3089	9405	Planet G Night Lamp with adjustable scroll for intensity of light	231.00	10/120
GM 3247	9405	Iris Night Lamp	221.00	10/120
DIVINE PLUG IN EDGE GLOW LED NIGHT LAMPS				
GM 3039	9405	Divine Edge Glow Night Lamp with Two additional slides	210.00	10/120
GM 3081	9405	Divine - Shubham	168.00	10/250
GM 3082	9405	Divine - Holy	168.00	10/250
GM 3083	9405	Divine - Cianna	168.00	10/250
GM 3084	9405	Divine - Gurbani	168.00	10/250
MOSQUITO REPELLER				
GM 3200	8516	Hummer Electronic Mosquito Repeller	175.00	10/200
TUBE LIGHT STARTER / PVC TAPE				
GM 3074	8536	G-Tech 20/40w Starter with electronic circuit	17.00	50/1000
WR 7631	3919	FR Self Adhesive Pvc Electrical Insulation Tape 0.125 mm x 1.80 cm x 6 mtr	18.00	30/720

LET THERE BE LIGHT ALWAYS

Utility and design are the key features of GM Night Lamps. With distinctive designs and smart functionality, night lamps serve a good purpose at home assisting in darkness. The night lamps can be used for night-time reading or walking around in the room, thus guiding your way.



Night Lamp





DISCOVER YOUR FANTASY WORLD

DISNEY NIGHT LAMPS

Disney creates a wonderful fantasy world for your kids. The almost alive characters decorate the walls of your kids' rooms, making their room a fantasy world.



GM 3111



GM 3113



GM 3114



GM 3115



GM 3117



GM 3120



GM 3121



GM 3122



GM 3123



GM 3124



GM 3125



GM 3127

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
PLUG IN DISNEY BEETLE LED LAMPS WITH SWITCH				
GM 3111	9405	Snow White *	285.00	5/100
GM 3113	9405	Winnie The Pooh With Friends *	285.00	5/100
GM 3114	9405	Winnie The Pooh *	285.00	5/100
GM 3115	9405	Princess *	285.00	5/100
GM 3117	9405	Mickey *	285.00	5/100
GM 3120	9405	Cars *	285.00	5/100

* with ON/OFF switch

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
PLUG IN DISNEY NEO SENSOR LED LAMPS				
GM 3121	9405	Snow White *	300.00	5/100
GM 3122	9405	Winnie The Pooh With Friends *	300.00	5/100
GM 3123	9405	Winnie The Pooh *	300.00	5/100
GM 3124	9405	Princess *	300.00	5/100
GM 3125	9405	Mickey *	300.00	5/100
GM 3127	9405	Cars *	300.00	5/100

* with auto sensing device

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
PLUG IN DISNEY JOLLY LED LAMPS				
GM 3138	9405	Snow White With Friends	285.00	5/100
GM 3139	9405	Winnie The Pooh With Friends	285.00	5/100
GM 3142	9405	Cinderella	285.00	5/100
GM 3143	9405	Mickey	285.00	5/100
GM 3146	9405	Cars	285.00	5/100



GM 3138



GM 3139



GM 3142



GM 3143



GM 3146

PLUG IN DISNEY ASTRO LED LAMPS				
CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
GM 3172	9405	Snow White With Friends	300.00	5/100
GM 3173	9405	Winnie The Pooh With Friends	300.00	5/100
GM 3174	9405	Cinderella	300.00	5/100
GM 3175	9405	Mickey	300.00	5/100
GM 3176	9405	Cars	300.00	5/100
GM 3177	9405	Avengers	300.00	5/100



GM 3172



GM 3173



GM 3174



GM 3175



GM 3176



GM 3177



GM 3178



GM 3154



GM 3155



GM 3156



GM 3157



GM 3158



GM 3159



GM 3160



GM 3161



GM 3162



GM 3163



GM 3164

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
PLUG IN DISNEY FLINT LED LAMPS				
GM 3178	9405	Snow White With Friends	390.00	5/100
GM 3154	9405	Winnie The Pooh With Friends	390.00	5/100
GM 3155	9405	Cinderella	390.00	5/100
GM 3156	9405	Mickey	390.00	5/100
GM 3157	9405	Cars	390.00	5/100
GM 3158	9405	Avengers	390.00	5/100

PLUG IN DISNEY TRIGO LED LAMPS				
GM 3159	9405	Snow White With Friends	370.00	5/100
GM 3160	9405	Winnie The Pooh With Friends	370.00	5/100
GM 3161	9405	Cinderella	370.00	5/100
GM 3162	9405	Mickey	370.00	5/100
GM 3163	9405	Cars	370.00	5/100
GM 3164	9405	Avengers	370.00	5/100

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	----------	------	-------	-----------------

PLUG IN DISNEY GLITZY EDGE GLOW LED LAMPS

GM 3150	9405	Winnie The Pooh	265.00	5/100
GM 3151	9405	Mickey	265.00	5/100
GM 3152	9405	Cars	265.00	5/100
GM 3153	9405	Princess	265.00	5/100



GM 3150



GM 3151



GM 3152



GM 3153

PLUG IN DISNEY MARVELOUS EDGE GLOW LED LAMPS

GM 3165	9405	Winnie The Pooh	300.00	5/100
GM 3166	9405	Mickey	300.00	5/100
GM 3167	9405	Cars	300.00	5/100
GM 3168	9405	Princess	300.00	5/100
GM 3169	9405	Cinderella	300.00	5/100
GM 3170	9405	Avengers	300.00	5/100



GM 3165



GM 3166



GM 3167



GM 3168



GM 3169



GM 3170

SWAROVSKI LED NIGHT LAMP

GM 3171	9405	Swarovski - Dazzline	650.00	5/100
---------	------	----------------------	--------	-------



GM 3171



G-HOME
For every home



EXPERIENCE A PERFECT WORLD

SWITCHES & ACCESSORIES

Where you live becomes your world. This world within your home caters to every need of yours letting you live a safe and a comfortable life. G-Home range of switches and accessories provides you with all those essentials you would need to experience a perfect world, in the confines of your home.



GM 8001



GM 8002



GM 8003



GM 8004



GM 8101



GM 8102



GM 8103



GM 8104



GM 8111



GM 8112



GM 8113



GM 8114



GM 8022



GM 8023



GM 8024




GM 8026



GM 8027



GM 8029



GM 8030

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	----------	------	-------	-----------------

VEDA 10AX SWITCHES / INDICATOR

GM 8001	8536	1 Way Switch	24.00	20/1200
GM 8002	8536	2 Way Switch	36.00	20/1200
GM 8003	8536	Bell Push	36.00	20/1200
GM 8004	8536	Indicator	36.00	20/1200

VAYU 10AX SWITCHES / INDICATOR

GM 8101	8536	1 Way Switch	24.00	20/1200
GM 8102	8536	2 Way Switch	35.00	20/1200
GM 8103	8536	Bell Push	35.00	20/1200
GM 8104	8536	Indicator	35.00	20/1200

VYOMA 10AX SWITCHES / INDICATOR

GM 8111	8536	1 Way Switch	24.00	20/1200
GM 8112	8536	2 Way Switch	35.00	20/1200
GM 8113	8536	Bell Push	35.00	20/1200
GM 8114	8536	Indicator	35.00	20/1200

6A SOCKET

GM 8022	8536	6A 3 Pin Socket	41.00	10/600
---------	------	-----------------	-------	--------

TV ANTENNA SOCKETS

GM 8023	8536	Mini Tv Antenna Socket	47.00	20/1200
GM 8024	8536	Medium Tv Antenna Socket	50.00	20/1000

ELECTRONIC DIMMERS / REGULATORS

GM 8026	8533	Mini Dimmer	232.00	10/500
GM 8027	8533	Medium Dimmer	246.00	10/300
GM 8029	8414	Electronic Type Mini 4 Step Fan Regulator (full Rotary)	329.00	10/500
GM 8030	8414	Electronic Type 5 Step Fan Regulator (full Rotary)	359.00	10/300

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
RJ-11 TELEPHONE JACKS / KIT - KAT FUSE				
GM 8034	8536	Mini 2 Line Tel Jack	88.00	20/1200
GM 8035	8536	Medium 4 Line Tel Jack	104.00	20/1000
GM 8039	8536	Kit-Kat Fuse (Suitable for 10A & 15A)	70.00	20/600
VEDA 6A SWITCH SOCKET COMBINED				
GM 8059	8536	6A S.S. combined with indicator	95.00	10/300
GM 8060	8536	6A S.S. combined with indicator & gang box	127.00	10/300
GM 8061	8536	8 in One 6A S.S. Combined with gang box	275.00	5/100
VEDA 20A SWITCHES				
GM 8044	8536	1 Way Switch	133.00	10/300
GM 8045	8536	2 Way Switch	153.00	10/300
VEDA 20A GAMA SWITCH / 6 & 16A UNI. SOCKET				
GM 8046	8536	Gama 1 Way Switch with indicator	158.00	10/300
GM 8048	8536	6 & 16A Universal Socket with safety shutter	133.00	10/300
VEDA 6 & 16A 3-IN-1				
GM 8050	8536	3-in-1 Universal S.S. combined with safety shutter	208.00	5/150
GM 8049	8536	3-in-1 Universal S.S. combined with safety shutter & gang box	258.00	5/150



GM 8034

GM 8035

GM 8039



GM 8059

GM 8060




GM 8061



GM 8044

GM 8045




GM 8046

GM 8048



GM 8050

GM 8049



GM 8051



GM 8052



GM 8053



GM 8054




GM 8144



GM 8145



GM 8148



GM 8150



GM 8149



GM 8151



GM 8152



GM 8095



GM 8220



GM 8221

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
VEDA 6 & 16A 5-IN-1				
GM 8051	8536	5-in-1 Universal SS.combined with fuse, indicator & safety shutter	285.00	5/100
GM 8052	8536	5-in-1 Universal SS.combined with fuse, indicator, safety shutter & gang box	347.00	5/100
VEDA 32A DP SWITCH / 6A GAMA BELL PUSH				
GM 8053	8536	32A DP. Switch with indicator	251.00	10/300
GM 8054	8536	6A Gama Bell Push with indicator	116.00	10/300
VAYU 20A SWITCH / 6 & 16A SOCKET (PORCELAIN BASE)				
GM 8144	8536	1 Way Switch	133.00	10/300
GM 8145	8536	2 Way Switch	151.00	10/300
GM 8148	8536	6 & 16A Universal Socket with safety shutter	133.00	10/300
GM 8344	8536	1 Way Switch	133.00	10/300
GM 8348	8536	6 & 16A Universal Socket	146.00	10/300
VAYU 6 & 16A 3-IN-1 (PORCELAIN BASE)				
GM 8150	8536	3-in-1 Universal S.S. combined with safety shutter	207.00	5/150
GM 8149	8536	3-in-1 Universal SS. combined with safety shutter & gang box	258.00	5/150
GM 8350	8536	3-in-1 Universal S.S. combined	203.00	5/150
GM 8349	8536	3-in-1 Universal SS. combined with gang box	252.00	5/150
VAYU 6 & 16A 5-IN-1 (PORCELAIN BASE)				
GM 8151	8536	5-in-1 Universal S.S. combined with fuse indicator & safety shutter	287.00	5/100
GM 8152	8536	5-in-1 Universal SS. combined with fuse, indicator, safety shutter & gang box	351.00	5/100
GM 8351	8536	5-in-1 Universal SS. combined with fuse & indicator	287.00	5/100
GM 8352	8536	5-in-1 Universal SS. combined with fuse, indicator & gang box	349.00	5/100
SURFACE GANG BOX / LAMP HOLDERS				
GM 8095	8536	Surface Box (suitable for 20A switches, 20A gama switch, gama bell push 6 & 16A sockets & 32A DP)	39.00	10/300
GM 8220	8536	Angle Holder	49.00	20/400
GM 8221	8536	Batten Holder	49.00	20/400

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
CEILING ROSES				
GM 8223	8536	Pilot Ceiling Rose with auto safe lock	42.00	20/600
GM 8224	8536	Jumbo Ceiling Rose with auto safe lock	47.00	20/400
ADAPTOR / BED SWITCH				
GM 8205	8536	Adaptor	29.00	30/900
GM 8206	8536	Bed Switch	58.00	20/800
3 PIN PLUG TOPS / GLOW 3 PIN PLUG TOPS				
GM 8201	8536	6A 3 Pin Top	70.00	20/600
GM 8202	8536	16A 3 Pin Top	96.00	10/300
GM 8203	8536	6A Glow 3 Pin Top	72.00	20/600
GM 8204	8536	16A Glow 3 Pin Top	103.00	10/300
3 PIN PLUG ADAPTOR				
GM 8248	8536	3 Pin Multi Plug Adaptor	146.00	10/180
GM 8249	8536	3 Pin Universal Adaptor - with indicator	141.00	10/180
16A ROUND TOP / SOCKET (BAKELITE)				
GM 8071	8536	3 Pin Round Top (Black)	127.00	10/100
GM 8072	8536	3 Pin Round Socket (Black) [porcelain Base]	130.00	10/100
32A D.P. SWITCH / MINI 32A D.P. SWITCH (PORCELAIN BASE)				
GM 8091	8536	Surface DP Switch with indicator	236.00	5/100
GM 8092	8536	Flush DP Switch with indicator	236.00	5/100
GM 8093	8536	Mini Surface DP Switch with indicator	224.00	5/100
GM 8094	8536	Mini Flush DP Switch with indicator	224.00	5/100



GM 8223

GM 8224



GM 8205

GM 8206



GM 8201

GM 8202

GM 8203

GM 8204



GM 8248

GM 8249



GM 8071

GM 8072



GM 8091

GM 8092

GM 8093

GM 8094



EVOLUTION IS INEVITABLE

SWITCHES & ACCESSORIES

Each passing day a new idea takes shape that transforms the present into something better. A concept that evolves with time and stands the test of time, that is, G-Era. It is all about bringing newness to things. It is the joy of offering new solutions to all the spatial needs within a home. G-Era is about the new, which is you.



GM 8501 GM 8502 GM 8503 GM 8504



GM 8505 GM 8506 GM 8507 GM 8508



GM 8509 GM 8510 GM 8511 GM 8512



GM 8522




GM 8523 GM 8524



GM 8526 GM 8527 GM 8529 GM 8530

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
ERION 10AX SWITCHES / INDICATOR				
GM 8501	8536	1 Way Switch	24.00	20/1200
GM 8502	8536	2 Way Switch	35.00	20/1200
GM 8503	8536	Bell Push	35.00	20/1200
GM 8504	8536	Indicator	35.00	20/1200
EVON 10AX SWITCHES / INDICATOR				
GM 8505	8536	1 Way Switch	23.00	20/1200
GM 8506	8536	2 Way Switch	35.00	20/1200
GM 8507	8536	Bell Push	35.00	20/1200
GM 8508	8536	Indicator	35.00	20/1200
EVA 10AX SWITCHES / INDICATOR				
GM 8509	8536	1 Way Switch	23.00	20/1200
GM 8510	8536	2 Way Switch	33.00	20/1200
GM 8511	8536	Bell Push	33.00	20/1200
GM 8512	8536	Indicator	33.00	20/1200
6A SOCKET				
GM 8522	8536	6A 3 Pin Socket	42.00	10/600
TV ANTENNA SOCKETS				
GM 8523	8536	Mini Tv Antenna Socket *	44.00	20/600
GM 8524	8536	Medium Tv Antenna Socket *	48.00	10/600
		* with cord grip configuration		
ELECTRONIC DIMMERS / FAN REGULATORS				
GM 8526	8533	Mini Dimmer	222.00	10/450
GM 8527	8533	Medium Dimmer	233.00	10/300
GM 8529	8414	Electronic Type Mini 4 Step Fan Regulator (Full Rotary)	309.00	10/450
GM 8530	8414	Electronic Type 5 Step Fan Regulator (Full Rotary)	339.00	10/300

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
TELEPHONE JACK / KIT-KAT FUSE				
GM 8534	8536	2 Line Jack with enclosure	78.00	20/600
GM 8535	8536	Med 2 Line Jack with enclosure	82.00	20/600
GM 8539	8536	10A Kit Kat Fuse	56.00	10/300
GM 8540	8536	15A Kit Kat Fuse	68.00	10/300



GM 8534 GM 8535 GM 8539 GM 8540

6A SWITCH SOCKET COMBINED				
GM 8559	8536	6A S.S. combined with indicator	97.00	10/160
GM 8558	8536	6A S.S. combined with indicator & gang box	113.00	10/160



GM 8559 GM 8558

ERION 16AX SWITCHES / 6 & 16A UNI. SOCKET				
GM 8644	8536	16AX 1 Way Switch	133.00	10/200
GM 8645	8536	16AX 2 Way Switch	153.00	10/200
GM 8648	8536	6 & 16A Universal Socket	135.00	10/200



GM 8644 GM 8645 GM 8648

ERION 3-IN-1				
GM 8650	8536	3-in-1 Universal S.S. combined	200.00	5/100
GM 8649	8536	3-in-1 Universal S.S. combined with gang box	244.00	5/100




GM 8650 GM 8649

ERION 5-IN-1				
GM 8651	8536	5-in-1 Universal S.S. combined with fuse & indicator	280.00	5/60
GM 8652	8536	5-in-1 Universal S.S. combined with fuse, indicator & gang box	319.00	5/60



GM 8651 GM 8652

EVON 16AX SWITCHES				
GM 8544	8536	16AX 1way Switch	133.00	10/200
GM 8545	8536	16AX 2way Switch	153.00	10/200



GM 8544 GM 8545



GM 8548



GM 8553



GM 8550



GM 8549



GM 8570



GM 8569



GM 8551



GM 8552



GM 8571



GM 8572



GM 8531



GM 8532

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
EVON 6 & 16A UNI. SOCKET / DP SWITCH				
GM 8548	8536	6 & 16A Universal Socket with safety shutter	138.00	10/200
GM 8553	8536	32A DP Switch with indicator	239.00	20/200
EVON 3-IN-1				
GM 8550	8536	3-in-1 Universal S.S. combined - with safety shutter	200.00	5/100
GM 8549	8536	3-in-1 Universal S.S. combined with safety shutter & gang box	244.00	5/100
GM 8570	8536	3-in-1 Universal S.S. combined	200.00	5/100
GM 8569	8536	3-in-1 Universal S.S. combined with gang box	244.00	5/100
EVON 5-IN-1				
GM 8551	8536	5-in-1 Universal S.S. combined with fuse, indicator & safety shutter	280.00	5/60
GM 8552	8536	5-in-1 Universal S.S. combined with fuse, indicator, safety shutter & gang box	319.00	5/60
GM 8571	8536	5-in-1 Universal S.S. combined with fuse & indicator	280.00	5/100
GM 8572	8536	5-in-1 Universal S.S. combined with fuse, indicator, safety shutter & gang box	319.00	5/60
TELEPHONE JACK / KIT-KAT FUSE				
GM 8531	8536	Pilot Ceiling Rose	36.00	20/600
GM 8532	8536	Jumbo Ceiling	42.00	20/400

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
LAMP HOLDERS				
GM 8560	8536	Angle Holder	41.00	20/400
GM 8561	8536	Batten Holder	41.00	20/400
GM 8562	8536	Pendant Holder	37.00	30/600
PLUG TOPS				
GM 8601	8536	6A 3 Pin Top	74.00	20/600
GM 8602	8536	16A 3 Pin Top	110.00	10/300
6A SURFACE SWITCH / BELL PUSH				
GM 8565	8536	6A Surface 1 Way Switch	64.00	20/600
GM 8566	8536	6A Surface Bell Push	79.00	20/600
CERA 3-IN-1				
GM 8750	8536	3-in-1 Universal S.S. combined	185.00	5/100
GM 8749	8536	3-in-1 Universal S.S. combined with gang box	228.00	5/100
CERA 5-IN-1				
GM 8751	8536	5-in-1 Universal S.S. combined with fuse & indicator	260.00	5/60
GM 8752	8536	5-in-1 Universal S.S. combined with fuse, indicator & gang box	312.00	5/60



GM 8560



GM 8561



GM 8562



GM 8601



GM 8602



GM 8565



GM 8566



GM 8750



GM 8749



GM 8751



GM 8752



GM 8850



GM 8849



GM 8851



GM 8852



GM 8944



GM 8945



GM 8948



GM 8950



GM 8949



GM 8951



GM 8952

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
CIVIA 3-IN-1				
GM 8850	8536	3-in-1 Universal S.S. combined	185.00	5/100
GM 8849	8536	3-in-1 Universal S.S. combined with gang box	228.00	5/100
CIVIA 5-IN-1				
GM 8851	8536	5-in-1 Universal S.S. combined with fuse & indicator	260.00	5/60
GM 8852	8536	5-in-1 Universal S.S. combined with fuse, indicator & gang box	312.00	5/60
ECCO 20AMP SWITCHES / 6 & 16A UNI. SOCKET				
GM 8944	8536	20 Amp 1 Way Switch	139.00	10/120
GM 8945	8536	20 Amp 2 Way Switch	151.00	10/120
GM 8948	8536	6 & 16A Universal Socket	147.00	10/120
ECCO 3-IN-1				
GM 8950	8536	3-in-1 Universal S.S. combined	234.00	5/60
GM 8949	8536	3-in-1 Universal S.S. combined with gang box	295.00	5/60
ECCO 5-IN-1				
GM 8951	8536	5-in-1 Universal S.S. combined with fuse & indicator	335.00	5/60
GM 8952	8536	5-in-1 Universal S.S. combined with fuse, indicator & gang box	402.00	5/60

SIMPLE YET ELEGANT



Civia 3-in-1 Switch

g-era
Switches







FINEST PERFORMANCE COMPLETE PROTECTION

DB AND SWITCHGEAR

These are built to perfection and designed to ensure efficiency and protection providing uncompromising safety.

SECURE YOUR WORLD WITH UNMATCHED SAFETY

Miniature Circuit Breakers (MCBs) ensure electrical safety for homes, offices, buildings and industrial areas by protecting electrical installations against overloads and short circuits.



Bi Stable
Clip



DIN Rail
Mountable



Protection




Trip-free
Mechanism

KEY FEATURES



State-Of-The-Art Design

The MCB is elegant and has an ergonomically designed knob for better grip.




Easy Removal From DIN RAIL Channel

The MCB can be snap-fitted easily on DIN Channel of width 35mm. Removal of MCB from a channel of MCBs can be done conveniently without disturbing other installed devices.




10kA Braking Capacity

High speed current braking at short circuit with energy limiting class of 3 fulfils the requirement of safety & protection from high current in small time milliseconds.



IP20 Protection

GM believes in safety first. Finger-proof terminals eliminate chances of accidental contact with live parts as all of them are shrouded/inaccessible, ensuring safety of installers.



Termination Capability

Maximum Termination Capacity of the connecting terminals is both side Top and Bottom terminals, enabling the use of aluminum conductor in DB.



Certificates

GM MCB is ISI marked as per IS/IEC 60898-1. This product has CE certification.



Line Load Reversibility

The connections to the line/load supply can be made from either top terminal or bottom terminal. The design of the MCB doesn't differentiate between feeding of line current from either side.


MCB

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
SINGLE POLE (SP) 'B' TYPE				
GM V SB 06	8536	MCB 6A SINGLE POLE 'B' TYPE	226.00	12/144
GM V SB 10	8536	MCB 10A SINGLE POLE 'B' TYPE	226.00	12/144
GM V SB 16	8536	MCB 16A SINGLE POLE 'B' TYPE	226.00	12/144
GM V SB 20	8536	MCB 20A SINGLE POLE 'B' TYPE	226.00	12/144
GM V SB 25	8536	MCB 25A SINGLE POLE 'B' TYPE	226.00	12/144
GM V SB 32	8536	MCB 32A SINGLE POLE 'B' TYPE	226.00	12/144


MCB

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
SINGLE POLE (SP) 'C' TYPE				
GM V SC 06	8536	MCB 6A SINGLE POLE 'C' TYPE	226.00	12/144
GM V SC 10	8536	MCB 10A SINGLE POLE 'C' TYPE	226.00	12/144
GM V SC 16	8536	MCB 16A SINGLE POLE 'C' TYPE	226.00	12/144
GM V SC 20	8536	MCB 20A SINGLE POLE 'C' TYPE	226.00	12/144
GM V SC 25	8536	MCB 25A SINGLE POLE 'C' TYPE	226.00	12/144
GM V SC 32	8536	MCB 32A SINGLE POLE 'C' TYPE	226.00	12/144
GM V SC 40	8536	MCB 40A SINGLE POLE 'C' TYPE	450.00	12/144
GM V SC 63	8536	MCB 63A SINGLE POLE 'C' TYPE	520.00	12/144


MCB

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
SINGLE POLE WITH NEUTRAL (SPN) 'C' TYPE				
GM V NC 06	8536	MCB 6A SPN 'C' TYPE	554.00	6/72
GM V NC 10	8536	MCB 10A SPN 'C' TYPE	554.00	6/72
GM V NC 16	8536	MCB 16A SPN 'C' TYPE	554.00	6/72
GM V NC 20	8536	MCB 20A SPN 'C' TYPE	554.00	6/72
GM V NC 25	8536	MCB 25A SPN 'C' TYPE	554.00	6/72
GM V NC 32	8536	MCB 32A SPN 'C' TYPE	554.00	6/72
GM V NC 40	8536	MCB 40A SPN 'C' TYPE	743.00	6/72
GM V NC 63	8536	MCB 63A SPN 'C' TYPE	873.00	6/72


MCB

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
DOUBLE POLE (DP) 'C' TYPE				
GM V DC 06	8536	MCB 6A DOUBLE POLE 'C' TYPE	600.00	6/72
GM V DC 10	8536	MCB 10A DOUBLE POLE 'C' TYPE	600.00	6/72
GM V DC 16	8536	MCB 16A DOUBLE POLE 'C' TYPE	600.00	6/72
GM V DC 20	8536	MCB 20A DOUBLE POLE 'C' TYPE	600.00	6/72
GM V DC 25	8536	MCB 25A DOUBLE POLE 'C' TYPE	600.00	6/72
GM V DC 32	8536	MCB 32A DOUBLE POLE 'C' TYPE	600.00	6/72
GM V DC 40	8536	MCB 40A DOUBLE POLE 'C' TYPE	824.00	6/72
GM V DC 63	8536	MCB 63A DOUBLE POLE 'C' TYPE	989.00	6/72

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	----------	------	-------	-----------------

TRIPLE POLE (TP) 'C' TYPE

GM V TC 06	8536	MCB 6A TRIPLE POLE 'C' TYPE	970.00	4/48
GM V TC 10	8536	MCB 10A TRIPLE POLE 'C' TYPE	970.00	4/48
GM V TC 16	8536	MCB 16A TRIPLE POLE 'C' TYPE	970.00	4/48
GM V TC 20	8536	MCB 20A TRIPLE POLE 'C' TYPE	970.00	4/48
GM V TC 25	8536	MCB 25A TRIPLE POLE 'C' TYPE	970.00	4/48
GM V TC 32	8536	MCB 32A TRIPLE POLE 'C' TYPE	970.00	4/48
GM V TC 40	8536	MCB 40A TRIPLE POLE 'C' TYPE	1132.00	4/48
GM V TC 50	8536	MCB 50A TRIPLE POLE 'C' TYPE	1432.00	4/48
GM V TC 63	8536	MCB 63A TRIPLE POLE 'C' TYPE	1605.00	4/48

MCB



TRIPLE POLE WITH NEUTRAL (TPN) 'C' TYPE

GM V RC 06	8536	MCB 6A TPN 'C' TYPE	1311.00	3/36
GM V RC 10	8536	MCB 10A TPN 'C' TYPE	1311.00	3/36
GM V RC 16	8536	MCB 16A TPN 'C' TYPE	1311.00	3/36
GM V RC 20	8536	MCB 20A TPN 'C' TYPE	1311.00	3/36
GM V RC 25	8536	MCB 25A TPN 'C' TYPE	1311.00	3/36
GM V RC 32	8536	MCB 32A TPN 'C' TYPE	1311.00	3/36
GM V RC 40	8536	MCB 40A TPN 'C' TYPE	1721.00	3/36
GM V RC 63	8536	MCB 63A TPN 'C' TYPE	1924.00	3/36

MCB



FOUR POLE (FP) 'C' TYPE

GM V FC 06	8536	MCB 6A FOUR POLE 'C' TYPE	1392.00	3/36
GM V FC 10	8536	MCB 10A FOUR POLE 'C' TYPE	1392.00	3/36
GM V FC 16	8536	MCB 16A FOUR POLE 'C' TYPE	1392.00	3/36
GM V FC 20	8536	MCB 20A FOUR POLE 'C' TYPE	1392.00	3/36
GM V FC 25	8536	MCB 25A FOUR POLE 'C' TYPE	1392.00	3/36
GM V FC 32	8536	MCB 32A FOUR POLE 'C' TYPE	1392.00	3/36
GM V FC 40	8536	MCB 40A FOUR POLE 'C' TYPE	1559.00	3/36
GM V FC 50	8536	MCB 50A FOUR POLE 'C' TYPE	1836.00	3/36
GM V FC 63	8536	MCB 63A FOUR POLE 'C' TYPE	2033.00	3/36

MCB



FEATURES:

1. In accordance with IS/IEC 60898-1, 240/415V, AC, 50Hz
2. Flame Retardant material of Housing and Cover
3. Busbar and Cable Connection Facility
4. Easy Mounting with two steps DIN rail
5. On/Off indication
6. Rated short Circuit Breaking Capacity 10kA
8. Padlocking facility
9. Low Watt loss
10. Trip indication
11. Safety shutter


ISOLATOR

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
DOUBLE POLE (DP)				
GM V ID 40	8536	ISOLATOR 40A DOUBLE POLE	491.00	6/72
GM V ID 63	8536	ISOLATOR 63A DOUBLE POLE	607.00	6/72
GM V ID 100	8536	ISOLATOR 100A DOUBLE POLE	843.00	6/72


ISOLATOR

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
TRIPLE POLE (TP)				
GM V IT 40	8536	ISOLATOR 40A TRIPLE POLE	861.00	4/48
GM V IT 63	8536	ISOLATOR 63A TRIPLE POLE	1011.00	4/48
GM V IT 100	8536	ISOLATOR 100A TRIPLE POLE	1259.00	4/48


ISOLATOR

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
FOUR POLE (FP)				
GM V IF 40	8536	ISOLATOR 40A FOUR POLE	1092.00	3/36
GM V IF 63	8536	ISOLATOR 63A FOUR POLE	1208.00	3/36
GM V IF 100	8536	ISOLATOR 100A FOUR POLE	1500.00	3/36

FEATURES:

1. Conforms to IS/IEC 60947-3, 240V / 415V, AC, 50 Hz
2. Isolator DP, TP, FP 40A - 100A
3. Utilization category AC 22A
4. Complete range in same frame
5. Clear ON/OFF Indication for the complete range
6. Bi-connect terminals offer flexibility to operate either with busbar or cable connection
7. Longer electrical and mechanical life
8. Low power consumption, thus cost effective and energy saving

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	----------	------	-------	-----------------

MCB CHANGEOVER SWITCH - 2 POLE

GM COS D 25	8536	COS 25A DP	1069.00	6/72
GM COS D 40	8536	COS 40A DP	1444.00	6/72
GM COS D 63	8536	COS 63A DP	1790.00	6/72


COS



MCB CHANGEOVER SWITCH - 4 POLE

GM COS F 25	8536	COS 25A FP	2091.00	3/36
GM COS F 40	8536	COS 40A FP	3048.00	3/36
GM COS F 63	8536	COS 63A FP	3719.00	3/36

COS



FEATURES:

1. Conforms to IS/IEC 60947-3, 240V / 415V, AC, 50 Hz
2. Switching device two way changeover with center OFF
3. Utilization category AC 22A
4. Complete range in same frame
5. Longer electrical and mechanical life

32A DP MCB WITH ENCLOSURE

GM V 0743	8536	32A DP MCB WITH ENCLOSURE	450.00	10/100
-----------	------	---------------------------	--------	--------

FEATURES:

1. Degree of protection- IP 40
2. Body - ABS white, copper-silver contacts
3. Breaking capacity 3kA
4. ISI Marked MCB(IS/IEC-60898-1) & LED indicator of supply




RCCB

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
DOUBLE POLE (DP)				
GM V R030D 025	8536	RCCB 25A DP (30 mA)	2226.00	6/48
GM V R030D 040	8536	RCCB 40A DP (30 mA)	2300.00	6/48
GM V R030D 063	8536	RCCB 63A DP (30 mA)	3045.00	6/48
GM V R100D 025	8536	RCCB 25A DP (100 mA)	2310.00	6/48
GM V R100D 040	8536	RCCB 40A DP (100 mA)	2363.00	6/48
GM V R100D 063	8536	RCCB 63A DP (100 mA)	3098.00	6/48
GM V R300D 025	8536	RCCB 25A DP (300 mA)	2415.00	6/48
GM V R300D 040	8536	RCCB 40A DP (300 mA)	2468.00	6/48
GM V R300D 063	8536	RCCB 63A DP (300 mA)	3150.00	6/48


RCCB

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
FOUR POLE (FP)				
GM V R030F 025	8536	RCCB 25A FP (30 mA)	2657.00	3/24
GM V R030F 040	8536	RCCB 40A FP (30 mA)	2830.00	3/24
GM V R030F 063	8536	RCCB 63A FP (30 mA)	3203.00	3/24
GM V R100F 025	8536	RCCB 25A FP (100 mA)	2688.00	3/24
GM V R100F 040	8536	RCCB 40A FP (100 mA)	2751.00	3/24
GM V R100F 063	8536	RCCB 63A FP (100 mA)	3255.00	3/24
GM V R300F 025	8536	RCCB 25A FP (300 mA)	2793.00	3/24
GM V R300F 040	8536	RCCB 40A FP (300 mA)	2888.00	3/24
GM V R300F 063	8536	RCCB 63A FP (300 mA)	3308.00	3/24

FEATURES:


1. In accordance with IS 12640 (Part-1) & IEC 61008 - 1, 240/4 415V, AC, 50 Hz, with 6kA Short Circuit withstand capacity
2. Elegant appearance
3. No nuisance tripping
4. Fastest tripping mechanism
5. Bi-connect terminals for bus bar as well as cable connection
6. IP20 protection finger touch proof connection terminals as well
7. Truly current operated, operates even at very low voltage
8. High short current withstand capacity
9. Large terminal size 35 sq mm
10. Flame retardant body and cover does not melt/drip even at high temperature

EFFECTS of electric current through human body

The flow of current while using electricity always involves risk. Poorly insulated apparatus, faulty wires or incorrect use of an electrical device may cause the current to flow through the wrong path. The below mentioned current is also known as Leakage Current.

500 mA		▷ Immediate heart attack leading to death
70-100 mA		▷ Cardiac fibrillation, the heart vibrates at an unsteady rate and can get fatal as it is irreversible
20-30 mA		▷ Muscle contraction can cause respiratory paralysis
10 mA		▷ The person remains stuck to the conductor due to muscle contraction
1-10 mA		▷ Prickling sensations

Electrocution should not be viewed in terms of "current" alone, but in terms of "contact voltage". A person gets electrocuted by coming in contact with an object that has a different potential from his/her own. The difference in potential causes the current to flow through the body. The amount of current through the human body for a given voltage depends on the resistance of the body. The interior of the human body is a good conductor due to abundance of iron in the body fluids. The main barrier to current flow is the skin. The resistance of the skin decreases significantly when it is wet.



- 1 USUALLY NO REACTION EFFECT
- 2 USUALLY NO DANGER OF FIBRILLATION
- 3 USUALLY NO PATHOPHYSIOLOGICALLY DANGEROUS EFFECT
- 4 FIBRILLATION DANGER (MORE THAN 50% PROBABILITY)

Providing Uncompromising Safety

G-VAULT



Elegant Appearance



Fastest Tripping Mechanism



Low Voltage Operation



High Short Current Withstand Capacity



Flame Retardant Body



Heat Resistant Cover



ABSOLUTE POWER & RELIABILITY

G-VAULT - ACCL

Automatic Changeover with Current Limiter

Upon failure of the mains power supply, the changeover device automatically transfers the load from the mains power supply to the generator supply. It also functions as a load limiter by monitoring the current drawn from the generator, thereby reducing the stress on the generator.



4 Module



DIN Channel
Mountable



Uninterrupted
Power Supply



Durable



Automatic
Changeover



32A AUTOMATIC CHANGEOVER SWITCH

Automatic Changeover Switch



Heavy-duty Mechanical
Double Pole Relay

Lingjie Diode
For High Durability

8000 Hour
Capacitor Life

SMPS
Technology

High-grade
Copper Wire

Automatic
Changeover

Easy Wall
Mounting

Rustproof

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	----------	------	-------	-----------------

AUTOMATIC CHANGEOVER WITH CURRENT LIMITER

GM V ACCL 015	8536	ACCL 30A/1.5A - (300W) - 4M	2395.00	1/18
GM V ACCL 025	8536	ACCL 30A/2.5A - (500W) - 4M	2395.00	1/18
GM V ACCL 030	8536	ACCL 30A/3.0A - (600W) - 4M	2395.00	1/18
GM V ACCL 040	8536	ACCL 30A/4.0A - (800W) - 4M	2395.00	1/18
GM V ACCL 050	8536	ACCL 30A/5.0A - (1000W) - 4M	2395.00	1/18
GM V ACCL 060	8536	ACCL 30A/6.0A - (1200W) - 4M	2395.00	1/18
GM V ACCL 090	8536	ACCL 30A/9.0A - (1800W) - 4M	2395.00	1/18
GM V ACCL 120	8536	ACCL 30A/12.0A - (2400W) - 4M	2395.00	1/18
GM V ACCL 150	8536	ACCL 30A/15.0A - (3000W) - 4M	2395.00	1/18
GM V ACCL 200	8536	ACCL 30A/20.0A - (4000W) - 4M	2395.00	1/18
GM V ACCL 300	8536	ACCL 30A/30.A - (6000W)- 4M	2595.00	1/18

ACCL



FEATURES:

1. Automatic changeover between main and generator supply with overload protection in generator mode
2. Contactor based single phase ACCL
3. Utilization category AC32A & AC22A can switch heavy loads
4. 5 kA short circuit capacity
5. Low power consumption as coil operates only during generator supply
6. During overload, load will be on for 10 sec so that user gets some time to switch off unwanted loads
7. Overload indication via LED & Beep
8. Auto Reset Facility

AUTOMATIC CHANGEOVER SWITCH

GM V 0742	8536	32A/240V~ SINGLE PHASE	2074.00	1/8
GM V 0744	8536	63A/240V~ SINGLE PHASE	6038.00	1/6
GM V 0745	8536	63A/415V~ THREE PHASE - FP	12705.00	1/4




FEATURES:

1. Heavy duty electro mechanical double pole relay
2. High Grade Copper Wire
3. CRCA sheet (Phosphatized & powder coated), phase changes automatically



Reversible Door

On the location of the installation simply shift the hinge assembly from left to right to open the door. (depending on your choice)




Integrated Frame Design

DB has a unique feature of the frame integrated into the BOX.




Pan Assembly

This concept facilitates detaching of the chassis from the DB & the required wiring for the circuit protection device can be done at a convenient location.




Door Earthing

Door earthing makes the entire DB totally shocks proof. Benefits: Highly shock proof



IP43 Protection

Offers added protection from solid and water fall at 60° from verticals.



Visual Anti-inserting Facility

Aids in identifying the box inserting level in the wall



Ample Space for Wiring

Ample space for wiring is provided to ensure proper distribution of neutral & earth wires.




Front Plates Studs

Front plates studs are provided for easy lifting.



Side Locking Din Rail Stopper

Stopper are provided at the corner of the DIN RAIL for avoiding slippage of device.



Double Mounting Key Holes

Every DB is provided with key holes for flush as well as surface mounting



Insulated Copper Fork Type BUSBAR

All DBs have this facility for quick & easy installation for 100A Rating.




Shrouded Neutral Bar

Shrouded Neutral Bar facilitate safety of installation and human life.



Cement Spill Protector

The Cement spill protector prevents entry of dust or cement particles inside the DB during the construction period at side. The installation guidelines are mentioned elaborately on cement spill protector.




Door & Shield Independent

During maintenance jobs. One can just remove the shield without removing the entire DB.



Embossed Earthing Identification
Clear earthing marking for ease of installation.



Identification Level and Blank Plate
Identification level and blank plate are provided for the circuit.



Detachable Gland Plates
With different size of knockouts detachable gland plates at the top and bottom of the DB facilitate easy entry and exit of the cable. Thus one can remove the entire plate from incoming and outgoing terminals.



Identified Wire Set
All DBs are equipped with wire set better device management.



Front Door Aesthetics
The aesthetically designed front facia of the DB adds an alluring dimension to the living space.




Circuit Lable Diagram
Circuit lable diagram is provided to avoid any mismatch during wiring.



Installation Manual Sheet
DB comes with installation manual sheet for safe and easy installation of the circuit breakers.



Internal Sliding Knob/Latch
Aesthetically appealing curved 2 pieces gray coloured auto locking latch.



SUPERIOR
SAFETY
FOR YOUR
WORLD

G-VAULT
PRO




SPN





TPN



Shrouded Neutral Bar



Door Earthing



Robust Round Corner Door Design



Rotary Knob For Smooth Operation



Earthing Screw



Cable Kit



Side Plates (Removable)



CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	-------------	------	-------	--------------------

SPN DISTRIBUTION BOARD - DOUBLE DOOR (METAL)

GM V 0710	8537	4 WAY SPN DD DB IP43 (2+2)	1810.00	1/12
GM V 0711	8537	6 WAY SPN DD DB IP43 (2+4)	2069.00	1/10
GM V 0712	8537	8 WAY SPN DD DB IP43 (2+6)	2233.00	1/8
GM V 0713	8537	12 WAY SPN DD DB IP43 (2+10)	2794.00	1/6
GM V 0714	8537	16 WAY SPN DD DB IP43 (2+14)	3328.00	1/4

TPN DISTRIBUTION BOARD - DOUBLE DOOR (METAL)

GM V 0715	8537	4 WAY TPN DD DB IP43	3443.00	1/4
GM V 0716	8537	6 WAY TPN DD DB IP43	4697.00	1/3
GM V 0717	8537	8 WAY TPN DD DB IP43	5731.00	1/2
GM V 0718	8537	12 WAY TPN DD DB IP43	8261.00	1/1
GM V 0719	8537	16 WAY TPN DD DB IP43 Incomer 8 pole	10989.00	1/1

FEATURES:

1. Design – Three Piece Construction
2. Powder coated RAL 9003 fine texture
3. Type of Installation - Surface and Flush Mounting.
4. Pan Assy / Chassis – Removable
5. Door Knob – Sliding type
6. Cement Spill Protector – Provided
7. Removable Gland Plates
8. Reversible Door – Provided
9. N Bar & E Bar – Provided (N Bar- Shrouded)
10. Insulated Fork type Busbar (ETP Cu Grade)

MCB not included

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	----------	------	-------	-----------------

SPN DISTRIBUTION BOARD - DOUBLE DOOR (METAL)

GM V 0720	8537	4 WAY SPN DD DB IP43 (2+2)	1573.00	1/12
GM V 0721	8537	6 WAY SPN DD DB IP43 (2+4)	1799.00	1/10
GM V 0722	8537	8 WAY SPN DD DB IP43 (2+6)	1942.00	1/8
GM V 0723	8537	12 WAY SPN DD DB IP43 (2+10)	2431.00	1/6
GM V 0724	8537	16 WAY SPN DD DB IP43 (2+14)	2893.00	1/4

PRO SERIES



TPN DISTRIBUTION BOARD - DOUBLE DOOR (METAL)

GM V 0725	8537	4 WAY TPN DD DB IP43	3443.00	1/4
GM V 0726	8537	6 WAY TPN DD DB IP43	4697.00	1/3
GM V 0727	8537	8 WAY TPN DD DB IP43	5731.00	1/2
GM V 0728	8537	12 WAY TPN DD DB IP43	8261.00	1/1
GM V 0729	8537	16 WAY TPN DD DB IP43 Incomer 8 pole	10989.00	1/1

PRO SERIES



FEATURES:

1. Design – Three Piece Construction
2. Powder coated RAL 7035 fine texture
3. Type of Installation - Surface and Flush Mounting
4. Door Knob – Rotate type
5. Cement Spill Protector – Provided
6. Removable Gland Plates
7. Reversible Door – Provided
8. N Bar & E Bar – Provided (N Bar- Shrouded)
9. Insulated Fork type Busbar (ETP Cu Grade)

MCB not included



TPN



Vertical Phase Selector



Superior
Powder Coating



Ample Space
For Wiring



Reversible
Door



Fully Insulated
Busbar

SUPERIOR SAFETY FOR YOUR WORLD

SPN & TPN Distribution Board - Double Door



SPN


TPN



Detachable Chassis
And Gland Plate



Four-piece
Premium Design



Surface And Flush
Mounting With Visual
Anti-inserting Facility



CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	----------	------	-------	-----------------

SPN DISTRIBUTION BOARD - DOUBLE DOOR (METAL)

GM V 0747	8537	4 WAY SPN DD DB IP43 (2+2)	2000.00	1/12
GM V 0748	8537	6 WAY SPN DD DB IP43 (2+4)	2198.00	1/10
GM V 0749	8537	8 WAY SPN DD DB IP43 (2+6)	2234.00	1/8
GM V 0750	8537	12 WAY SPN DD DB IP43 (2+10)	2859.00	1/6
GM V 0751	8537	16 WAY SPN DD DB IP43 (2+14)	3760.00	1/4
GM V 0752	8537	20 WAY SPN DD DB IP43 (2+18)	4400.00	1/4

TPN DISTRIBUTION BOARD - DOUBLE DOOR (METAL)

GM V 0753	8537	4 WAY TPN DD DB IP43	4569.00	1/4
GM V 0754	8537	6 WAY TPN DD DB IP43	5299.00	1/3
GM V 0755	8537	8 WAY TPN DD DB IP43	6748.00	1/2
GM V 0756	8537	12 WAY TPN DD DB IP43 Incomer 8 pole	7602.00	1/1

FEATURES:

1. Design – Four Piece Construction
2. Powder Coated RAL 9003 Fine Texture
3. Type of Installation - Surface and Flush Mounting
4. Pan Assy/ Chassis – Removable
5. Door Knob – Sliding Type
6. Cement Spill Protector – Provided
7. Removable Gland Plates
8. Reversible Door – Provided
9. N Bar & E Bar – Provided (N Bar- Shrouded)
10. Insulated Fork type Busbar (ETP Copper Grade)

*MCB not included

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	-------------	------	-------	--------------------

VERTICAL PHASE SELECTOR DB - DD (WITH 40AMP ROTARY SWITCH)

GM V 0757	8537	4 WAY 40A VPS DD DB IP43	10350.00	1/1
GM V 0758	8537	6 WAY 40A VPS DD DB IP43	10980.00	1/1
GM V 0759	8537	8 WAY 40A VPS DD DB IP43	12150.00	1/1
GM V 0760	8537	12 WAY 40A VPS DD DB IP43 Incomer 8 pole	14700.00	1/1


VERTICAL PHASE SELECTOR DB - DD (WITH 63AMP ROTARY SWITCH)

GM V 0761	8537	4 WAY 63A VPS DD DB IP43	11500.00	1/1
GM V 0762	8537	6 WAY 63A VPS DD DB IP43	11990.00	1/1
GM V 0763	8537	8 WAY 63A VPS DD DB IP43	12850.00	1/1
GM V 0764	8537	12 WAY 63A VPS DD DB IP43 Incomer 8 pole	14300.00	1/1


FEATURES:

1. Design – Four Piece Construction
2. Powder Coated RAL 9003 Fine Texture
3. Rotary Switch With Inbuilt LED indicator
4. Type of Installation - Surface and Flush mounting
5. Pan Assy/ Chassis – Removable
6. Door Knob – Sliding type
7. Cement Spill Protector – Provided
8. Removable Gland Plates with Knockout - Top & Bottom, Knock Out – Flatten
9. Reversible Door – Provided
10. N Bar & E Bar – Provided (N Bar- Shrouded)
11. Insulated Fork type Busbar (ETP Copper Grade)
12. Wire Set Provided

*MCB not included

THE SILENT PROTECTOR OF YOUR HOME


Vertical Per Phase Isolation



VPPI



Split Supply with
Per Phase Isolation



Surface and
Flush Mounting



Four-piece
Premium Design



Superior
Powder Coating

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	-------------	------	-------	--------------------

VERTICAL TPN

GM V 0769	8537	04 WAY VTPN IP43 DD DB (MCB I/C)	9950.00	1/1
GM V 0770	8537	06 WAY VTPN IP43 DD DB (MCB I/C)	12230.00	1/1
GM V 0771	8537	08 WAY VTPN IP43 DD DB (MCB I/C)	13740.00	1/1
GM V 0772	8537	12 WAY VTPN IP43 DD DB (MCB I/C)	17355.00	1/1
GM V 0773	8537	16 WAY VTPN IP43 DD DB (MCB I/C)	21800.00	1/1
		Incomer 8 pole		



FEATURES:

1. Surface/ Flush mounting
2. Removable Pan Assy
3. Design – Four Piece Construction
4. Powder coated RAL 9003 fine texture
5. Rated insulated Bus Bar assembly
6. Copper Flexible link provided for incomer
7. Cement Spill Protector – Provided
8. Door Knob – Sliding type
9. Removable Gland Plates
10. Reversible Door
11. N Bar (Shrouded) & E Bar

*MCB not included



VERTICAL PER PHASE ISOLATION

GM V 0765	8537	4 WAY VPPI IP43 DD DB	7300.00	1/1
GM V 0766	8537	6 WAY VPPI IP43 DD DB	7800.00	1/1
GM V 0767	8537	8 WAY VPPI IP43 DD DB	9260.00	1/1
GM V 0768	8537	12 WAY VPPI IP43 DD DB	10700.00	1/1
		Incomer 8 pole		



FEATURES:

1. Used for split supply with per phase isolation
2. Surface/ Flush mounting
3. Removable Pan Assy
4. Design – Four Piece Construction
5. Powder coated RAL 9003 fine texture
6. Cement Spill Protector – Provided
7. Door Knob – Sliding type
8. Removable Gland Plates
9. Reversible Door
10. Separate N Bar (Shrouded) & E Bar provided for per phase isolation
11. Insulated Fork type Busbar (ETP Copper Grade)
12. Wire set provided

*MCB not included




SAFEGUARD YOUR WORLD

Plastic Distribution Box With Plastic Base & Metal Base



Easy Wiring &
Installation



Flush/Surface
Mounting



Detachable
DIN Rail



Spirit Level
Indicator



Elegant &
Compact Design



Fire Retardant
Properties

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	-------------	------	-------	--------------------

SPN DISTRIBUTION BOARD - PLASTIC BASE
NEW

GM CT 0101	8537	4-6 WAY SPN PLASTIC BASE IP40 DB	990.00	1/16
GM CT 0102	8537	6-8 WAY SPN PLASTIC BASE IP40 DB	1250.00	1/16
GM CT 0103	8537	8-10 WAY SPN PLASTIC BASE IP40 DB	1440.00	1/10
GM CT 0104	8537	10-12 WAY SPN PLASTIC BASE IP40 DB	1975.00	1/10
GM CT 0105	8537	14-16 WAY SPN PLASTIC BASE IP40 DB	2170.00	1/10


SPN DISTRIBUTION BOARD - METAL BASE
NEW

GM CT 0106	8537	4-6 WAY SPN METAL BASE IP40 DB	1225.00	1/10
GM CT 0107	8537	6-8 WAY SPN METAL BASE IP40 DB	1495.00	1/10
GM CT 0108	8537	8-10 WAY SPN METAL BASE IP40 DB	1800.00	1/6
GM CT 0109	8537	10-12 WAY SPN METAL BASE IP40 DB	2270.00	1/6
GM CT 0110	8537	14-16 WAY SPN METAL BASE IP40 DB	2515.00	1/6


FEATURES:

1. Incoming Option - SPN / DP MCB / RCCB / Isolator
2. Outgoing Options - Single pole MCB
3. Type of Installation - Surface and Flush mounting
4. Fireproof plastic with transparent Grey cover
5. Inbuilt Level indicator

*MCB not included

FOR A SAFE AND WORRY-FREE LIVING


Plastic Distribution Box with Plastic Base & Metal Base



SPN



Easy Wiring &
Installation



Flush/Surface
Mounting



Detachable
DIN Rail



Elegant &
Compact Design



Fire Retardant
Properties

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	-------------	------	-------	--------------------

SPN DISTRIBUTION BOARD - PLASTIC BASE

GM 0606	8537	5-7 WAY SPN PLASTIC BASE IP40 DB	1145.00	1/16
GM 0607	8537	7-9 WAY SPN PLASTIC BASE IP40 DB	1418.00	1/16
GM 0608	8537	10-12 WAY SPN PLASTIC BASE IP40 DB	1628.00	1/10
GM 0609	8537	14-16 WAY SPN PLASTIC BASE IP40 DB	2237.00	1/10
GM 0610	8537	17-19 WAY SPN PLASTIC BASE IP40 DB	2499.00	1/10



SPN DISTRIBUTION BOARD - METAL BASE

GM 0611	8537	5-7 WAY SPN METAL BASE IP40 DB	1418.00	1/10
GM 0612	8537	7-9 WAY SPN METAL BASE IP40 DB	1701.00	1/10
GM 0613	8537	10-12 WAY SPN METAL BASE IP40 DB	2048.00	1/6
GM 0614	8537	14-16 WAY SPN METAL BASE IP40 DB	2468.00	1/6
GM 0615	8537	17-19 WAY SPN METAL BASE IP40 DB	2856.00	1/6



FEATURES:

1. Incoming Option - SPN / DP MCB / RCCB / Isolator
2. Outgoing Options - Single pole MCB
3. Type of Installation - Surface and Flush mounting
4. Fireproof plastic with transparent Grey cover spring loaded (door) swings open by just pressing the lock
5. Reference specifications : IS 13032 / IS 8623 / IEC / BS EN 60439-3
6. Improved knockout sizes to 26

*MCB not included

PRIORITISING YOUR SAFETY

Phase Selector Enclosure

By using this enclosure, the existing TPN DBs convert into phase selector DB in an easy, simple & reliable manner.




Flush/ Surface
Installation



Rotary Switch With
Inbuilt LED Indicators



High-quality Copper FR
Wire With Connectors



Removable
Gland Plates



Phosphatised
Powder Coating

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	----------	------	-------	-----------------

PHASE SELECTOR ENCLOSURE

GM L 0519	8537	PHASE SELECTOR ENCLOSURE - SINGLE ROTARY 63A G-LINC	2250.00	1/12
GM L 0520	8537	PHASE SELECTOR ENCLOSURE - THREE ROTARY 63A G-LINC	5219.00	1/6



FEATURES:

1. Cost effective solution - TPN DB use as a phase selector DB after attaching this enclosure
2. Type of installation Flush or Surface mounted, IP 40 Protection
3. Complete solution with duly rated wiring and backlite connector
4. Removable gland plate with knockout

MCB ENCLOSURE - PLASTIC

GM 0655	8537	1-2 MCB ENCLOSURE PLASTIC	76.00	1/120
GM 0656	8537	3-4 MCB ENCLOSURE PLASTIC	108.00	1/120



GM 0655

GM 0656

MCB ENCLOSURE - METAL

GM 0645	8537	1-2 MCB ENCLOSURE METAL	318.00	1/120
GM 0646	8537	3-4 MCB ENCLOSURE METAL	381.00	1/120



GM 0645

GM 0646

FEATURES:

1. IP 20 Protection
2. Compact design
3. Flush or surface mounting

*MCB not included.

AC DB BOX WITH METAL CLAD PLUG AND SOCKET

GM 0653	8537	NEXLINE AC METAL BOX WITH 20A PLUG AND SOCKET MCB not included.	665.00	1/24
---------	------	--	--------	------



GM 0653

FEATURES:

1. IP 30 Protection
2. Metal Clad Plug and Socket for 20Amp

*MCB not included.



CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	----------	------	-------	-----------------

SPN DISTRIBUTION BOARD - TV TEL

GM V 0730	8537	06 WAY SPN TV-TEL IP42 DD DB	3328.00	1/4
GM V 0731	8537	08 WAY SPN TV-TEL IP42 DD DB	3872.00	1/4
GM V 0732	8537	12 WAY SPN TV-TEL IP42 DD DB	4719.00	1/4
GM V 0733	8537	16 WAY SPN TV-TEL IP42 DD DB	6171.00	1/4

TPN DISTRIBUTION BOARD - TV TEL

GM V 0734	8537	06 WAY TPN TV-TEL IP42 DD DB	7865.00	1/3
GM V 0735	8537	08 WAY TPN TV-TEL IP42 DD DB	8349.00	1/3
GM V 0736	8537	12 WAY TPN TV-TEL IP42 DD DB	9559.00	1/3
		Incomer 8 pole		

FEATURES:

1. Provision for mount TV splitter and Telephone krone
2. Powder coated RAL-9003 fine texture
3. Suitable for surface & flush mounting
4. CRCA Steel sheet with phosphatized treatment
5. Special compartment for TV and Telephone

*MCB, TV splitter and Telephone krone not included

Junior Phase Selector DD

With 63AMP Rotary Switch




Easy Wiring & Installation



Phosphatized Power Coating



Flush/Surface Mounting



CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	-------------	------	-------	--------------------

JUNIOR PHASE SELECTOR DD (WITH 63AMP ROTARY SWITCH)

GM L 0529	8537	04W JR PHASE SELECTOR-ROTARY 63A	6515.00	1/3
GM L 0530	8537	06W JR PHASE SELECTOR-ROTARY 63A	7553.00	1/2
GM L 0531	8537	08W JR PHASE SELECTOR-ROTARY 63A	8352.00	1/2
		Incomer 8 pole		

FEATURES:

1. Protection IP 42, IK 09 made of Steel Sheet (Phosphatised & powder coated)
2. Din rail, shrouded neutral link, insulated bus bar, earth link & cable ties for cable management with inbuilt
3. Powder coated RAL 7035 fine texture
4. 3 nos. of 63A Rotary switches.
5. Suitable for flush mounting & surface mounting with door earthing & provision for FP MCB / ISOLATOR / RCCB / RCBO as incomer & SP MCBs as outgoing

*MCB not included



METER BOX -(ENCLOSURE)

GM L 0532	8537	METER BOX - SPN (ENCLOSURE)	2600.00	1/2
GM L 0533	8537	METER BOX - TPN (ENCLOSURE)	3900.00	1/2

FEATURES:

1. Acrylic Window provided for Meter Display
2. LED & MCB Cutout Provided
3. Wooden Plate provided for Meter Mounting
4. Detachable Gland Plate
5. Knockout provided at Top, Bottom & Side for cable entry
6. Powder Coating RAL - 7035
7. Earthing Stud Provided

*MCB & LED Indicator Not Included





CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	----------	------	-------	-----------------

VERTICAL PHASE SELECTOR DD DB (WITHOUT ROTARY SWITCH)

GM 0628	8537	4 WAY VPS DD DB IP42 (8+12)	7780.00	1/1
GM 0629	8537	6 WAY VPS DD DB IP42 (8+18)	8290.00	1/1
GM 0630	8537	8 WAY VPS DD DB IP42 (8+24)	9510.00	1/1
GM 0631	8537	12 WAY VPS DD DB IP42 (8+36)	10790.00	1/1
MCB, Rotary Switch & Piano Switch not included Incomer 8 pole				

VERTICAL PHASE SELECTOR DD DB - (WITH 40A ROTARY SWITCH)

GM 0632	8537	4 WAY 40A VPS DD DB IP42 (8+12)	9900.00	1/1
GM 0633	8537	6 WAY 40A VPS DD DB IP42 (8+18)	10800.00	1/1
GM 0634	8537	8 WAY 40A VPS DD DB IP42 (8+24)	11220.00	1/1
GM 0635	8537	12 WAY 40A VPS DD DB IP42 (8+36)	13500.00	1/1
MCB not included, Incomer 8 pole				



VERTICAL PHASE SELECTOR DD DB - (WITH 63A ROTARY SWITCH)

GM 0636	8537	4 WAY 63A VPS DD DB IP42 (8+12)	11080.00	1/1
GM 0637	8537	6 WAY 63A VPS DD DB IP42 (8+18)	11590.00	1/1
GM 0638	8537	8 WAY 63A VPS DD DB IP42 (8+24)	11960.00	1/1
GM 0639	8537	12 WAY 63A VPS DD DB IP42 (8+36)	13400.00	1/1
MCB not included, Incomer 8 pole				

FEATURES:

1. Design – Four Piece Construction, IP42
2. Powder coated RAL 7035 fine texture
3. Rotary Switch and Piano switches with duly wired
4. Type of Installation - Surface and Flush mounting
5. Door Knob – Sliding type
6. Cement Spill Protector – Provided
7. Removable Gland Plates with knockout - Top & Bottom
8. Reversible Door – Provided
9. N Bar & E Bar – Provided (N Bar- Shrouded)
10. Insulated Fork type Bus Bar (ETP Copper Grade)
11. Wire set provided



FLEXI DISTRIBUTION BOARD (ROW DB)

GM L 0501	8537	2 ROW 28 MODULE (14M Per Row)	5051.00	1/1
GM L 0502	8537	3 ROW 42 MODULE (14M Per Row)	6248.00	1/1
GM L 0503	8537	4 ROW 56 MODULE (14M Per Row)	7445.00	1/1

FEATURES:

1. Design – Four Piece and heavy construction IP42
2. Powder coated RAL 7035 fine texture
4. Type of Installation - Surface and Flush mounting
5. Door Knob – Sliding type
6. Cement Spill Protector – Provided
7. Removable Gland Plates with knockout - Top & Bottom
8. Reversible Door – Provided
9. N Bar & E Bar – Provided (N Bar- Shrouded)
10. Insulated Fork type Bus Bar (ETP Copper Grade)

*MCB not included

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	----------	------	-------	-----------------

VERTICAL TPN DD DB (MCB INCOMER)

GM V 0737	8537	04 WAY VTPN IP42 DD DB (MCB I/C)	10769.00	1/1
GM V 0738	8537	06 WAY VTPN IP42 DD DB (MCB I/C)	12826.00	1/1
GM V 0739	8537	08 WAY VTPN IP42 DD DB (MCB I/C)	13673.00	1/1
GM V 0740	8537	12 WAY VTPN IP42 DD DB (MCB I/C)	17666.00	1/1
GM V 0741	8537	16 WAY VTPN IP42 DD DB (MCB I/C)	21659.00	1/1
		Incomer 8 pole		



FEATURES:

1. Surface/ Flush mounting
2. Design – Four Piece Construction, IP42
3. Powder coated RAL 7035 fine texture
4. Rated insulated Bus Bar assembly
5. Copper Flexible link provided for incomer
6. Cement Spill Protector – Provided
7. Door Knob – Sliding type
8. Removable Gland Plates
9. Reversible Door
10. N Bar (Shrouded) & E Bar
11. With Fish Bone assembly

*MCB not included

SEVEN SEGMENT DOUBLE DOOR DISTRIBUTION BOARD

NEW

GM L 0521	8537	04 WAY SEVEN SEGMENT IP42 DD DB	7837.00	1/1
GM L 0522	8537	06 WAY SEVEN SEGMENT IP42 DD DB	9095.00	1/1
GM L 0523	8537	08 WAY SEVEN SEGMENT IP42 DD DB	10586.00	1/1
GM L 0524	8537	12 WAY SEVEN SEGMENT IP42 DD DB	13233.00	1/1
		Incomer 8 pole		



EIGHT SEGMENT DISTRIBUTION BOARD

NEW

GM L 0525	8537	04 WAY EIGHT SEGMENT IP42 DD DB	8004.00	1/1
GM L 0526	8537	06 WAY EIGHT SEGMENT IP42 DD DB	9278.00	1/1
GM L 0527	8537	08 WAY EIGHT SEGMENT IP42 DD DB	10765.00	1/1
GM L 0528	8537	12 WAY EIGHT SEGMENT IP42 DD DB	13457.00	1/1
		Incomer 8 pole		



FEATURES:

1. Used for split supply using sub incomer with per phase isolation
2. Design – Four Piece Construction, IP42
3. Powder coated RAL 7035 fine texture
4. Type of Installation - Surface and Flush mounting
5. Door Knob – Sliding type
6. Cement Spill Protector – Provided
7. Removable Gland Plates with knockout - Top & Bottom
8. Split Door – Provided
9. Separate N Bar & E Bar provided for each phase. (N Bar- Shrouded)
10. Insulated Fork type Bus Bar (ETP Copper Grade)
11. Complete wire set provided

*MCB not included

SAFE HOMES FOR A BETTER WORLD

Busbar chambers are metallic strips or bars, housed inside switchgears, panel boards and busway enclosures for high current power distribution and straight forward network configuration. The main purpose of it is to conduct a substantial current of electricity.



Busbar Chamber




Double Use Of The Busbar Space



Seven Tank Texture Powder Coating



Easy Wiring And Installation



Flush/ Surface Mounting

COMPLETE SAFETY OF YOUR LOVED ONES

The Rewirable Switch Fuse Units are used for distributing power and protecting electrical devices and cables from damage due to fluctuations. This fuse unit is housed in an enclosure made using quality CR steel sheet. The fuse units are stringently tested in compliance.



Switch Fuse Unit



CRCA Sheet Protected From Dust and Rain



Unique Handle Design With ON Indicator



Interlock Switches To Avoid Accidents



Phosphatised Powder Coating



CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	----------	------	-------	-----------------

BUSBAR CHAMBER (TPN)

GM L 0505	8536	32A/415V TPN BUSBAR CHAMBER	2730.00	1/5
GM L 0506	8536	63A/415V TPN BUSBAR CHAMBER	4515.00	1/5
GM L 0507	8536	100A/415V TPN BUSBAR CHAMBER	5660.00	1/3
GM L 0508	8536	200A/415V TPN BUSBAR CHAMBER	9760.00	1/1
GM L 0509	8536	320A/415V TPN BUSBAR CHAMBER	15131.00	1/1
GM L 0510	8536	400A/415V TPN BUSBAR CHAMBER	21252.00	1/1
GM L 0511	8536	630A/415V TPN BUSBAR CHAMBER	37884.00	1/1

FEATURES:

1. Used for high current power distribution
2. Enclosures are deep drawn and fabricated in CRCA sheet it is fully protected from dust and rain
3. Step up Step Busbar assy for good wiring
4. Busbar - ETP Grade Copper
5. Earthing Stud provided
6. Enclosures are powder coated after 7 tank phosphating process



KNIFE TYPE CHANGEOVER SWITCH (OFF LOAD)

GM L 0512	8536	63A/415V FP CHANGEOVER SWITCH	7854.00	1/2
GM L 0513	8536	100A/415V FP CHANGEOVER SWITCH	12717.00	1/2
GM L 0514	8536	200A/415V FP CHANGEOVER SWITCH	22996.00	1/1
GM L 0515	8536	320A/415V FP CHANGEOVER SWITCH	26976.00	1/1

FEATURES:

1. Fitted with strong operating handles
2. Current conducting parts which perform making and breaking mechanisms are in knife shape
3. Provided with conduit knockouts for easy wiring
4. Detachable gland plates
5. Busbar - ETP Grade Copper
6. Earthing Stud provided
7. Enclosures are powder coated after 7 tank phosphating process

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	----------	------	-------	-----------------

SWITCH FUSE UNIT (REWIRABLE)

GM 0671	8536	16A /240V - SPN SFU	751.00	1/1
GM 0672	8536	16A /240V - DP SFU	769.00	1/1
GM 0673	8536	32A/240V - SPN SFU	1733.00	1/8
GM 0674	8536	32A/240V - DP SFU	1820.00	1/8
GM L 0534	8536	63A/240V - DP SFU	3350.00	1/8
GM 0675	8536	16A/415A - TP SFU	2010.00	1/16
GM 0676	8536	32A/415A - TP SFU	2657.00	1/4
GM 0677	8536	63A/415A -TP SFU	6237.00	1/2
GM 0678	8536	100A/415 - TP SFU	11377.00	1/1
GM 0679	8536	200A/415 - TP SFU	17729.00	1/1
GM A 1 004	8536	32A / 240V - DP (Compact Body)	1470.00	1/10

FEATURES:

1. Enclosures are deep drawn and fabricated in CRCA sheet it is fully protected from dust and rain
2. The Operating Handle is unique in design with ON Indication
3. Switches are provided with safest interlock to avoid accidents
4. Switches are fitted with highly vitreous porcelain for high mechanical and electrical strength
5. Contacts are made out of electrolytic copper and brass
6. Earthing Stud provided
7. Enclosures are powder coated after 7 tank phosphating process



CHANGEOVER SWITCH (OFF LOAD)

GM 0680	8536	16A/240A - DP COS	1323.00	1/16
GM 0681	8536	32A/240V - DP COS	1785.00	1/8
GM L 0535	8536	63A/240V - DP COS	3370.00	1/8
GM 0682	8536	16A/415A - TP COS	1877.00	1/16
GM 0683	8536	32A/415A - TP COS	2483.00	1/16
GM 0684	8536	63A/415A - TP COS	2054.00	1/16
GM 0685	8536	32A/415A - FP COS	2818.00	1/4
GM 0686	8536	63A/415A - FP COS	7219.00	1/2
GM 0687	8536	100A/415A - FP COS	12012.00	1/2
GM 0688	8536	200A/415A - FP COS	22869.00	1/1
GM 0689	8536	300A/415A - FP COS	22159.00	1/16
GM 0690	8536	400A/415A - FP COS	28943.00	1/16

FEATURES:

1. Enclosures are deep drawn and fabricated in CRCA sheet it is fully protected from dust and rain
2. The Operating Handle is unique in design with ON Indication
3. Quick make brake mechanisms for both the sides
4. Operating Handle interface with safest interlock to avoid accidents
4. Used highly vitreous porcelain for high mechanical and electrical strength
5. Contacts are made out of electrolytic copper and brass
6. Earthing Stud provided
7. Enclosures are powder coated after 7 tank phosphating process





CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	----------	------	-------	-----------------

L.T. CONTROL REVERSE FORWARD SWITCH

GM 0642	8536	16A/415V REV/FOR. SWITCH (MINI)	457.00	1/30
GM 0640	8536	16A/415V REV/FOR. SWITCH	515.00	1/30
GM 0641	8536	32A/415V REV/FOR. SWITCH	907.00	1/20

FEATURES:

1. R/F switches are specially designed for high making and breaking capacity, long mechanical and contact life
2. Switches are assembled with heavy electrolytic copper components
3. R/F switches are operated with molded handles and moving contacts are operated by molded plastic cams



COMPACT CHANGEOVER SWITCH

GM L 0516	8536	32A DP COMPACT CHANGEOVER	1242.00	1/120
GM L 0517	8536	32A TP COMPACT CHANGEOVER	1328.00	1/120
GM L 0518	8536	32A FP COMPACT CHANGEOVER	1490.00	1/120

FEATURES:

1. Changeover are operated by using strong molded handles which drive quick make-break mechanisms for both sides
2. Range are available in 32 Amps DP, TP & FP
3. Enclosures are fabricated in CRCA sheet, and are fully protected from dust and rain
4. Enclosures are powder coated after 7 tank phosphating process
5. Contacts are made of electrolytic copper and brass parts
6. Compact design suitable for any type of installation



GM 0693 / 0694

ROTARY SWITCH (CAM OPERATED)

GM 0691	8536	3 WAY 25A ROTARY SWITCH WITH OFF	434.00	1/40
GM 0692	8536	3 WAY 32A ROTARY SWITCH WITH OFF	457.00	1/40
GM 0693	8536	3 WAY 40A ROTARY SWITCH WITH OFF	792.00	1/40
GM 0694	8536	3 WAY 63A ROTARY SWITCH WITH OFF	815.00	1/40

Suitable for G-Linc Vertical Phase Selector

FEATURES:

1. Modular Construction
2. Enhanced Life
3. High Reliability

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	----------	------	-------	-----------------

METAL CLAD PLUG AND SOCKET

GM 0654	8536	2 P + E PLUG (20 AMP)	150.00	1/120
GM 0657	8536	2 P + E SOCKET (20 AMP)	161.00	1/120
GM 0658	8536	3 P + E PLUG (30 AMP)	358.00	1/60
GM 0659	8536	3 P + E SOCKET (30 AMP)	376.00	1/60



GM 0654 / 0657



GM 0658 / 0659

PORCELAIN FUSE UNIT (REWIRABLE)

GM 0660	8536	16A/240V Pilot FUSE UNIT	83.00	1/120
GM 0661	8536	16A/415V Pilot FUSE UNIT	143.00	1/80
GM 0662	8536	32A/415V (Excell) FUSE UNIT	245.00	1/45
GM 0668	8536	32A/415 V Handle Type (Excell) FUSE UNIT	260.00	1/30
GM 0663	8536	63A/415V (Excell) FUSE UNIT	549.00	1/24
GM 0669	8536	63A /415V Handle Type (Excell) FUSE UNIT	561.00	1/12
GM 0664	8536	100A/415V (Excell) FUSE UNIT	1080.00	1/8
GM 0665	8536	200A/415V (Excell) FUSE UNIT	1866.00	1/6
GM 0666	8536	300A/415V With lugs FUSE UNIT	2368.00	1/3
GM 0667	8536	500A/415V With lugs FUSE UNIT	3229.00	1/3

Reference standard: IS 2086



GM 0660



GM 0661



GM 0662



GM 0663



GM 0664



GM 0666

Safe and Secure
Rewirable Porcelain

FUSE UNIT



THE
BACKBONE OF A
SAFE
LIFESTYLE



Flame
Retardant



DIN Channel
Mountable




ON/OFF
Indicator




Elegant
Appearance


KEY FEATURES




State-of-the-art Design
GM MCB has state-of-the-art design. The MCB is elegant and has an ergonomically designed knob for better grip.




Easy Removal From DIN RAIL Channel
MCB can be snap fit easily on DIN Channel of width 35mm. Removal of MCB from a channel of MCBs can be done conveniently without disturbing other installed devices.



10kA Breaking Capacity
High speed current braking at short circuit with energy limiting class of 3 fulfils the requirement of safety & protection from high current in small time milliseconds.




IP20 Protection
GM believes in safety first. Finger proof terminals eliminate chances of accidental contact with live parts as all of them are shrouded/inaccessible, ensuring safety of installers.




Termination Capability
Maximum Termination Capacity of the connecting terminals is both side Top and Bottom terminals, enabling the use of aluminum conductor in DB.



Certificates
GM MCB is ISI marked as per IS/IEC 60898-1. This product has CE certification.



Line Load Reversibility
The connections to the line/load supply can be made from either top terminal or bottom terminal. The design of the MCB doesn't differentiate between feeding of line current from either side.



ON-OFF Contact Indication
Green indication on the position contact indicator ensure the physical opening of the contact. Red Indication shows that the circuit is ON.


MCB

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
SINGLE POLE (SP) 'B' TYPE				
GM H SB 06	8536	MCB 6A SP 'B' TYPE	194.00	10/200
GM H SB 10	8536	MCB 10A SP 'B' TYPE	194.00	10/200
GM H SB 16	8536	MCB 16A SP 'B' TYPE	194.00	10/200
GM H SB 20	8536	MCB 20A SP 'B' TYPE	194.00	10/200
GM H SB 25	8536	MCB 25A SP 'B' TYPE	194.00	10/200
GM H SB 32	8536	MCB 32A SP 'B' TYPE	194.00	10/200


MCB

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
SINGLE POLE (SP) 'C' TYPE				
GM H SC 06	8536	MCB 6A SP 'C' TYPE	194.00	10/200
GM H SC 10	8536	MCB 10A SP 'C' TYPE	194.00	10/200
GM H SC 16	8536	MCB 16A SP 'C' TYPE	194.00	10/200
GM H SC 20	8536	MCB 20A SP 'C' TYPE	194.00	10/200
GM H SC 25	8536	MCB 25A SP 'C' TYPE	194.00	10/200
GM H SC 32	8536	MCB 32A SP 'C' TYPE	194.00	10/200
GM H SC 40	8536	MCB 40A SP 'C' TYPE	324.00	10/200
GM H SC 63	8536	MCB 63A SP 'C' TYPE	374.00	10/200


MCB

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
SINGLE POLE WITH NEUTRAL (SPN) 'C' TYPE				
GM H NC 06	8536	MCB 6A SPN 'C' TYPE	444.00	6/120
GM H NC 10	8536	MCB 10A SPN 'C' TYPE	444.00	6/120
GM H NC 16	8536	MCB 16A SPN 'C' TYPE	444.00	6/120
GM H NC 20	8536	MCB 20A SPN 'C' TYPE	444.00	6/120
GM H NC 25	8536	MCB 25A SPN 'C' TYPE	444.00	6/120
GM H NC 32	8536	MCB 32A SPN 'C' TYPE	444.00	6/120
GM H NC 40	8536	MCB 40A SPN 'C' TYPE	612.00	6/120
GM H NC 63	8536	MCB 63A SPN 'C' TYPE	719.00	6/120


MCB

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
DOUBLE POLE (DP) 'C' TYPE				
GM H DC 06	8536	MCB 6A DP 'C' TYPE	457.00	6/120
GM H DC 10	8536	MCB 10A DP 'C' TYPE	457.00	6/120
GM H DC 16	8536	MCB 16A DP 'C' TYPE	457.00	6/120
GM H DC 20	8536	MCB 20A DP 'C' TYPE	457.00	6/120
GM H DC 25	8536	MCB 25A DP 'C' TYPE	457.00	6/120
GM H DC 32	8536	MCB 32A DP 'C' TYPE	457.00	6/120
GM H DC 40	8536	MCB 40A DP 'C' TYPE	638.00	6/120
GM H DC 63	8536	MCB 63A DP 'C' TYPE	751.00	6/120

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	----------	------	-------	-----------------

TRIPLE POLE (TP) 'C' TYPE

GM H TC 06	8536	MCB 6A TP 'C' TYPE	784.00	4/80
GM H TC 10	8536	MCB 10A TP 'C' TYPE	784.00	4/80
GM H TC 16	8536	MCB 16A TP 'C' TYPE	784.00	4/80
GM H TC 20	8536	MCB 20A TP 'C' TYPE	784.00	4/80
GM H TC 25	8536	MCB 25A TP 'C' TYPE	784.00	4/80
GM H TC 32	8536	MCB 32A TP 'C' TYPE	784.00	4/80
GM H TC 40	8536	MCB 40A TP 'C' TYPE	1092.00	4/80
GM H TC 63	8536	MCB 63A TP 'C' TYPE	1235.00	4/80

MCB

TRIPLE POLE WITH NEUTRAL (TPN) 'C' TYPE

GM H RC 06	8536	MCB 6A TPN 'C' TYPE	1048.00	3/60
GM H RC 10	8536	MCB 10A TPN 'C' TYPE	1048.00	3/60
GM H RC 16	8536	MCB 16A TPN 'C' TYPE	1048.00	3/60
GM H RC 20	8536	MCB 20A TPN 'C' TYPE	1048.00	3/60
GM H RC 25	8536	MCB 25A TPN 'C' TYPE	1048.00	3/60
GM H RC 32	8536	MCB 32A TPN 'C' TYPE	1048.00	3/60
GM H RC 40	8536	MCB 40A TPN 'C' TYPE	1372.00	3/60
GM H RC 63	8536	MCB 63A TPN 'C' TYPE	1535.00	3/60

MCB

FOUR POLE (FP) 'C' TYPE

GM H FC 06	8536	MCB 6A FP 'C' TYPE	1082.00	3/60
GM H FC 10	8536	MCB 10A FP 'C' TYPE	1082.00	3/60
GM H FC 16	8536	MCB 16A FP 'C' TYPE	1082.00	3/60
GM H FC 20	8536	MCB 20A FP 'C' TYPE	1082.00	3/60
GM H FC 25	8536	MCB 25A FP 'C' TYPE	1082.00	3/60
GM H FC 32	8536	MCB 32A FP 'C' TYPE	1082.00	3/60
GM H FC 40	8536	MCB 40A FP 'C' TYPE	1421.00	3/60
GM H FC 63	8536	MCB 63A FP 'C' TYPE	1563.00	3/60

MCB

FEATURES:

1. In accordance with IS/IEC 60898-1, 240/415V, AC, 50Hz
2. Flame Retardant material of Housing and Cover
3. Busbar and Cable Connection Facility
4. Easy Mounting with two steps DIN rail
5. ON / OFF Indication
6. Rated short Circuit Breaking Capacity 10000A (10kA)


ISOLATOR

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
DOUBLE POLE (SP) 'B' TYPE				
GM H ID 40	8536	ISO 40A DP	358.00	6/120
GM H ID 63	8536	ISO 63A DP	439.00	6/120
GM H ID 80	8536	ISO 80A DP	635.00	6/120
GM H ID 100	8536	ISO 100A DP	647.00	6/120
GM H ID 125	8536	ISO 125A DP	785.00	6/120


ISOLATOR

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
TRIPLE POLE (TP)				
GM H IT 40	8536	ISO 40A TP	566.00	4/80
GM H IT 63	8536	ISO 63A TP	681.00	4/80
GM H IT 80	8536	ISO 80A TP	901.00	4/80
GM H IT 100	8536	ISO 100A TP	912.00	4/80
GM H IT 125	8536	ISO 125A TP	942.00	4/80


ISOLATOR

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
FOUR POLE (FP)				
GM H IF 40	8536	ISO 40A FP	780.00	3/60
GM H IF 63	8536	ISO 63A FP	896.00	3/60
GM H IF 80	8536	ISO 80A FP	1000.00	3/60
GM H IF 100	8536	ISO 100A FP	1011.00	3/60
GM H IF 125	8536	ISO 125A FP	1259.00	3/60

FEATURES:

1. Conforms to IS/IEC 60947-3, 240V / 415V, AC, 50 Hz
2. Isolator DP, TP, FP 40A - 100A
3. Utilization category AC 22A
4. Low Watt Loss
5. Complete range in same frame
6. Clear ON-OFF Indication for the complete range
7. Bi-connect terminals offer flexibility to operate either with Busbar or Cable Connection
8. Longer electrical and mechanical life
9. Low power consumption, thus cost effective and energy saving

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	-------------	------	-------	--------------------

DOUBLE POLE (DP)

GM H R030D 025	8536	RCCB 25A DP (30 mA)	1869.00	6/48
GM H R030D 040	8536	RCCB 40A DP (30 mA)	1974.00	6/48
GM H R030D 063	8536	RCCB 63A DP (30 mA)	2394.00	6/48
GM H R100D 025	8536	RCCB 25A DP (100 mA)	1901.00	6/48
GM H R100D 040	8536	RCCB 40A DP (100 mA)	2006.00	6/48
GM H R100D 063	8536	RCCB 63A DP (100 mA)	2111.00	6/48
GM H R300D 025	8536	RCCB 25A DP (300 mA)	1932.00	6/48
GM H R300D 040	8536	RCCB 40A DP (300 mA)	2037.00	6/48
GM H R300D 063	8536	RCCB 63A DP (300 mA)	2499.00	6/48

RCCB



FOUR POLE (FP)

GM H R030F 025	8536	RCCB 25A FP (30 mA)	2384.00	3/24
GM H R030F 040	8536	RCCB 40A FP (30 mA)	2489.00	3/24
GM H R030F 063	8536	RCCB 63A FP (30 mA)	2594.00	3/24
GM H R100F 025	8536	RCCB 25A FP (100 mA)	2468.00	3/24
GM H R100F 040	8536	RCCB 40A FP (100 mA)	2573.00	3/24
GM H R100F 063	8536	RCCB 63A FP (100 mA)	2730.00	3/24
GM H R300F 025	8536	RCCB 25A FP (300 mA)	2709.00	3/24
GM H R300F 040	8536	RCCB 40A FP (300 mA)	2814.00	3/24
GM H R300F 063	8536	RCCB 63A FP (300 mA)	2888.00	3/24

RCCB



FEATURES:

1. In accordance with IS 12640 (Part-1) & IEC 61008 - 1, 240/4 415V, AC, 50 Hz, with 6kA Short Circuit withstand capacity.
2. Elegant appearance
3. Label Indicator
4. Fastest tripping mechanism
5. Bi-connect terminals for Busbar as well as cable connection
6. IP20 protection finger touch proof connection terminals as well
7. Truly current operated, operates even at very low voltage
8. High short current withstand capacity
9. Flame retardant body and cover does not melt/drip even at high temperature



COS

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
MCB CHANGEOVER SWITCH - DOUBLE POLE (DP)				
GM H COS D25	8536	COS 25A DP	814.00	6/72
GM H COS D40	8536	COS 40A DP	893.00	6/72
GM H COS D63	8536	COS 63A DP	1129.00	6/72

COS

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
MCB CHANGEOVER SWITCH - FOUR POLE (FP)				
GM H COS F25	8536	COS 25A FP	1525.00	3/36
GM H COS F40	8536	COS 40A FP	1600.00	3/36
GM H COS F63	8536	COS 63A FP	1850.00	3/36

FEATURES:

1. Utilization category AC 22A
2. Switching device - Two way changeover with center OFF
3. Conforms to IS/ IEC 60947-3, 240V/415V, AC, 50Hz

Automatic Changeover With Current Limiter



Relay Based Single Phase ACCL



Micro Controller Based Design



DIN Rail Mounting



Overload Indication via LED



Auto Reset Facility

www.gmm modular.com



CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	----------	------	-------	-----------------

AUTOMATIC CHANGEOVER WITH CURRENT LIMITER
NEW
ACCL

GM H ACCL 015	8536	ACCL 30A/1.5A - (300W) - 3M	1615.00	1/24
GM H ACCL 025	8536	ACCL 30A/2.5A - (500W) - 3M	1615.00	1/24
GM H ACCL 030	8536	ACCL 30A/3.0A - (600W) - 3M	1615.00	1/24
GM H ACCL 040	8536	ACCL 30A/4.0A - (800W) - 3M	1615.00	1/24
GM H ACCL 050	8536	ACCL 30A/5.0A - (1000W) - 3M	1615.00	1/24
GM H ACCL 060	8536	ACCL 30A/6.0A - (1200W) - 3M	1615.00	1/24
GM H ACCL 090	8536	ACCL 30A/9.0A - (1800W) - 3M	1615.00	1/24
GM H ACCL 120	8536	ACCL 30A/12.0A - (2400W) - 3M	1615.00	1/24
GM H ACCL 150	8536	ACCL 30A/15.0A - (3000W) - 3M	1615.00	1/24
GM H ACCL 200	8536	ACCL 30A/20.0A - (4000W) - 3M	1615.00	1/24
GM H ACCL 300	8536	ACCL 30A/30.0A - (6000W) - 3M	1710.00	1/24


FEATURES:

1. Relay based single phase ACCL
2. Micro controller based design
3. Compact in size (TP MCB size)
4. Din rail mounting
5. Utilisation category AC22A
6. During overload, load will be on for 10 sec so that user gets some time to switch off unwanted loads
7. Overload indication via LED
8. Auto Reset Facility

MCB ENCLOSURE - METAL

GM 0814	8537	1-2 MCB METAL ENCLOSURE	236.00	1/48
GM 0815	8537	3-4 MCB METAL ENCLOSURE	310.00	1/36

MCB not included.


AC DB BOX WITH METAL CLAD PLUG AND SOCKET

GM 0827	8537	AC BOX WITH 20A PLUG & SOCKET G -HOME	607.00	1/20
---------	------	---------------------------------------	--------	------

*MCB not included.



PERFECT BLEND OF INNOVATION & SIMPLICITY



TPN DISTRIBUTION BOARD

The newly introduced features of the TPN Distribution Board are rare and hard to find. They cater to your needs with utmost sincerity. They are unbelievably frugal and economical. A highlighting quality is that they are eco-friendly, which means that they cause no harm to the environment. They accommodate anywhere and everywhere, be it home, office or any outdoor premise.

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	-------------	------	-------	--------------------

SPN DISTRIBUTION BOARD - DOUBLE DOOR (METAL)

GM 0816	8537	04 WAY SPN IP42 DD DB	1183.00	1/12
GM 0817	8537	06 WAY SPN IP42 DD DB	1410.00	1/12
GM 0818	8537	08 WAY SPN IP42 DD DB	1814.00	1/10
GM 0819	8537	12 WAY SPN IP42 DD DB	2372.00	1/8
GM 0820	8537	16 WAY SPN IP42 DD DB	2814.00	1/6



TPN DISTRIBUTION BOARD - DOUBLE DOOR (METAL)

GM 0823	8537	04 WAY TPN IP42 DD DB	3388.00	1/4
GM 0824	8537	06 WAY TPN IP42 DD DB	4314.00	1/3
GM 0825	8537	08 WAY TPN IP42 DD DB	4852.00	1/3
GM 0826	8537	12 WAY TPN IP42 DD DB	7006.00	1/2



FEATURES:

1. Design: Three Piece Construction
2. IP42
3. Powder coating: Light cool grey
4. Type of Installation - Surface and Flush mounting
5. Cement Spill Protector - Provided
6. Removable Gland Plates - Top & Bottom
7. Fork type Bus Bar provided
8. N Bar & E Bar: Provided
9. Surface Treatment: Powder Coated with Phosphatized

*MCB not included, Incomer 8 pole

ESSENTIAL UTILITY PRODUCTS FOR EVOLVING LIFESTYLES

Introducing the atomizing steamer, your go-to skincare companion for a personalised spa experience. This compact device ensures full-coverage purified steam, featuring a sleek, travel-friendly design and four aromatherapy oil caps. With GM's advanced Air Purifier, swiftly eliminate airborne pollutants and odours for a fresh, clean space. Its user-friendly design includes a one-click detachable dust cup for effortless cleaning and with USB recharging, enjoy cordless ease wherever life takes you. Also, presenting the portable and noiseless powerhouse in cleaning technology - The Vacuum Cleaner. This compact vacuum boasts impressive suction capabilities, effortlessly eliminating dust, dirt, and debris from nooks & corners of your cars. Experience the perfect blend of skincare and air purification in one compact and stylish package.



Facial Steamer

CODE	HSN CODE	ITEM	MRP ₹	STD./ MST. PKG.
------	----------	------	-------	-----------------

FACIAL STEAMER
NEW

GM-FC-ST-01	8516	Hot & cold face steamer	4799.00	1/10
GM-FC-ST-02-WH	8516	Mini hot steam facial steamer 220-240V~ 50/60Hz, 300W (White)	3599.00	1/10
GM-FC-ST-02-PN	8516	Mini hot steam facial steamer 220-240V~ 50/60Hz, 300W (Pink)	3599.00	1/10



GM-FC-ST-01



GM-FC-ST-02-WH



GM-FC-ST-02-PN

VACUUM CLEANER
NEW

GM-VC-CL-01-WH	8508	Handheld vacuum cleaner (White)	6399.00	1/20
GM-VC-CL-01-BL	8508	Handheld vacuum cleaner (Blue)	6399.00	1/20



GM-VC-CL-01-WH



GM-VC-CL-01-BL

AIR PURIFIER
NEW

GM-CR-AR-PR-01	8421	Car air purifier	8999.00	1/20
----------------	------	------------------	---------	------



GM-CR-AR-PR-01

FOOT EXFOLIATOR
NEW

GM-FO-EX-01-SL	8509	Foot exfoliator DC/1A Rechargeable, USB line (Sliver)	2999.00	1/20
GM-FO-EX-01-RG	8509	Foot exfoliator DC/1A Rechargeable, USB line (Gold)	2999.00	1/20



GM-FO-EX-01-SL



GM-FO-EX-01-RG

UPGRADING THE BASICS



Everyone enjoys personalising items to their choices and requirements. And the good news is, technology can now be tailored to your preferences. The GM Power Tracks allow manual installation of a variety of electrical components, which simplify daily operations. The tracks can be efficiently installed on long tables at homes or office conferences or even on the walls, making them appropriate for both residential and commercial sectors. They facilitate work and astound with their simple yet intelligent existence.



— Lighting —

— Lighting —

SWITCHING CONVENIENCE AT YOUR FINGERTIPS

Step into a world of effortless control and style with our innovative switches, integrated with Alexa and Google voice commands. Designed to elevate your spaces, the GM Pi range offers a seamless blend of modern design, functionality, and precision. With the power of smart technology, you can redefine your environment with just your voice, making every moment convenient and staying connected. Easily manage your devices remotely with the GM Konnect App from anywhere using a tablet or a smartphone. It is your turn to switch on comfort with Pi Switches and Accessories. This is where convenience and sophistication meet in perfect harmony.



THE MODERN HOT WATER SOLUTION

Made for Modern Homes: The GM R1X Water Heater provides hot water quickly and efficiently. The body is made with durable material that is anti-corrosive and resistant to scale deposition. Features such as water temperature indicator and temperature control minimise power consumption and make it simple to operate, providing a convenient experience.







WIDER, FASTER, EASIER

The most powerful iron, Orca ensures smooth ironing with its non-stick, dual-layer coated, wider soleplate for fast ironing. With a reverse-glide friendly design, it ensures an easy ironing experience. Here's the perfect household iron for all fabric types.

ORCA DESIGNER DRY IRON



REVOLUTIONARY COMFORT WRAPPED IN A BLADELESS INNOVATION

The Oxy Air Signature Series Bladeless Fan comes with a suspended air purifier containing a HEPA filter. With a built-in air quality sensor, 120° oscillation, 30° tilt angle, UV sterilisation, room temperature humidity value display, smart control, off timer, nine speed levels, and low noise, Oxy Air is a revolutionary fan in an elegant tripod shape.

Our exclusive experience centres

INDIA

Mumbai - Andheri

GM Luxury Lighting - Experience Center,
Unit No. 21, Q/G, Laxmi Industrial Estate,
Next to Laxmi Chhaya Hotel, New Link Road,
Andheri (W), Mumbai - 400 053, Maharashtra.
Email: info@gmmodular.com

Mumbai - Andheri

G-6, Laxmi Industrial Estate,
Opp. Laxmi Chhaya Hotel,
New Link Road, Andheri (W)
Mumbai - 400 053, Maharashtra.
Email: info@gmmodular.com
Contact: +918879918221.

Mumbai - Lohar Chawl

Shop No.1 Plot No. 151/153, Bhabha Building,
Lohar Chawl, Mumbai - 400 002, Maharashtra.
Email: info@gmmodular.com
Contact: 022 - 2206 6545

Ahmedabad

07, Ground Floor, Times Square Grand,
Near Saitva Vikas School, Sindhu Bhavan,
Main Road, Thaltej, Ahmedabad - 380059
Email: info@gmmodular.com

Belagavi

Shop No. 571, Bhati Tower, Patil Galli,
Belgaum - 590 001, Karnataka.
Email: info@gmmodular.com
Contact: +91 9886716370.

Bengaluru

460/ 20/ 1, 30th Cross, 8th B Main Road,
4th Block, Beside Jain Temple, Jayanagar,
Bengaluru - 560 011, Karnataka.
Email: info@gmmodular.com
Contact: 080 - 4097 1188.

Bhilwara

G-4, Govindram Commercial Hub, Old RTO Road,
Bhilwara - 311 001, Rajasthan.
Email: info@gmmodular.com
Contact: +91 89550 48560.

Patna

Ambition Business Centre, Gr. Floor, Block A,
Jamal Road, Patna - 800001, Bihar
Email: info@gmmodular.com
Contact: +91 70048 36171.

Calicut

GM Avenue, 1st Floor, Red Cross Road,
Calicut - 673 032, Kerala.
Email: info@gmmodular.com
Contact: 0495-277 3500.

Chennai - Egmore

Stall No. F50, F51 & F52,
1st Floor, Build HQ, Raja Annamalai Building,
Rukmani Lakshmi pathi Road,
Egmore, Chennai - 600008, Tamil Nadu
Email: info@gmmodular.com
Contact: +91 99449 43348.

Chennai - Anna Salai

Prestige Zackria Metropolitan, #200/1-8,
Anna Salai, Chennai - 600 002, TN
Email: info@gmmodular.com
Contact: +91 9443151008
+91 97908 40995.

Coimbatore

22, Mill Road, KEZ Building,
Coimbatore - 641 001, Tamil Nadu.
Email: info@gmmodular.com
Contact: +91 99523 07025.

Hyderabad

No. 5-5-84/87, Shop No. 2&3,
Kalpakunj Apartment, Jambaug,
Hyderabad - 500 012, Telangana.
Email: info@gmmodular.com
Contact: 040 - 2473 4545.

Jalore

Near Kanchangiri Jain Temple,
Opp. Haridev Joshi Circle, Bagoda Road,
Jalore - 343 001, Rajasthan.
Email: info@gmmodular.com
Contact: 02973-222288
+91 79769 79283.

Kochi

Compass Building, Gr. floor,
NH by pass, Chakkaraparambu Thammanam,
Kochi 682032.
Email: info@gmmodular.com

Kolkata

39/40, Ezra Street, Ground Floor,
Kolkata - 700 001, West Bengal.
Email: info@gmmodular.com
Contact: 033 - 406 02048.

Noida

C-161, Sector 63, Near Hindustan Times Office,
Noida, Uttar Pradesh - 201301
Email: info@gmmodular.com
Contact: +91 9675226491.

Puducherry

No. 298, J.N. Street,
Opp. to Sony Centre Showroom,
Puducherry - 605001
Email: info@gmmodular.com
Contact: 04134500222
+91 9152351213.

Ranchi

Mahavir Chowk, Upper Bazar,
Ranchi - 834 001, Jharkhand.
Email: info@gmmodular.com
Contact: 065-1355 1309
+91 94715 55599.

Surat

Nilkanth House, 29 to 32
Ambika Industrial Society,
Opp. Gandhi Kutir, U M Road,
Bhatar, Surat - 395017, Gujarat
Email: info@gmmodular.com
Contact: 9152088884.

Tirunelveli

48, Raja Building,
Tirunelveli - 627 001,
Tamil Nadu. Email: info@gmmodular.com
Contact: +91 9443151008.

Vijayawada

Shop no: 15-18, K. S Vyas Complex,
Opp. Indira Gandhi Municipal Stadium,
MG Road, Vijayawada - 520 010,
Andhra Pradesh.
Email: info@gmmodular.com
Contact: +91 7416614545.

Vijayawada

Shop no: 17 - 18, Ground Floor,
K. S Vyas Complex,
Opp. Indira Gandhi Municipal Stadium,
MG Road, Vijayawada - 520 010,
Andhra Pradesh.
Email: info@gmmodular.com
Contact: +91 7416614545.

INTERNATIONAL

Bhutan

T. D. ENTERPRISES, P.O. Box 1162,
Hong Kong Market, Thimphu, Bhutan.

Botswana

CHOPPIES DISTRIBUTION CENTRE (PTY) LTD.
P.O.Box 00278, Plot No: 880,
Unit 4, Gaborone International
Commerce Park, Gaborone, Botswana.

UAE - Dubai

GMM ELECTRICALS LLC, AL Tayer Warehouse,
#38, Behind NICO International,
P.O. Box No. 132 456, Al Quoz Industrial Area 1,
Dubai, U.A.E.
Contact: +971-4354 4036

Dubai

GMM NEXUS FZCO, 1701, 17th floor,
Clover bay tower, business bay, Dubai, U.A.E.
Contact: +971-566969397

Ghana

GLOBAL LIGHTING CENTRE LIMITED
Soromall, 18 Spintex Road,
Baatsona, P.O.Box St 527, Accra, Ghana
Email: info@globalightingcentre.com
Contact: +233 0208130919

Greece

ELEKTROMELETI AD HD LTD.
29 Epirou & 15 Etolias Str.
15231 Halandri - Athens
Contact: (+30)210 6827305

Kenya

RAMCO LIMITED
Nine Grove, Grevillea Grove, Brookside, Westlands,
P.O.Box 18833-00500 Nairobi, Kenya
Email : Info@apostrophe.co.ke
Contact: +254732004332

Nepal

DELTA MARKETING SUPPLIERS
Lazimpat, Kathmandu, 44600, Nepal.
Email: Info@jantacable.com
Contact: +977 9801018007

Russia

LLC PRIMTEK, Moscow Region, City - Noginsk,
Street - Ilich Techno Park Zhilino, Russia.
Contact: + 79229914368

Spain

ELECTRIC GMM EUROPE S.A.,
Calle Valdeon 28, Fuenlabrada,
28947 Madrid, Spain
Contact: +34 677 62 09 45


Sri Lanka

DEVREX TRADING PVT. LTD.
50/5, Pelawatta Road, Nugegoda, Sri Lanka.
Contact: +94766906873

Switzerland

HELOW AG
6 Bundsstrasse 6300 ZUG, Switzerland.
Contact: +41 79 557 4750

Notes



To make a better world, make life simpler.

It is what we strongly believe in. It is not just about innovating products, it's about everything we do that affects people and environment around us. We find us responsible to do things differently and in a better way. These are few initiatives we have already set into motion.

CLIMATE IMPACT

GM Modular supports the Climate Impact cause. We want to help carve a better cleaner world and that is why we started a strategic policy initiative. We are committed to align operations and strategies with environment friendly principles.

RECYCLE

We constantly find ways to make more out of less. That is why we try our best to use a recyclable resource. From tiny metal pieces to whatever that can harm the environment in reproducing, we reuse it.

LESS TRANSPORT

We have regional distribution centres spread across the country. In order to reduce the distance that our products have to travel to reach our customers, we have distribution centres with our channel partners to cut down on the transportation distance that helps curb CO2 emissions.

BETTER HOME ENVIRONMENT

A good home environment is important for your health and well-being. It is not only the ventilation and construction materials, but also the things you have inside, that influence the indoor environment of your home. GM refrains from using any harmful raw material that may cause unhealthy circumstances to life.

CERTIFIED

To help consumers make qualified decisions in choosing products that contribute to a healthy lifestyle, GM products have received safety certifications from around the world, as they have been tested thoroughly with regards to their functioning.

Harmonising design and technology

The GM product range sets standards in design, function and technique. GM offers high-quality design, attractive colours and numerous intelligent functions with switches and automation.

Our intent is to raise the quality of life and therefore, all products are designed to harmonize perfectly, with each other. From switches to socket outlets, from music technology to home automation, the use of GM products is not only attractive, but also convincingly comfortable. Having clear operating instructions in our packaging with the most important technical data assists in the safe and faultless installation of every GM product.



GM PLT JAN 24



GM MODULAR PVT LTD

Tel: 91-022-66790623 Fax: 91-022-66790624 Email: info@gmmodular.com Website: gmmodular.com Customer care No: 1800 209 1215

