

Havells  Lighting



**HAVELLS**



*She sees, a corner office with her name.*

**Delight in every light!**



**PROFESSIONAL  
LUMINAIRES**

PRICE LIST  
w.e.f. 1st April 2025

# ABOUT US

## Redefining the modern homes with innovation and excellence

Havells is at the forefront of transforming modern living spaces by offering innovative solutions that elevate everyday experiences. With a deep understanding of consumer needs, the company has expanded its footprint across every aspect of home life, creating environment that are not only functional but also comfortable, stylish, and future-ready. To make these solutions accessible, Havells leverages an extensive distribution network encompassing 18,000 dealers, over 1,000 exclusive brand stores, intensifying presence in modern retail, e-commerce and quick commerce.

The company's portfolio includes power brands like Havells, Havells Crabtree, Lloyd, REO, Havells Studio, and Standard each designed to cater to the unique demands of today's consumers.

Anchored in the 'Make in India' initiative, Havells operates 16 cutting-edge manufacturing facilities across India, producing 90% of its products in-house. At the forefront of Havells product evolution lies its Customer Experience & Designs (CXD) Studio, where creativity and user-centric design converge. This is complemented by its Centre for Research & Innovation (CRI), supported by four advanced R&D centres, enabling Havells to consistently deliver products that are both functional and visually compelling.

Driven by a commitment to innovation, quality, and design, the company also upholds sustainable practices throughout its operations, including eco-friendly manufacturing processes and energy-efficient product design, contributing to a greener and more sustainable future.



CORPORATE OFFICE, NOIDA




State-of-the-Art Manufacturing Unit



Industry 4.0 Process



Center For Research & Innovation



Customer Experience & Design



**16** Manufacturing Units

**~18000** Strong Dealer Network

**4** Research Centres

**48** Offices

# CERTIFICATION




Havells lighting plant in Neemrana is spread over 1,21,405.69 m<sup>2</sup> of land with over 18,580.60 m<sup>2</sup> of working space under a single roof. The plant has been made keeping in mind the global markets of Europe, US and the Middle East. Setting new benchmarks in the industry, this Havells plant will help bridge the technological divide between Europe and India when it comes to manufacturing high-end lighting luminaries.

Japanese flexible CNC controlled steel fabrication process for the accuracy in sheet punching & bending Italian robotised box bending machines to design complex enclosure shapes without human intervention Automated powder coating paint shop to minimize wastage & fast colour change Eco-friendly zero discharge plant Parabolic rolling machine for replicating complex fluorescent and accurate forms and shapes Flexible assembly line Modern laboratories.



Building customer confidence by providing a wide range of quality products and service through team work

# HAVELLS CONNECTED LIGHTING SOLUTION





## Smart Compatible Luminaires

- Smart Offices
- Smart Industrial Lighting
- Smart Cities





## Functionality

- Dimming
- Light Tuning
- Group Control
- Individual Light Controls




## Protocols & Networks

- Wired & Wireless Controls
- CCMS
- Router
- Gateways.





## Applications

- Dash Board
- Cloud CAPEX
- Cloud OPEX
- Integration with ICCC platform




## Services

- Data & Analytics
- Maintenance (AMC)
- Warranty



# HAVELLS CONNECTED LIGHTING SOLUTION



## Functions :

- Human Centric Lighting-Circadian rhythm / mood lighting
- Soft ON-OFF / Dynamic Dimming / Dynamic & Preset CCT Change ( Soft Transition) Sleep Mode 10% at Neutral White
- Performance, visual activities and energy saving sustainability.
- Day Light Harvesting
- Logical Grouping to Separate Lighting policies for Meeting Room, Cabins and Sitting Area

## Technology Platform:


- Occupancy sensor based control
- Wired based control – DALI System
- Wireless control – RF System

## Accessibility:


- Web based dashboard
- Remote based control
- In-Premise as well as Cloud Based Control

# HAVELLS CONNECTED LIGHTING SOLUTION

**Individual light Control, Monitoring & Dimming**



**Group Control & Group Dimming**



**Group Control**



# INDEX

## PROFESSIONAL LUMINAIRES (INDUSTRIAL / INSTITUTIONAL)



### Indoor Architectural LED Luminaires

Impressions Range 14-21



### Indoor Commercial LED Luminaires

Panel Lighting 24-31  
Downlight 32-40  
Batten 41-47  
LED Strips. 48-49

### ACCENT Lighting Range Luminaires

Accent Lighting Downlight 52-57



# INDEX

## PROFESSIONAL LUMINAIRES (INDUSTRIAL / INSTITUTIONAL)




### Industrial LED Luminaires

Highbay Lighting / Well Glass / Bulk Head	60-62
Weather Proof / Clean Room Lights	63-64




### Outdoor LED Luminaires

Street Lights	66-69
Canopy Fixture	70-70
Flood Lights	71-74
Landscape Lights	74-80
Solar Landscape Lights	81-81
Solar Street Lights	82-82
Colorscape Lights	83-86




# PRODUCT CODE



## EXAMPLES:

PRODUCT NAME	TYPE	MOUNTING	WATTAGE	LED	CCT
<b>BAYBRITESAUCERHB200WLED757WBTOLTG</b>					
BAYBRITESAUCER	HB	P	200 W	LED	757 K
<b>ENDURPEARLSL15WLED757SASYTOPC</b>					
ENDURPEARL	SL	-	15 W	LED	757 K
<b>VENUSNEOHE2X2PLR18-42WLED857MOD</b>					
VENUSNEOHE2X2	PL	R	34 W	LED	857 K

# NOMENCLATURE



DRIVER	BEAM	DRIVER COMPARTMENT	TYPE OF DIFFUSER	FINISH
-	WB	TO	LTG	-
S	ASY	TO	PC	-
S	-	-	-	-



# Indoor Architectural LED Luminaires


Impressions Range by Havells offers an array of ambient and task lighting options that encourage creative freedom and also facilitates a comfortable work environment. Choose from a variety of suspended and floor standing office luminaires offering- ultimate glare comfort measuring UGR as low as 6, special micro reflector optics to meet LEED and WELL building standards, on board occupancy sensor/ photo sensor/ dimming control, separate control of direct and indirect light thus offering a perfect combo of task and ambient lighting, compatibility with DALI/ 0-10V/ POE/ wireless standards, color tunability improving circadian rhythm and breathtaking aesthetics. It's a comprehensive lighting solution with options that complement your office interiors and create an ambience that spells increased productivity and happiness.

### LILAC LINEAR PENDENT DOWN LIGHT

LILAC LED introduces a uniquely clean, simple lighting system offering continuous, uniform lines of light across walls and ceilings. The minimal design offers a total-light effect providing outstanding visual comfort with reductions in luminance levels. The numerous installation types meet the needs of the most demanding lighting designers and make LILAC the perfect solution for spaces of every shape. UGR<16.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LILAC53LP/S25WLED840SWH1120	9405	18000.00	2 N
LILAC53LP/S25WLED857SWH1120	9405	18000.00	2 N
LILAC53LP/S25WLED840SBLK1120	9405	18000.00	2 N
LILAC53LP/S25WLED857SBLK1120	9405	18000.00	2 N
LILAC53LP/S36WLED840SWH1120	9405	19000.00	2 N
LILAC53LP/S36WLED857SWH1120	9405	19000.00	2 N
LILAC53LP/S36WLED840SBLK1120	9405	19000.00	2 N
LILAC53LP/S36WLED857SBLK1120	9405	19000.00	2 N

Fixture size: (LxWxH) in (1130x53x75) mm.  
 Joining Kit : LSSLOX0835 JKITLILAC53P/S; Endcap : LSSLOW0640 LILAC53LP/SENDCAPWHX2 ( all accessories to be ordered separately for continuous installations )  
 Also available in other CCTs and CRI on request




### LILAC LINEAR PENDENT UP-DOWN-LIGHT

LILAC LED introduces a uniquely clean, simple lighting system offering continuous, UP-Down uniform lines of light across walls and ceilings. The minimal design offers a total-light effect providing outstanding visual comfort with reductions in luminance levels. The numerous installation types meet the needs of the most demanding lighting designers and make LILAC the perfect solution for spaces of every shape. UGR<16.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LILAC53D-IP36WLED840SWH1120	9405	24000.00	2 N
LILAC53D-IP36WLED857SWH1120	9405	24000.00	2 N
LILAC53D-IP36WLED840SBLK1120	9405	24000.00	2 N
LILAC53D-IP36WLED857SBLK1120	9405	24000.00	2 N

Fixture size: (LxWxH) in (1130x53x75) mm.  
 Joining Kit : LSSLOX0835 JKITLILAC53P/S; Endcap : LSSLOW0640 LILAC53LP/SENDCAPWHX2  
 (Both accessories to be ordered separately)  
 Also available in other CCTs and CRI on request




### RADIANTE D LED

Suspended/ Surface mounted architectural luminaire provides uniquely clean and simple lighting system with soft light and glare free illumination. Available in continuous mounting option, RADIANTE is the ideal solution for every space.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
RADIANTEDLPS24WLED840 WH1200SD	9405	5000.00	2 N
RADIANTEDLPS24WLED857 WH1200SD	9405	5000.00	2 N
RADIANTEDLPS24WLED840 BLK1200SD	9405	5000.00	2 N
RADIANTEDLPS24WLED857 BLK1200SD	9405	5000.00	2 N
RADIANTELP/S48WLED840WH2400SD	9405	On Request	2 N
RADIANTELP/S48WLED857WH2400SD	9405	On Request	2 N
RADIANTEDLP/S48WLED840BLK2400SD	9405	On Request	2 N
RADIANTEDLP/S48WLED857BLK2400SD	9405	On Request	2 N

Fixture Size: (WxH) in (53x75)mm  
 \* Available in different length, different RAL shades, CDP diffuser & Dali versions as well on request  
 Also available in other CCTs and CRI on request



# Indoor Architectural LED Luminaires

## IMPRESSIONS


### RADIANTE-DI

Suspended/ Surface mounted architectural luminaire provides uniquely clean and simple lighting system with soft light and glare free illumination. Available in continuous mounting option with Direct- Indirect Light distribution, RADIANTE is the ideal solution for every space.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
RADIANTELP/S24WLED840WH1200SD	9405	8000.00	2 N
RADIANTELP/S24WLED857WH1200SD	9405	8000.00	2 N
RADIANTEDILP36WLED857WH1200SD	9405	9000.00	2 N
RADIANTEDILP36WLED840WH1200SD	9405	9000.00	2 N

Fixture size: (LxWxH) in 24 / 36 W: ( 1200 x 56 x 87 ) mm.

\* Available in different length, different RAL shades, CDP diffuser & Dali versions as well on request  
Also available in other CCTs and CRI on request




### GLIM NXT

GLIM LED introduces a uniquely clean, simple lighting system offering continuous, uniform lines of light across walls and ceilings. The minimal design offers a total-light effect providing outstanding visual comfort with reductions in luminance levels. The numerous installation types meet the needs of the most demanding lighting designers and make GLIM the perfect solution for spaces of every shape.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
GLIMNXTLP/S22WLED840WH1200SD	9405	6100.00	2 N
GLIMNXTLP/S22WLED857WH1200SD	9405	6100.00	2 N
GLIMNXTLP/S45WLED840WH2400SD	9405	12000.00	2 N
GLIMNXTLP/S45WLED857WH2400SD	9405	12000.00	2 N

Fixture Size: (WxH) in (53x75)mm

\* Available in different length, different RAL shades, CDP diffuser & Dali versions as well on request




## DESTELLO PRO

DESTELLO PRO introduces a uniquely clean, simple lighting system offering continuous, uniform lines of light across walls and ceilings. The minimal design offers a total-light effect providing outstanding visual comfort with reductions in luminance levels. The numerous installation types meet the needs of the most demanding lighting designers and make DESTELLO PRO the perfect solution for spaces of every shape.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESTPROLP/S22WLED840WH1200SD	9405	6600.00	2 N
DESTPROLP/S22WLED857WH1200SD	9405	6600.00	2 N

Fixture size: (LxWxH) in ( 1200 x 50 x 70 ) mm.

\* Available in different length, different RAL shades, CDP diffuser & Dali versions as well on request  
Also available in other CCTs and CRI on request




## DESTELLO GENERATION 2 SUSPENDED

Uniquely clean & simple lighting system offering continuous, uniform lines of light across ceilings. The aluminium extruded suspended light gives continuous lines of light distribution with the possibility of various shapes (suspension system included).

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESTG250LP/S12WLED840SWH565	9405	6000.00	4 N
DESTG250LP/S12WLED857SWH565	9405	6000.00	4 N
DESTG250LP/S25WLED840SWH1130	9405	8667.00	4 N
DESTG250LP/S25WLED857SWH1130	9405	8667.00	4 N
DESTG250LP/S36WLED840SWH1130	9405	9667.00	4 N
DESTG250LP/S36WLED857SWH1130	9405	9667.00	4 N
DESTG250LP/S50WLED840SWH2260	9405	17333.00	4 N
DESTG250LP/S50WLED857SWH2260	9405	17333.00	4 N
DESTG250LP/SENDCAPBLKX2	9405	300.00	25 N
DESTG250LP/SENDCAPWHX2	9405	300.00	25 N
JKITDESTG250P/S	9405	333.00	25 N
3COREMAINSCABLE1.5MTRWH	9405	333.00	50 N

Fixture size: (LxWxH) in (573x57x85) mm (for 12 W), (1137x57x85) mm (for 25 W, 36 W), (2265x57x85) mm (for 50 W). Joining kit and Mains cable to be ordered separately.

End Cap also need to be ordered separately. Also available in other CCTs and CRI on request



## DESTELLO RECESSED

Uniquely clean & simple lighting system offering continuous, uniform lines of light across ceilings. The aluminium extruded recessed light meant for POP/Gypsum ceilings gives continuous lines of light.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESTG250LR12WLED840SWH565	9405	6000.00	4 N
DESTG250LR12WLED857SWH565	9405	6000.00	4 N
DESTG250LR25WLED840SWH1130	9405	8667.00	4 N
DESTG250LR25WLED857SWH1130	9405	8667.00	4 N
DESTG250LR36WLED840SWH1130	9405	9667.00	4 N
DESTG250LR36WLED857SWH1130	9405	9667.00	4 N
DESTG250LR50WLED840SWH2260	9405	17333.00	4 N
DESTG250LR50WLED857SWH2260	9405	17333.00	4 N
DESTG250LP/SENDCAPBLKX2	9405	300.00	25 N
DESTG250LP/SENDCAPWHX2	9405	300.00	25 N
JKITDESTG250REC	9405	333.00	50 N

Fixture size: (LxWxH) in (569x67x40) mm (for 12 W), (1133x67x40) mm (for 25 W, 36 W), (2263x67x40) mm (for 50 W). Joining kit and Mains cable to be ordered separately.

Also available in other CCTs and CRI on request



# Indoor Architectural LED Luminaires


IMPRESSIONS

## DESTELLO SUSPENDED DIRECT-INDIRECT

Uniquely clean & simple lighting system offering, uniform lines of light across ceilings. The Aluminium extruded direct-indirect light effect gives homogenous light distribution effect & enhances the visual comfort (suspension system included).

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESTELLODILP36WLED840SPMMAWH	9405	16333.00	4 N
DESTELLODILP36WLED857SPMMAWH	9405	16333.00	4 N
3COREMAINSCABLE1.5MTRWH	9405	333.00	50 N
JOININGKITFORDESTELLO50P/S/DI	9405	333.00	25 N

Fixture size: (LxWxH) in (1136x54x74) mm  
 Joining kit and Mains cable to be ordered separately  
 Also available in other CCTs and CRI on request



## DESTELLO RECESSED Y SHAPE

Destello connectors to create, Y shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESG250YR36WLED840SWH577	9405	On Request	2 N
DESG250YR36WLED857SWH577	9405	On Request	2 N

Fixture size: (LxWxH) in (1033x580x40) mm  
 Also available in other CCTs and CRI on request



## DESTELLO SUSPENDED Y SHAPE

Destello connectors to create, Y shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESG250YP/S36WLED840SWH577	9405	On Request	2 N
DESG250YP/S36WLED857SWH577	9405	On Request	2 N

Fixture size: (LxWxH) in (1033x580x85) mm  
 Also available in other CCTs and CRI on request



## DESTELLO RECESSED L SHAPE

Destello connectors to create, L shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESG25090DR25WLED840SWH577	9405	On Request	4 N
DESG25090DR25WLED857SWH577	9405	On Request	4 N

Fixture size: (LxWxH) in (588x586x40) mm  
 Also available in other CCTs and CRI on request




### DESTELLO SUSPENDED L SHAPE

Destello connectors to create, L shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESTG25090DP/S25WLED840SWH577	9405	On Request	4 N
DESTG25090DP/S25WLED857SWH577	9405	On Request	4 N

Fixture size: (LxWxH) in (586x586x85) mm  
Also available in other CCTs and CRI on request




### DESTELLO RECESSED X SHAPE

Destello connectors to create, X shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESTG250XR48WLED840SWH577	9405	On Request	2 N
DESTG250XR48WLED857SWH577	9405	On Request	2 N

Fixture size: (LxWxH) in (1040x625x40) mm  
Also available in other CCTs and CRI on request




### DESTELLO SUSPENDED X SHAPE

Destello connectors to create, X shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESTG250XP/S48WLED840SWH577	9405	On Request	2 N
DESTG250XP/S48 WLED857SWH577	9405	On Request	2 N

Fixture size: (LxWxH) in (1040x625x85) mm  
Also available in other CCTs and CRI on request




### DESTELLO RECESSED + SHAPE

Destello connectors to create, + shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESTG250+R48WLED840SWH577	9405	On Request	2 N
DESTG250+R48WLED857SWH577	9405	On Request	2 N

Fixture size: (LxWxH) in (1040x1040x40) mm  
Also available in other CCTs and CRI on request




### DESTELLO SUSPENDED + SHAPE

Destello connectors to create, + shape pattern with seamless connectivity in recessed as well as suspended mounting arrangements.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DESTG250+P/S48WLED840SWH577	9405	On Request	2 N
DESTG250+P/S48WLED857SWH577	9405	On Request	2 N

Fixture size: (LxWxH) in (1040x1040x85) mm  
Also available in other CCTs and CRI on request



# Indoor Architectural LED Luminaires



## TECHZONE

Uniquely clean & simple lighting system offering continuous light for Armstrong Techzone ceiling system. The minimal design offers outstanding visual comfort with end to end seamless integration.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
TZLR25WLED840SPSWH1195	9405	9333.00	2 N
TZLR25WLED857SPSWH1195	9405	9333.00	2 N
TZLR36WLED840SPSWH1195	9405	9500.00	2 N
TZLR36WLED857SPSWH1195	9405	9500.00	2 N
TZLR48WLED840SPSWH1195	9405	10000.00	2 N
TZLR48WLED857SPSWH1195	9405	10000.00	2 N

Fixture size: (LxWxH) in (1195x146x50) mm  
Also available in other CCTs and CRI on request




## VENUS TECHZONE CRCA

A series of slim LED profiles that stand out for their near to invisible light source and neat aesthetics. Designed to create virtually endless uninterrupted lines of light with extremely low UGR levels. The Lilac range features special micro reflector optics comprising minimalistic and highly efficient design with efficacy up to 100 lm/W, Lilac is a great choice for commercial office spaces, schools, libraries and other interior spaces.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSNEOTZPLR36WLED840	9405	On Request	2 N
VENUSNEOTZPLR36WLED857	9405	On Request	2 N

Fixture size: (LxWxH) in ( 595 x 595 x 88 ) mm.  
Also available in other CCTs and CRI on request




## CONSTA GEN2

Suspended/ Surface mounted architectural luminaire provides uniquely clean and simple lighting system with soft light and glare free illumination. This Powder Coated CRCA housing Linear fixture is available in continuous mounting option and ideal solution for every space.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
CONSTAGEN2LP36WLED857SWH1200	9405	On Request	2 N
CONSTAGEN2LP40WLED857SWH1200	9405	On Request	2 N
CONSTAGEN2LP40WLED865SWH1200	9405	On Request	2 N
CONSTAGEN2LP36WLED840SWH1200	9405	On Request	2 N

Fixture size: (LxWxH) in ( 595 x 595 x 88 ) mm.  
Also available in other CCTs and CRI on request



## TORUS

In a sector commanded by rectangular luminaires, this circular luminaire impresses with an effective height of 70 mm and produces diffused planar and low-glare light. The annular shape further gives the luminaire a sturdy appearance marking entreating attraction.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
TORUS600RDP/S25WLED830SPMMAWH	9405	21667.00	2 N
TORUS600RDP/S25WLED840SPMMAWH	9405	21667.00	2 N
TORUS600RDP/S25WLED857SPMMAWH	9405	21667.00	2 N
MONDOMOUNTINGKITP	9405	833.00	25 N
MONDOMOUNTINGKITS	9405	833.00	25 N

Fixture size: Dia 600 mm, Height 78 mm. Mounting Kits to be ordered separately  
Also available in other CCTs and CRI on request



## MONDO RECESSED

Energy saving, environmental friendly, long life, corrosion resistant, decorative recessed luminaires with PMMA diffuser and extruded aluminium housing with LEDs as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MONDO 400 REC 25W LED 830 WHT	9405	11667.00	4 N
MONDO 400 REC 25W LED 840 WHT	9405	11667.00	4 N
MONDO 400 REC 25W LED 857 WHT	9405	11667.00	4 N
MONDO 600 REC 36W LED 830 WHT	9405	16667.00	6 N
MONDO 600 REC 36W LED 840 WHT	9405	16667.00	6 N
MONDO 600 REC 36W LED 857 WHT	9405	16667.00	6 N

Fixture size: Dia 416 mm, Height 78 mm for 25 W, Dia 616 mm, Height 78 mm for 36 W  
Also available in other CCTs and CRI on request



## MONDO

Energy saving, environmental friendly, long life, decorative, corrosion resistant, surface-suspended luminaires with annular shape and opal diffuser contributing towards impudent identity and delivers an aesthetically appealing.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MONDO400RDP/S25WLED830SPSWH	9405	11667.00	4 N
MONDO400RDP/S25WLED840SPSWH	9405	11667.00	4 N
MONDO400RDP/S25WLED857SPSWH	9405	11667.00	4 N
MONDO600RDP/S36WLED830SPSWH	9405	16667.00	6 N
MONDO600RDP/S36WLED840SPSWH	9405	16667.00	6 N
MONDO600RDP/S36WLED857SPSWH	9405	16667.00	6 N
MONDOMOUNTINGKITP	9405	833.00	25 N
MONDOMOUNTINGKITS	9405	833.00	25 N
MONDO SUSPENSION KIT	9405	000.00	25 N

Fixture size: Dia 400 mm, Height 70 mm for 25 W, Dia 600 mm, Height 70 mm for 36 W  
Mounting Kits to be ordered separately  
Also available in other CCTs and CRI on request



## MONDO HEXA

Energy saving, environmental friendly, long life, corrosion resistant, decorative hexagon shaped, surface/suspended luminaires with PMMA diffuser and extruded aluminium housing with LEDs as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MONDO600HEXP/S36WLED830SPSWH	9405	21667.00	2 N
MONDO600HEXP/S36WLED840SPSWH	9405	21667.00	2 N
MONDO600HEXP/S36WLED857SPSWH	9405	21667.00	2 N

Fixture size: (LxWxH) in (600x520x81) mm  
Also available in other CCTs and CRI on request







# Indoor Commercial LED Luminaires

Indoor lighting is an art. Havells understands human centric lighting which improves well-being and increases productivity. Hallmark of every luminaires shipped from Havells factory is a silent whisper of creativity and technology at its best.

### OLVIA 2X2

A unique luminaire design that has a stylish combination of performance and power economy. Highly efficient deep inserted 16x mini lens modules with Light enhancing technology which ensures high efficacy and excellent visual comfort offering UGR<16. Olivia is available in sleekest 18mm backlit design that can easily accommodate in low-depth ceilings. Options to choose from CRI>80 /CRI>90 and Flicker-free drivers to meet requirements of wide range of users.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
<b>Luminaire MOD</b>			
OLVIA2X2PLR18-36WLED840UGR16MOD	9405	11000.00	4 N
OLVIA2X2PLR18-36WLED857UGR16MOD	9405	11000.00	4 N
OLVIA2X2PLR18-36WLED865UGR16MOD	9405	11000.00	4 N
<b>DRIVER: - THD &lt;10%, CISPR 15 compliant Driver</b>			
LED DRIVER VEO 18W 36V 435mA	9405	1300.00	4 N
LED DRIVER VEO 24W 36V 600mA	9405	1350.00	4 N
LED DRIVER VEO 28W 36V 700mA	9405	1400.00	4 N
LED DRIVER VEO 32W 36V 800mA	9405	1500.00	4 N
LED DRIVER VEO 36W 36V 850mA	9405	1550.00	4 N
<b>THD &lt;5%; Low Ripple - Flicker Free, CISPR15 EMC/EMI COMPLIANT DRIVER OPTIONS</b>			
LED DRIVER CC 24W (30-40V) 550mA	9405	2200.00	2 N
LED DRIVER CC 36W (30-40V) 900mA	9405	2400.00	2 N
Fixture size: (LxWxH) in ( 595 x 595 x 18.8 ) mm Also available in other CCTs and CRI on request			



### NATURA

A uniquely designed decorative PMMA diffuser 2x2 Luminaire that unites a creative design with state-of-the-art LED technology. The concept of deep inset vertical diffusers achieves a great sense of novelty and high vertical illuminance, suitable for video conferencing facilities. This design stands out stunningly among the boring old modular ceiling patterns.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
NATURA2X2PLR36WLED840S	9405	15000.00	2 N
NATURA2X2PLR36WLED857S	9405	15000.00	2 N
Fixture size: (LxWxH) in ( 595 x 595 x 91 ) mm. Also available in other CCTs and CRI on request			



### NATURA SKY

A uniquely designed decorative PMMA diffuser 2x2 Luminaire that unites a creative design with state-of-the-art LED technology. The concept of deep inset sky diffusers with dual optics helps achieve a great blend of Task and Ambient illumination. This design stands out stunningly among the boring old modular ceiling patterns.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
NATURASKY2X2PLR40WLEDLENS840THEME+840S	9405	11000.00	2 N
NATURASKY2X2PLR40WLEDLENS840THEME+857S	9405	11000.00	2 N
NATURASKY2X2PLR42WLED840THEME+840S	9405	11000.00	2 N
NATURASKY2X2PLR42WLED857THEME+857S	9405	11000.00	2 N
Fixture size: (LxWxH) in ( 595 x 595 x 91 ) mm. Also available in other CCTs and CRI on request			



# Indoor Commercial LED Luminaires

## PANEL LIGHTING

### ICONE

High performance 2x2 recess mounted luminaires which suites various ceiling types. This luminaire is having 65mm depth housing with IP40 protection which makes it most reliable luminaire in this class. Unique designed diffuser delivers UGR<16 with 150 lm/W which offers 40% energy reduction.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
CONE2X2PLR24WLED840SWH	9405	On Request	4 N
CONE2X2PLR24WLED857SWH	9405	On Request	4 N
ICONE2X2PLR30WLED840SWH	9405	On Request	4 N
ICONE2X2PLR30WLED857SWH	9405	On Request	4 N

Fixture size: (LxWxH) in ( 595 x 595 x 91 ) mm.  
Also available in other CCTs and CRI on request



### VENUS NEO HE MOD UGR<19

Ultra-modern designed Modular High Efficacy LED luminaire with specialized High transmittance dual/multi-layer prismatic optics for glare free symmetric light distribution offering excellent visual comfort with UGR levels of less than 19. Luminaires suitable for Armstrong/Grid ceiling and most wide range of applications having multiple driver options like CISPR 15 compliance, Flicker-free operation, <5% THD and Wired and Wireless controls.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSNEOHE2X2R18-42WLED840MODUGR19	9405	7000.00	4 N
VENUSNEOHE2X2R18-42WLED857MODUGR19	9405	7000.00	4 N



### DRIVERS FOR VENUS NEO HE FAMILY

#### Standard THD <10% Driver

LEDDRIVER36V18WS	9405	1250.00	2 N
LEDDRIVER36V24WS	9405	1250.00	2 N
LEDDRIVER36V28WS	9405	1250.00	2 N
LEDDRIVER36V34WS	9405	1300.00	2 N
LEDDRIVER36V36WS	9405	1350.00	2 N
LED DRIVER 1000MALD36I1000PED(M)	9405	1600.00	2 N

#### THD <10%, CISPR 15 compliant Driver

LED DRIVER VEO 18W 36V 435mA	9405	1300	2 N
LED DRIVER VEO 24W 36V 600mA	9405	1350	2 N
LED DRIVER VEO 28W 36V 700mA	9405	1400	2 N
LED DRIVER VEO 32W 36V 800mA	9405	1500	2 N
LED DRIVER VEO 36W 36V 850mA	9405	1550	2 N
LED DRIVER VEO 40W 36V 950mA	9405	1550	2 N

#### THD <5%; Low Ripple - Flicker Free, CISPR15 EMC/EMI COMPLIANT DRIVER OPTIONS

LED DRIVER CC 24W (30-40V) 550mA	9405	2200.00	2 N
LED DRIVER CC 36W (30-40V) 900mA	9405	2400.00	2 N

#### DALI Drivers (Wired Smart)

DALIDRIVERL13-50V/500-1500MA10116443	9405	6000.00	2 N
DRACO DALI 850 Digital Dimmable (DT-6)	9405	6667.00	2 N
DRACO DALI 1000 Digital Dimmable (DT-6)	9405	7000.00	2 N

#### LoRA Drivers (Wireless RF Smart)

LED DRIVER 36W DIGITAL DRIVER GEN-2 1A	9405	12000.00	2 N
--	------	----------	-----

Fixture size: (LxWxH) in (595x595x65) mm.  
Also available in other CCTs and CRI on request

### VENUS NEO HE MOD

Ultra-modern designed Modular High Efficacy LED luminaire which provides soft-light and glare free symmetrical illumination suitable for Armstrong/Grid ceiling. Luminaires suitable for most wide range of applications having multiple driver options like CISPR 15 compliance, Flicker-free operation, <5% THD and Wired and Wireless controls.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSNEOHE2X2PLR18-42WLED840MOD	9405	6000.00	2 N
VENUSNEOHE2X2PLR18-42WLED857MOD	9405	6000.00	2 N

Fixture size: (LxWxH) in ( 595 x 595 x 65 ) mm.  
Also available in other CCTs and CRI on request



### VENUS NEO HE MOD PULL CORD

Ultra-modern designed Modular High Efficacy LED luminaire which provides soft-light and glare free symmetrical illumination suitable for Armstrong/Grid ceiling with a unique feature of manual individual control of luminaires via Pull cord. Luminaires suitable for most wide range of applications having multiple driver options like CISPR 15 compliance, Flicker-free operation, <5% THD and Wired and Wireless controls.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSNEOHE2X2R18-42WLED840MODPULLCORD	9405	6500.00	4 N
VENUSNEOHE2X2R18-42WLED857MODPULLCORD	9405	6500.00	4 N

Fixture size: (LxWxH) in (595x595x65) mm.  
Also available in other CCTs and CRI on request



### VENUS NEO TUNEABLE WHITE

Advanced technology Luminaires that offer Human-centric property, thus making public spaces more human and natural. This range provides improved productivity, better moods and overall happier workplaces. These luminaires offer a visually comfortable environment with optional pre-set colour temperatures or manual adjustments to any CCT in the Productivity Range 3000K-6500K along with Dimming Range 10%-100%. Controlling of the luminaire is possible by wired controls as well as wirelessly with App based controls (Bluetooth connectivity). This range offers unprecedented control over your interior environment.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSNEOTW2X2PLR42WLEDTWMOD	9405	7500.00	2 N
DRACO850RFCOMP2CH	9405	7800.00	2 N

#### DRIVERS AND ACCESSORIES:-

L.SPARE LED DRIVER DRACO 0950 RF TUNABLE	9405	7800.00	2 N
DRACO1000RFCOMP2CH	9405	7800.00	2 N
RFREMOETETWCONTROL	9405	1800.00	2 N

Fixture size: (LxWxH) in (595x595x76) mm.  
Also available in other CCTs and CRI on request



# Indoor Commercial LED Luminaires

## PANEL LIGHTING

### VENUS NEO HE SMART

Intelligent, modular High Efficacy LED 2x2 luminaire with integrated PIR Sensor which offers autonomous operation and provides soft-light and glare free symmetrical illumination suitable for Armstrong/Grid ceiling. THD<10%

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSNEOHE2X2R34WLED840PIRSENSOR	9405	8500.00	2 N
VENUSNEOHE2X2R34WLED857PIRSENSOR	9405	8500.00	2 N
VENUSNEOHE2X2R36WLED840PIRSENSOR	9405	8500.00	2 N
VENUSNEOHE2X2R36WLED857PIRSENSOR	9405	8500.00	2 N

Fixture size: (LxWxH) in (595x595x65) mm.  
Also available in other CCTs and CRI on request



### VENUS TREND POS

A cost effective yet high specification luminaire range which suites requirements of everyone. This Ultra - modern High Specifications recess mounting 2x2 luminaire with high performance LEDs is made of sheet steel housing and suitable for mounting in Armstrong/Grid ceiling.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSTREND2X2PLR36WLED840SWH	9405	6000.00	6 N
VENUSTREND2X2PLR36WLED857SWH	9405	6000.00	6 N
VENUSTREND2X2PLR48WLED840SWH	9405	6000.00	6 N
VENUSTREND2X2PLR48WLED857SWH	9405	6000.00	6 N

#### POP mounting spring clip kit (set of 4 spring clips)

Fixture size: (LxWxH) in ( 595 x 595 x 35 ) mm  
Also available in other CCTs and CRI on request



### VENUS TREND UGR19

A versatile 2x2 recess mounted luminaires which suites various ceiling types with option to add mounting kits for POP ceiling & suspension clamp for pendant mounting from true ceiling. UGR<19

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSTREND2X2PLR36WLED840SWHUGR19	9405	7500.00	6 N
VENUSTREND2X2PLR36WLED857SWHUGR19	9405	7500.00	6 N

#### POP mounting spring clip kit (set of 4 spring clips)

VENUSTRENDPOPMTGKIT	9405	250.00	Set of 4
---------------------	------	--------	----------

Fixture size: (LxWxH) in (595x595x38) mm  
Also available in other CCTs and CRI on request



### VENUS TREND

A versatile 2x2 recess mounted luminaires which suites various ceiling types with option to add mounting kits for POP ceiling & suspension clamp for pendant mounting from true ceiling.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSTREND2X2PLR36WLED857SWH	9405	6000.00	6 N
VENUSTREND2X2PLR40WLED857SWH	9405	6500.00	6 N

#### POP mounting spring clip kit (set of 4 spring clips)

VENUSTRENDPOPMTGKIT	9405	250.00	Set of 4
---------------------	------	--------	----------

Fixture size: (LxWxH) in ( 595 x 595 x 38 ) mm  
Also available in other CCTs and CRI on request



### VENUS EXL

High specification luminaire range which suites requirements of everyone. This Ultra -modern High Specifications with 120 lm/W, EMC/EMI compliant, Ripple <5% Ripple free, recess mounting 2x2 luminaire with high performance LEDs is made of sheet steel housing and suitable for mounting in Armstrong/Grid ceiling. Options with UGR<19 is available

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSEXL2X2PLR20WLED840SWH	9405	On Request	6 N
VENUSEXL2X2PLR20WLED857SWH	9405	On Request	6 N
VENUSEXL2X2PLR24WLED840SWH	9405	On Request	6 N
VENUSEXL2X2PLR24WLED857SWH	9405	On Request	6 N
VENUSEXL2X2PLR30WLED840SWH	9405	7500.00	6 N
VENUSEXL2X2PLR30WLED857SWH	9405	7500.00	6 N
VENUSEXL2X2PLR36WLED840SWH	9405	7800.00	6 N
VENUSEXL2X2PLR36WLED857SWH	9405	7500.00	6 N
VENUSEXL2X2PLR30WLED840SWHUGR19	9405	On Request	6 N
VENUSEXL2X2PLR30WLED857SWHUGR19	9405	On Request	6 N
VENUSEXL2X2PLR36WLED840SWHUGR19	9405	On Request	6 N
VENUSEXL2X2PLR36WLED857SWHUGR19	9405	On Request	6 N

Fixture size: (LxWxH) in ( 595 x 595 x 35 ) mm  
Also available in other CCTs and CRI on request



### VENUS MOVE

A versatile 2x2 recess mounted luminaires which suites grid ceiling.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSMOVE2X2PLR36WLED840SWH	9405	6000.00	6 N
VENUSMOVE2X2PLR36WLED857SWH	9405	6000.00	6 N

Fixture size: (LxWxH) in (595x595x35) mm  
Also available in other CCTs and CRI on request



### PLANO G2/ G2 POP (IP40)

High performance 2x2 recess mounted luminaires which suites various ceiling types. This luminaire is having 65mm depth housing with IP40 protection which makes it most reliable luminaire in this class.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PLANO2X2PLR30WLED840SG2	9405	7600.00	4 N
PLANO2X2PLR30WLED857SG2	9405	7600.00	4 N
PLANO2X2PLR36WLED840SG2	9405	7800.00	4 N
PLANO2X2PLR36WLED857SG2	9405	7800.00	4 N
PLANO2X2PLR42WLED840SG2	9405	8500.00	4 N
PLANO2X2PLR42WLED857SG2	9405	8500.00	4 N
PLANO2X2PLR60WLED857SG2	9405	12000.00	4 N
PLANO2X2PLR36WLED857SG2POP	9405	8000.00	4 N

Fixture size: (LxWxH) in (595x595x35)mm  
Also available in other CCTs and CRI on request



# Indoor Commercial LED Luminaires

## PANEL LIGHTING

### PLANO G2 SURFACE

High performance 2x2 surface mounted luminaires which provides soft-light and glare free symmetrical illumination.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PLANOSUR2X2PLS30WLED840G2S	9405	7800.00	4 N
PLANOSUR2X2PLS30WLED857G2S	9405	7800.00	4 N
PLANOSUR2X2PLS36WLED840G2S	9405	7800.00	4 N
PLANOSUR2X2PLS36WLED857G2S	9405	7800.00	4 N
PLANOSUR2X2PLS42WLED840G2S	9405	On Request	4 N
PLANOSUR2X2PLS42WLED857G2S	9405	On Request	4 N

Fixture size: (LxWxH) in (560x560x 45) mm  
Also available in other CCTs and CRI on request



### VENUS NEO HE 4X1

A versatile Ultra-modern 4X1 recess mounted Luminaire with high performance LEDs, suitable for mounting with Armstrong/Grid ceiling.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSNEOHE4X1PLR28WLED840S	9405	7600.00	2 N
VENUSNEOHE4X1PLR28LED857	9405	7600.00	2 N
VENUSNEOHE4X1PLR36WLED840S	9405	7600.00	2 N
VENUSNEOHE4X1PLR36WLED857	9405	7600.00	2 N

Fixture size: (LxWxH) in (1195x295x65) mm  
Also available in other CCTs and CRI on request



### VENUS NEO HE 4X1 MOD

A versatile Ultra-modern 4X1 recess mounted Luminaire with high performance LEDs, suitable for mounting with Armstrong/Grid ceiling.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
------------------	----------	---------------------------------------	------------------------

#### Luminaire

VENUSNEOHE4X1PLR28-36WLED840MOD	9405	7600.00	2 N
VENUSNEOHE4X1PLR28-36WLED857MOD	9405	7600.00	2 N

#### Standard THD <10% Driver

LEDDRIVER36V28WS	9405	1250.00	2 N
LEDDRIVER36V36WS	9405	1350.00	2 N

#### THD <10%, CISPR 15 compliant Driver

LED DRIVER VEO 28W 36V 700mA	9405	1400.00	2 N
LED DRIVER VEO 36W 36V 850mA	9405	1550.00	2 N

#### THD <5%; Low Ripple - Flicker Free, CISPR15 EMC/EMI COMPLIANT DRIVER OPTIONS

LED DRIVER CC 36W (30-40V) 900mA	9405	2400.00	2 N
----------------------------------	------	---------	-----

#### DALI Drivers (Wired Smart)

DALIDRIVERL13-50V/500-1500MA10116443	9405	6000.00	2 N
DRACO DALI 850 Digital Dimmable (DT-6)	9405	6667.00	2 N
DRACO DALI 1000 Digital Dimmable (DT-6)	9405	7000.00	2 N

Fixture size: (LxWxH) in (1195x295x65) mm  
Also available in other CCTs and CRI on request



### VENUS MOD 4X1 UGR<19

A versatile Ultra-modern 4X1 recess mounted module suitable to integrate with various type of driver based on requirement, with high performance LEDs, suitable for mounting with Armstrong/Grid ceiling with complete flexibility.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VENUSNEOHE4X1PLR18-42WLED840MODUGR<19	9405	6000.00	2 N
VENUSNEOHE4X1PLR18-42WLED857MODUGR<19	9405	6000.00	2 N

#### DRIVERS AND ACCESSORIES:-

##### Standard THD <10% Driver

PLANO2X2PLR30WLED840TAPS	9405	7300.00	6 N
PLANO2X2PLR30WLED857TAPS	9405	7300.00	6 N
PLANO2X2PLR30WLED857TAPS	9405	7300.00	6 N

##### THD <10%, CISPR 15 compliant Driver

LED DRIVER VEO 18W 36V 435mA	9405	1300.00	2 N
LED DRIVER VEO 24W 36V 600mA	9405	1350.00	2 N
LED DRIVER VEO 28W 36V 700mA	9405	1400.00	2 N
LED DRIVER VEO 32W 36V 800mA	9405	1500.00	2 N
LED DRIVER VEO 36W 36V 850mA	9405	1550.00	2 N
LED DRIVER VEO 40W 36V 950mA	9405	1550.00	2 N

Fixture size: (LxWxH) in (1195x295x65) mm  
Also available in other CCTs and CRI on request



### PLANO SURFACE 4X1 G2

Aesthetically designed 4x1 LED flat panel for surface mounting which provides soft-light and glare free symmetrical illumination.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PLANOSUR4X1PLS28WLED840G2S	9405	8000.00	2 N
PLANOSUR4X1PLS28WLED857G2S	9405	8000.00	2 N
PLANOSUR4X1PLS36WLED840G2S	9405	8000.00	2 N
PLANOSUR4X1PLS36WLED857G2S	9405	8000.00	2 N
PLANOSUR4X1PLS42WLED840G2S	9405	8000.00	2 N
PLANOSUR4X1PLS42WLED857G2S	9405	8000.00	2 N

Fixture size: (LxWxH) in (1120x280x65) mm  
Also available in other CCTs and CRI on request



### PLUTO 2X1

A versatile 2x1 recess mounted luminaires which suites various ceiling types.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PLUTO2X1PLR20WLED840	9405	6000.00	2 N
PLUTO2X1PLR20WLED857	9405	6000.00	2 N
PLUTO2X1PLR28WLED840	9405	6000.00	2 N
PLUTO2X1PLR28WLED865	9405	6000.00	2 N

Fixture size: (LxWxH) in (595x295x70) mm  
Also available in other CCTs and CRI on request



# Indoor Commercial LED Luminaires


## PANEL LIGHTING

### PLUTO G2 1X1

A versatile 1x1 recess mounted luminaires which suites various ceiling types.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PLUTO1X1PLR15WLED840SG2	9405	6000.00	1 N
PLUTO1X1PLR15WLED857SG2	9405	6000.00	1 N
PLUTO1X1PLR18WLED840SG2	9405	6000.00	1 N
PLUTO1X1PLR18WLED857SG2	9405	6000.00	1 N
PLUTO1X1PLR24WLED840SG2	9405	6000.00	1 N
PLUTO1X1PLR24WLED857SG2	9405	6000.00	1 N

Fixture size: (LxWxH) in (295x295x45) mm  
Also available in other CCTs and CRI on request



### PLUTO G2 1X1 SURFACE

A versatile 1x1 recess mounted luminaires which suites various ceiling types.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PLUTO1X1PLS15WLED840SG2	9405	6000.00	1 N
PLUTO1X1PLS15WLED857SG2	9405	6000.00	1 N
PLUTO1X1PLS18WLED840SG2	9405	6000.00	1 N
PLUTO1X1PLS18WLED857SG2	9405	6000.00	1 N
PLUTO1X1PLS24WLED840SG2	9405	6000.00	1 N
PLUTO1X1PLS24WLED857SG2	9405	6000.00	1 N

Fixture size: (LxWxH) in (300x300x45) mm  
Also available in other CCTs and CRI on request



### PIR SENSOR

Smart PIR Occupancy Sensors. IP20

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
L.SPARE PIR SENSOR CEILING MOUNT RECST44	9405	3500.00	24 N



Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
L.SPARE SURF MOUNT ATTACH PIR SENSORST44	9405	350.00	24 N



### ALINA COB DL

Alina COB downlights comes with a unique blend of Aesthetics and performance. This Deep Recessed COB downlight not only offer excellent energy saving by offering industry leading efficacies but also offer visual comfort to users with low UGR levels of <19

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ALINACOBHERDDLRSIL15W840SUGR19	9405	5500.00	12 N
ALINACOBHERDDLRSIL15W857SUGR19	9405	5500.00	12 N
ALINACOBHERDDLRSIL25W840SUGR19	9405	7500.00	6 N
ALINACOBHERDDLRSIL25W857SUGR19	9405	7500.00	6 N

Ceiling cutout: Ø 90 mm, height 60 mm for 15 W. Ø 125 mm, height 73 mm for 25 W  
Also available in other CCTs and CRI on request



### ZIVA DEEP RECESSED

A versatile range of Downlights which offer best in class efficacy along with visual comfort. This All aluminium construction Downlight comes in Deep Recessed version. This IP40 range of downlights with wide range of wattage suits requirements of varied lighting levels, ceiling heights and application areas

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ZIVARRDDL6WLED840S	9405	2400.00	12 N
ZIVARRDDL6WLED857S	9405	2400.00	12 N
ZIVARRDDL9WLED840S	9405	2800.00	12 N
ZIVARRDDL9WLED857S	9405	2800.00	12 N
ZIVARRDDL12WLED840S	9405	3400.00	12 N
ZIVARRDDL12WLED857S	9405	3400.00	12 N
ZIVARRDDL15WLED840S	9405	3700.00	12 N
ZIVARRDDL15WLED857S	9405	3700.00	12 N
ZIVARRDDL18WLED840S	9405	4000.00	12 N
ZIVARRDDL18WLED857S	9405	4000.00	12 N
ZIVARRDDL24WLED840S	9405	4200.00	6 N
ZIVARRDDL24WLED857S	9405	4200.00	6 N

Ceiling cutout: Ø 90 mm, height 45 mm for 6 W / 9 W . Ø 140 mm, height 45 mm for 12 W / 15 W / 18 W. Ø 176 mm , height 45 mm for 24 W.

Also available in other CCTs and CRI on request



# Indoor Commercial LED Luminaires

## DOWNLIGHTS

### ZIVA FLUSH

A functional range of Aesthetically designed low-depth Downlights with flushed diffuser. This modern and minimalist design of flushed diffuser downlights blends harmoniously with different architectural styles and illuminates work spaces uniformly. This IP40 range of downlights with wide range of wattage suits requirements of varied lighting levels, ceiling heights and application areas.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ZIVAFLRDDLR6WLED840S	9405	1800.00	12 N
ZIVAFLRDDLR6WLED857S	9405	1800.00	12 N
ZIVAFLRDDLR9WLED840S	9405	2000.00	12 N
ZIVAFLRDDLR9WLED857S	9405	2000.00	12 N
ZIVAFLRDDLR12WLED840S	9405	2400.00	12 N
ZIVAFLRDDLR12WLED857S	9405	2400.00	12 N
ZIVAFLRDDLR15WLED840S	9405	2600.00	12 N
ZIVAFLRDDLR15WLED857S	9405	2600.00	12 N
ZIVAFLRDDLR18WLED840S	9405	3000.00	12 N
ZIVAFLRDDLR18WLED857S	9405	3000.00	12 N
ZIVAFLRDDLR24WLED840S	9405	3400.00	6 N
ZIVAFLRDDLR24WLED857S	9405	3400.00	6 N

Ceiling cutout: Ø 90 mm, height 33 mm for 6 W / 9 W . Ø 140 mm , height 33 mm for 12 W / 15 W / 18 W.Ø 176 mm , height 33 mm for 24 W.

Also available in other CCTs and CRI on request



### ZIVA SURFACE

Ziva Surface is a high efficient Surface Downlight. The All-Aluminium construction of this Downlight allows better thermal performance ensuring long product life and better product aesthetics. This IP40 range of downlights with wide range of wattage suits requirements of varied lighting levels, ceiling heights and application areas.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ZIVASURRDDLR6WLED840S	9405	2800.00	12 N
ZIVASURRDDLR6WLED857S	9405	2800.00	12 N
ZIVASURRDDLR9WLED840S	9405	3200.00	12 N
ZIVASURRDDLR9WLED857S	9405	3200.00	12 N
ZIVASURRDDLR12WLED840S	9405	3800.00	12 N
ZIVASURRDDLR12WLED857S	9405	3800.00	12 N
ZIVASURRDDLR15WLED840S	9405	4100.00	12 N
ZIVASURRDDLR15WLED857S	9405	4100.00	12 N
ZIVASURRDDLR18WLED840S	9405	4400.00	12 N
ZIVASURRDDLR18WLED857S	9405	4400.00	12 N
ZIVASURRDDLR24WLED840S	9405	4800.00	6 N
ZIVASURRDDLR24WLED857S	9405	4800.00	6 N

Fixture size: Ø 115 mm, Height 62 mm for 6 W / 9 W. Ø 167 mm, Height 63 mm for 12 W / 15 W / 18 W. Ø 210 mm, Height 63 mm for 24 W.

Also available in other CCTs and CRI on request



### VIBE G2 ROUND DEEP RECESSED

A uniquely designed Deep recessed downlights offering visual comfort to users by reducing glare. The aluminium construction allows better thermal performance, ensuring long product life and better product aesthetics. This come with EMC/EMI compliant, Ripple<5% flicker free driver solution. Option available with UGR<19 as well.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VIBEFRRDDL12WLED840SG2	9405	2020.00	12 N
VIBEFRRDDL12WLED857SG2	9405	2020.00	12 N
VIBEFRRDDL15WLED840SG2	9405	2220.00	12 N
VIBEFRRDDL15WLED857SG2	9405	2220.00	12 N
VIBEFRRDDL18WLED840SG2	9405	2420.00	12 N
VIBEFRRDDL18WLED857SG2	9405	2420.00	12 N
VIBEFRRDDL24WLED840SG2	9405	2620.00	12 N
VIBEFRRDDL24WLED857SG2	9405	2620.00	12 N
VIBEFRRDDL9WLED840SG2UGR19	9405	2170.00	12 N
VIBEFRRDDL9WLED857SG2UGR19	9405	2170.00	12 N
VIBEFRRDDL12WLED840SG2UGR19	9405	2370.00	12 N
VIBEFRRDDL12WLED857SG2UGR19	9405	2370.00	12 N
VIBEFRRDDL15WLED840SG2UGR19	9405	2570.00	12 N
VIBEFRRDDL15WLED857SG2UGR19	9405	2570.00	12 N
VIBEFRRDDL18WLED840SG2UGR19	9405	2770.00	12 N
VIBEFRRDDL18WLED857SG2UGR19	9405	2770.00	12 N
VIBEFRRDDL24WLED830SG2UGR19	9405	2970.00	12 N
VIBEFRRDDL24WLED840SG2UGR19	9405	2970.00	12 N
VIBEFRRDDL24WLED857SG2UGR19	9405	2970.00	12 N

Ceiling cutout: Ø 110 mm, height 50 mm for 12 W / 15 W. Ø 145 mm , height 55 mm for 18 W .Ø 165 mm, height 55 mm for 24 W.

Also available in other CCTs and CRI on request



### VIBE ROUND DEEP RECESSED

A uniquely designed Deep recessed downlights offering visual comfort to users by reducing glare. The All-Aluminium construction allows better thermal performance ensuring long product life and better product aesthetics.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VIBEDRRDDL12WLED840S	9405	2400.00	12 N
VIBEDRRDDL12WLED857S	9405	2400.00	12 N
VIBEDRRDDL15WLED840S	9405	2700.00	12 N
VIBEDRRDDL15WLED857S	9405	2700.00	12 N
VIBEDRRDDL18WLED840S	9405	3000.00	12 N
VIBEDRRDDL18WLED857S	9405	3000.00	12 N
VIBEDRRDDL24WLED840S	9405	3500.00	12 N
VIBEDRRDDL24WLED857S	9405	3500.00	12 N

Ceiling cutout: Ø 110 mm, height 50 mm for 12 W /15 W. Ø 145 mm , height 55 mm for 18 W .Ø 165 mm , height 55 mm for 24 W.

Also available in other CCTs and CRI on request



# Indoor Commercial LED Luminaires

## DOWNLIGHTS

### VIBE SQUARE DEEP RECESSED

A uniquely designed Deep recessed downlights offering visual comfort to users by reducing glare. The All-Aluminium construction allows better thermal performance ensuring long product life and better product aesthetics.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VIBEDRSQDLR12WLED840S	9405	2500	12N
VIBEDRSQDLR12WLED857S	9405	2500	12N
VIBEDRSQDLR15WLED840S	9405	2800	12N
VIBEDRSQDLR15WLED857S	9405	2800	12N
VIBEDRSQDLR18WLED840S	9405	3100	12N
VIBEDRSQDLR18WLED857S	9405	3100	12N

Ceiling cutout: Ø 100 mm x100 mm, height 50 mm for 10 W / 12 W / 15 W. Ø 135 mm x135 mm , height 55 mm for 18 W / 24 W.

Also available in other CCTs and CRI on request



### VIBE FLUSH

A functional range of Aesthetically designed low-depth Downlights with flushed diffuser. This modern and minimalist design of flushed diffuser downlights blends harmoniously with different architectural styles and illuminates work spaces uniformly.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VIBEFLRDDLR6WLED840S	9405	1400.00	12 N
VIBEFLRDDLR6WLED857S	9405	1400.00	12 N
VIBEFLRDDLR9WLED840S	9405	1500.00	12 N
VIBEFLRDDLR9WLED857S	9405	1500.00	12 N
VIBEFLRDDLR12WLED840S	9405	1900.00	8 N
VIBEFLRDDLR12WLED857S	9405	1900.00	8 N
VIBEFLRDDLR15WLED840S	9405	2100.00	8 N
VIBEFLRDDLR15WLED857S	9405	2100.00	8 N
VIBEFLRDDLR18WLED840S	9405	2600.00	8 N
VIBEFLRDDLR18WLED857S	9405	2600.00	8 N
VIBEFLRDDLR24WLED840S	9405	2800.00	6 N
VIBEFLRDDLR24WLED857S	9405	2800.00	6 N

Ceiling cutout: Ø 90 mm, height 60 mm for 6 W / 9 W. Ø 138 mm , height 60 mm for 12 W / 15 W / 18 W. Ø 175 mm, height 60 mm for 24 W.

Also available in other CCTs and CRI on request



### INTEGRA NEO SMART

A Smart range of Aesthetically designed low-depth Downlights with aluminium housing and heat sink for better thermal performance. This range offer multiple options of connectivity and control.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
INTEGRANEODLR42V400MALED840MOD	9405	1433.00	8 N
INTEGRANEODLR42V400MALED857MOD	9405	1433.00	8 N

#### DRIVERS AND ACCESSORIES:-

10W/12W/15W : IT DALI 40/220-240/1A0 NFC DIM OSRAM	9405	-	-
10W/12W/15W/18W/24W : DALI2DRIVER 6-52V/150-700mA IDCCCB28	9405	6000.00	1 N

Ceiling cutout: Ø 90 mm, height 90 mm for 10 W. Ø 138 mm, height 90 mm for 12 W / 15 W. Ø 175 mm, height 90 mm for 18 W / 24 W.

Also available in other CCTs and CRI on request



### INTEGRA NEO

A functional range of Aesthetically designed high performance Downlights with aluminium housing and heat sink for better thermal performance. This modern and minimalist design of flushed diffuser downlights blends harmoniously with different architectural styles and illuminates work spaces uniformly.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
INTEGRANEODLR10WLED840S	9405	1500.00	12 N
INTEGRANEODLR10WLED857S	9405	1500.00	12 N
INTEGRANEODLR12WLED840S	9405	1867.00	8 N
INTEGRANEODLR12WLED857S	9405	1500.00	8 N
INTEGRANEODLR15WLED840S	9405	2067.00	8 N
INTEGRANEODLR15WLED857S	9405	2067.00	8 N
INTEGRANEODLR15WLED865S	9405	2067.00	8 N
INTEGRANEODLR18WLED840S	9405	2567.00	6 N
INTEGRANEODLR18WLED857S	9405	2567.00	6 N
INTEGRANEODLR18WLED865S	9405	2567.00	6 N
INTEGRANEODLR24WLED840S	9405	2733.00	6 N
INTEGRANEODLR24WLED857S	9405	2733.00	6 N
INTEGRANEODLR24WLED865S	9405	2733.00	6 N

Ceiling cutout: Ø 90 mm, height 90 mm for 10 W. Ø 138 mm, height 90 mm for 12 W / 15 W.

Ø 175 mm, height 90 mm for 18 W / 24 W

Also available in other CCTs and CRI on request



### INTEGRA NEO SURFACE

A decorative range of Aesthetically designed surface mounted Downlights with aluminium housing and heat sink for better thermal performance. This downlights comes with a decorative curved housing which breaks monotony of the space.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
INTEGRANEOSURFACEDLS10WLED840S	9405	2117.00	12 N
INTEGRANEOSURFACEDLS10WLED857S	9405	2167.00	12 N
INTEGRANEOSURFACEDLS10WLED865S	9405	2176.00	12 N
INTEGRANEOSURFACEDLS15WLED840S	9405	2233.00	12 N
INTEGRANEOSURFACEDLS15WLED857S	9405	2233.00	12 N
INTEGRANEOSURFACEDLS15WLED865S	9405	2233.00	12 N

Fixture size: Ø 200 mm, Height 69 mm

Also available in other CCTs and CRI on request



### INTEGRA PLUS DL

A functional range of Aesthetically designed low-depth Downlights with aluminium housing and heat sink for better thermal performance. This modern and minimalist design of flushed diffuser downlights blends harmoniously with different architectural styles and illuminates work spaces uniformly.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
INTEGRAPLUSDLRD9WLED840	9405	1600.00	12 N
INTEGRAPLUSDLRD9WLED857	9405	1600.00	12 N
INTEGRAPLUSDLRD12WLED840	9405	1850.00	12 N
INTEGRAPLUSDLRD12WLED857	9405	1850.00	12 N
INTEGRAPLUSDLRD15WLED840	9405	1950.00	12 N
INTEGRAPLUSDLRD15WLED857	9405	1950.00	12 N
INTEGRAPLUSDLRD18WLED840	9405	2050.00	12 N
INTEGRAPLUSDLRD18WLED857	9405	2050.00	12 N

Ceiling cutout: Ø 110 mm, height 40 mm for 9 W. Ø 145 mm, height 40 mm for 12 W / 15 W / 18 W, Ø 197 mm, height 60 mm for 24 W. Also available in other CCTs and CRI on request



# Indoor Commercial LED Luminaires

## DOWNLIGHTS

### INTEGRA NXT DL ROUND- RECESSED

A functional range of Aesthetically designed low-depth Downlights with aluminium housing and heat sink for better thermal performance. This modern and minimalist design of flushed diffuser downlights blends harmoniously with different architectural styles and illuminates work spaces uniformly.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
INTEGRANXTDLRD9WLED840S	9405	1420.00	12 N
INTEGRANXTDLR9WLED857S	9405	1420.00	12 N
INTEGRANXTDLR9WLED865S	9405	1420.00	12 N
INTEGRANXTDLRD12WLED840S	9405	1587.00	12 N
INTEGRANXTDLR12WLED857S	9405	1587.00	12 N
INTEGRANXTDLR12WLED865S	9405	1587.00	12 N
INTEGRANXTDLRD15WLED840S	9405	1660.00	12 N
INTEGRANXTDLR15WLED857S	9405	1660.00	12 N
INTEGRANXTDLR15WLED865S	9405	1660.00	12 N
INTEGRANXTDLRD18WLED840S	9405	1700.00	12 N
INTEGRANXTDLR18WLED857S	9405	1700.00	12 N
INTEGRANXTDLR18WLED865S	9405	1700.00	12 N
INTEGRANXTDLRD24WLED840S	9405	2200.00	12 N
INTEGRANXTDLR24WLED857S	9405	2200.00	12 N
INTEGRANXTDLR24WLED865S	9405	2200.00	12 N

Ceiling cutout: Ø 110 mm, height 40 mm for 9 W. Ø 145 mm, height 40 mm for 12 W / 15 W / 18 W, Ø 197 mm, height 60 mm for 24 W.  
Also available in other CCTs and CRI on request



### INTEGRA NXT DL ROUND - SURFACE

A functional range of Aesthetically designed surface mounted Downlights with aluminium housing and heat sink for better thermal performance. This downlights comes with a wide range of wattage suits requirements of varied lighting levels and ceiling heights.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
INTEGRANXTRDDLRSURD9WLED840S	9405	1850.00	12 N
INTEGRANXTRDDLRSURD9WLED857S	9405	1850.00	12 N
INTEGRANXTRDDLRSURD9WLED865S	9405	1850.00	12 N
INTEGRANXTRDDLRSURD12WLED840S	9405	1950.00	12 N
INTEGRANXTRDDLRSURD12WLED857S	9405	1950.00	12 N
INTEGRANXTRDDLRSURD12WLED865S	9405	1950.00	12 N
INTEGRANXTRDDLRSURD15WLED840S	9405	2050.00	12 N
INTEGRANXTRDDLRSURD15WLED857S	9405	2050.00	12 N
INTEGRANXTRDDLRSURD15WLED865S	9405	2050.00	12 N
INTEGRANXTRDDLRSURD18WLED840S	9405	2150.00	12 N
INTEGRANXTRDDLRSURD18WLED857S	9405	2150.00	12 N
INTEGRANXTRDDLRSURD18WLED865S	9405	2150.00	12 N
INTEGRANXTRDDLRSURD24WLED840S	9405	2250.00	12 N
INTEGRANXTRDDLRSURD24WLED857S	9405	2250.00	12 N
INTEGRANXTRDDLRSURD24WLED865S	9405	2250.00	12 N

Fixture size: Ø 167 mm, Height 56 mm for 9 W. Ø 170 mm, Height 58 mm for 12 W / 15 W / 18 W. Ø 210 mm, Height 65 mm for 24 W.  
Also available in other CCTs and CRI on request



### INTEGRA NXT DL SQUARE - SURFACE

A functional range of Aesthetically designed surface mounted Downlights with aluminium housing and heat sink for better thermal performance. This downlights comes with a wide range of wattage suits requirements of varied lighting levels and ceiling heights.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
INTEGRANXTSQDLRSURD9WLED840S	9405	1900.00	12 N
INTEGRANXTSQDLRSURD9WLED857S	9405	1900.00	12 N
INTEGRANXTSQDLRSURD9WLED865S	9405	1900.00	12 N
INTEGRANXTSQDLRSURD12WLED840S	9405	2000.00	12 N
INTEGRANXTSQDLRSURD12WLED857S	9405	2000.00	12 N
INTEGRANXTSQDLRSURD12WLED865S	9405	2000.00	12 N
INTEGRANXTSQDLRSURD15WLED840S	9405	2100.00	12 N
INTEGRANXTSQDLRSURD15WLED857S	9405	2100.00	12 N
INTEGRANXTSQDLRSURD15WLED865S	9405	2100.00	12 N
INTEGRANXTSQDLRSURD18WLED830S	9405	2200.00	12 N
INTEGRANXTSQDLRSURD18WLED840S	9405	2200.00	12 N
INTEGRANXTSQDLRSURD18WLED857S	9405	2200.00	12 N
INTEGRANXTSQDLRSURD18WLED865S	9405	2200.00	12 N
INTEGRANXTSQDLRSURD24WLED830S	9405	2300.00	6 N
INTEGRANXTSQDLRSURD24WLED840S	9405	2300.00	6 N
INTEGRANXTSQDLRSURD24WLED857S	9405	2300.00	6 N
INTEGRANXTSQDLRSURD24WLED865S	9405	2300.00	6 N

Fixture size: ( L x W x H ) in ( 150 x 150 x 56 ) mm for 9 W. ( L x W x H ) in ( 170 x 170 x 58 ) mm for 12 W / 15 W / 18 W. ( L x W x H ) in ( 210 x 210 x 65 ) mm for 24 W. Also available in other CCTs and CRI on request



### EDGE G2 ROUND RECESSED

Elegantly designed sleek recessed mounted pressure die-cast aluminium luminaire in powder coated white finish in round profile with optimized heat sink for efficient heat dissipation and independent electronic LED driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
EDGEPRORDDLR12WLED840SG2	9405	1900	12 N
EDGEPRORDDLR12WLED865SG2	9405	1900	12 N
EDGEPRORDDLR15WLED840SG2	9405	2100	12 N
EDGEPRORDDLR15WLED865SG2	9405	2100	12 N
EDGEPRORDDLR18WLED840SG2	9405	2500	12 N
EDGEPRORDDLR18WLED865SG2	9405	2500	12 N

Ceiling cutout: Ø 155mm, height 17.5mm for 12 & 15W. Cutout Ø 180mm, height 17.5 mm for 18W. Also available in other CCTs and CRI on request



### EDGE G2 SQUARE RECESSED

Elegantly designed sleek recessed mounted pressure die-cast aluminium luminaire in powder coated white finish in square profile with optimized heat sink for efficient heat dissipation and independent electronic LED driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
EDGEPROSQDLR12WLED840SG2	9405	1900.00	12 N
EDGEPROSQDLR12WLED865SG2	9405	1900.00	12 N
EDGEPROSQDLR15WLED840SG2	9405	2100.00	12 N
EDGEPROSQDLR15WLED865SG2	9405	2100.00	12 N
EDGEPROSQDLR18WLED840SG2	9405	2500.00	12 N
EDGEPROSQDLR18WLED865SG2	9405	2500.00	12 N

Ceiling cutout: 155x155 mm, height 17.5 mm for 12 & 15 W. 180x180 mm, height 22 mm for 18 W. Also available in other CCTs and CRI on request



# Indoor Commercial LED Luminaires

## DOWNLIGHTS

### EDGE G2 SURFACE ROUND

Elegantly designed sleek surface mounted pressure die-cast aluminium luminaire in powder coated white finish in round profile with optimized heat sink for efficient heat dissipation and independent electronic LED driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
EDGERDDLSUR12WLED840SG2	9405	2000.00	12 N
EDGERDDLSUR12WLED865SG2	9405	2000.00	12 N
EDGERDDLSUR15WLED840SG2	9405	2500.00	12 N
EDGERDDLSUR15WLED865SG2	9405	2500.00	12 N
EDGERDDLSUR18WLED840SG2	9405	3000.00	12 N
EDGERDDLSUR18WLED865SG2	9405	3000.00	12 N

Dia: Ø 170mm, height 35mm for 12 & 15W. Ø 225mm, height 35 mm for 18W.

Also available in other CCTs and CRI on request



### EDGE G2 SURFACE SQUARE

Elegantly designed sleek surface mounted pressure die-cast aluminium luminaire in powder coated white finish in square profile with optimized heat sink for efficient heat dissipation and independent electronic LED driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
EDGESQDLSUR12WLED840SG2	9405	2000.00	12 N
EDGESQDLSUR12WLED865SG2	9405	2000.00	12 N
EDGESQDLSUR15WLED840SG2	9405	2500.00	12 N
EDGESQDLSUR15WLED865SG2	9405	2500.00	12 N
EDGESQDLSUR18WLED840SG2	9405	3000.00	12 N
EDGESQDLSUR18WLED865SG2	9405	3000.00	12 N

Fixture size: (LxWxH) in (170x170x35) mm for 12 W/15 W. (LxWxH) in (225x225x35) mm for 18 W.

Also available in other CCTs and CRI on request



### VIBE TREND RECESS ROUND

Recess mounted downlighter with Trimless Polycarbonate housing & PC diffuser in white finish with Independent LED driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VIBETRENRDDL6WLED840S	9405	1200.00	12 N
VIBETRENRDDL6WLED865S	9405	1200.00	12 N
VIBETRENRDDL12WLED840S	9405	1500.00	12 N
VIBETRENRDDL12WLED865S	9405	1500.00	12 N
VIBETRENRDDL15WLED840S	9405	1800.00	12 N
VIBETRENRDDL15WLED865S	9405	1800.00	12 N
VIBETRENRDDL18WLED840S	9405	2300.00	12 N
VIBETRENRDDL18WLED865S	9405	2300.00	12 N

Ceiling cutout: Ø 76 mm, height 27 mm for 6W, Ø 100 mm, height 27 mm for 12 W and Ø 133 mm, height 27 mm for 18 W

Also available in other CCTs and CRI on request



### VIBE TREND RECESS SQUARE

Recess mounted downlighter with Trimless Polycarbonate housing & PC diffuser in white finish with Independent LED driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VIBETRENDSQDLR6WLED840S	9405	1200.00	12 N
VIBETRENDSQDLR6WLED865S	9405	1200.00	12 N
VIBETRENDSQDLR12WLED840S	9405	1500.00	12 N
VIBETRENDSQDLR12WLED865S	9405	1500.00	12 N
VIBETRENDSQDLR15WLED840S	9405	1800.00	12 N
VIBETRENDSQDLR15WLED865S	9405	1800.00	12 N
VIBETRENDSQDLR18WLED840S	9405	2300.00	12 N
VIBETRENDSQDLR18WLED865S	9405	2300.00	12 N

Ceiling cutout: 76X76 mm, height 27 mm for 6W, 100X100 mm, height 27 mm for 12 W and 133X133 mm, height 27 mm for 18 W

Also available in other CCTs and CRI on request



### VIBE TREND SURFACE ROUND

Surface mounted Downlighter with PC housing & Opal PC diffuser with Independent electronic LED driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VIBETRENDRDLSUR6WLED840S	9405	1600.00	12 N
VIBETRENDRDLSUR6WLED865S	9405	1600.00	12 N
VIBETRENDRDLSUR12WLED840S	9405	1900.00	12 N
VIBETRENDRDLSUR12WLED865S	9405	1900.00	12 N
VIBETRENDRDLSUR15WLED840S	9405	2200.00	12 N
VIBETRENDRDLSUR15WLED865S	9405	2200.00	12 N
VIBETRENDRDLSUR18WLED840S	9405	2700.00	12 N
VIBETRENDRDLSUR18WLED865S	9405	2700.00	12 N

Fixture Dia: Ø 90 mm, height 27 mm for 6W, Ø 120 mm, height 27 mm for 12 W and Ø 156 mm, height 27 mm for 15/18 W



### VIBE TREND SURFACE SQUARE

Surface mounted Downlighter with ABS housing & PC Opal diffuser with integral electronic LED driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VIBETRENDSQDLSUR6WLED840S	9405	1600.00	12 N
VIBETRENDSQDLSUR6WLED865S	9405	1600.00	12 N
VIBETRENDSQDLSUR12WLED840S	9405	1900.00	12 N
VIBETRENDSQDLSUR12WLED865S	9405	1900.00	12 N
VIBETRENDSQDLSUR15WLED840S	9405	2200.00	12 N
VIBETRENDSQDLSUR15WLED865S	9405	2200.00	12 N
VIBETRENDSQDLSUR18WLED840S	9405	2700.00	12 N
VIBETRENDSQDLSUR18WLED865S	9405	2700.00	12 N

Fixture Dim: 90x90 mm, height 27 mm for 6W, 120x120 mm, height 27 mm for 12 W and 156x156 mm, height 27 mm for 15/18 W



# Indoor Commercial LED Luminaires

## BATTEN

### STOUT PLUS

Surface mounting Decorative LED Battens with best in class Luminaire Efficacy. This white powder coated CRCA housing battens are equipped with Milky white PC diffuser and Elegantly designed white colored ABS endcaps to enhance the aesthetics of the luminaire. THD <10%.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
STOUTPLUS600BS20WLED840SPCWH	9405	3300.00	4 N
STOUTPLUS600BS20WLED857SPCWH	9405	3300.00	4 N
STOUTPLUS1200BS40WLED840SPCWH	9405	4300.00	4 N
STOUTPLUS1200BS40WLED857SPCWH	9405	4300.00	4 N

Fixture size: ( L x W x H ) in ( 605 x 66 x 76 ) mm for 20 W, ( 1205 x 66 x 76 ) mm for 40 W



### STOUT MINI

Surface mounting decorative Battens with best in class Luminaire Efficacy. This CRCA housing battens are equipped with specially designed Extruded Aluminium heat sink, Milky white PC diffuser and Elegantly designed white colored ABS endcaps to enhance the aesthetics of the luminaire. <10% THD

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
STOUTMINI1200BS20WLED865SPCWH	9405	3500.00	4 N
STOUTMINI1200BS40WLED865SPCWH	9405	4000.00	4 N

Fixture size: ( L x W x H ) in ( 1224 x 43 x 58 ) mm



### DURA PRO BATTEN

Surface/ Suspension mounting Heavy Duty Industrial Battens with best in class Luminaire Efficacy. These Extruded Aluminium housing battens are with Potted Electronics driver and IP40 protection which makes it a perfect solution for high demanding and rugged applications. THD <10%.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DURAPROBS45WLED840SPCSPD	9405	4000.00	20 N
DURAPROBS45WLED865SPCSPD	9405	4000.00	20 N

Fixture size: ( L x W x H ) in ( 1213 x 30 x 36 ) mm



### SUSPENSION CLAMP (ADDITIONAL ACCESSORY)

DURASUSPCLAMP39X30X27DIA6	9405	100.00	50 N
---------------------------	------	--------	------

Fixture size: ( L x W x H ) in ( 1213 x 30 x 36 ) mm

### DURA REFLECTOR

DURAREFLECTOR	9405	1000.00	50 N
---------------	------	---------	------

### DURA BATTEN

Surface/Suspension mounting General Purpose aluminium Battens with best in class Luminaire Efficacy. These Extruded Aluminium housing battens are available with multiple options like Surface/Conduit Mounting clamps and Potted Electronics driver which makes it a perfect solution for varied application areas. THD <10%.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DURABS40WLED830SPCSS	9405	2100	20N
DURABS40WLED840SPCSS	9405	2100	20N
DURABS40WLED865SPCSS	9405	2100	20N
DURABS40WLED830SPCSSPD*	9405	2300	20N
DURABS40WLED840SPCSSPD*	9405	2300	20N
<b>DURABS40WLED865SPCSSPD*</b>	9405	2300	20N

Fixture size: (LxWxH) in (1213x30x36) mm

\*Potted Driver

# Fixture with "PD" suffix are with Potted Driver

# Suspension mounting clamps **DURASUSPCLAMP39X30X27DIA6** and **DURAREFLECTOR** to be ordered separately.



### ENDURA LINEAR PRO BATTEN

Surface mounting General Purpose Aluminium Battens with best in class Luminaire Efficacy. These Extruded Aluminium housing battens are equipped with high specifications CISPR 15 compliant Electronics driver and Milky white, special polycarbonate diffuser, for glare free efficient light distribution. THD: <10%

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURALINEARPROBS20WLED840SPCSSIND	9405	1400.00	30 N
ENDURALINEARPROBS20WLED865SPCSSIND	9405	1400.00	30 N
ENDURALINEARPROBS20WLED8657SPCSSIND	9405	1400.00	30 N

Fixture size: ( L x W x H ) in ( 1100 X 23 X 37 ) mm



### LUMILINE X BATTEN

Surface mounting special application LED Battens with best in class Luminaire Efficacy. These high efficacy battens helps in achieving higher lighting levels for equivalent power consumption of standard battens.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMILINEXS14WLED865SPCWH	9405	950.00	20 N
LUMILINEXS17WLED865SPCWH	9405	950.00	20 N
LUMILINE+XS36WLED865SPCWH	9405	1675.00	20 N

Fixture size: ( L x W x H ) in ( 1100 x 23 x 37 ) mm ( for 14 & 17 W ), ( 1185 x 35 x 40 ) mm ( for 36 W )

Housing Material: 17 W: PC; 36 W: Extruded Aluminium



### LUMILINE SMART BATTEN

A Smart range of Aesthetically designed LED batten with Microwave motion technology for providing an energy-efficient solution and with aluminium housing & integrated electronic driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMILINESMART20WLED865PCWH	9405	2000.00	20 N
LUMILINESMART20WLED865PCSSG2	9405	2400.00	20 N
LUMILINESMART36WLED865PCSSG1	9405	2800.00	20 N

Fixture size: ( L x W x H ) in ( 1185 x 23 x 37 ) mm ( for 20 W ), ( 1185 x 35 x 40 ) mm ( for 36 W )



# Indoor Commercial LED Luminaires

## BATTEN

### LUMILINE PLUS PRO BATTEN

Surface mounting General Purpose LED Battens in Extruded aluminium housing with wide range of wattages to suite variety of application areas. THD: <10%

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMILINEPLUSPROBS10WLED865SPCSSIND	9405	750.00	30 N
LUMILINEPLUSPROBS18WLED865SPCSSIND	9405	975.00	30 N
LUMILINEPLUSPROBS20WLED865SPCSSIND	9405	1000.00	30 N

Fixture size:(L x W x H) in (1100 x 23 x 37) mm for 10 W / 18 W / 20 W

# Suspension mounting clamps **DURASUSPCLAMP39X30X27DIA6** and DURAREFLECTOR to be ordered separately.



### LUMILINE PLUS PRO HIGH WATTAGE BATTEN

Surface/Suspension mounting General Purpose LED Battens in Extruded Aluminium housing with wide range of wattages to suite variety of application areas. IP40. THD: <10%

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMILINEPLUSPROBS30WLED865SPCSS	9405	1800.00	20 N
LUMILINEPLUSPROBS36WLED865SPCSS	9405	1900.00	20 N
LUMILINEPLUSPROBS40WLED865SPCSS	9405	2000.0	20 N

Fixture size: (LxWxH) in (1200x30x36) mm for 30 W / 36 W / 40 W

# Suspension mounting clamps **DURASUSPCLAMP39X30X27DIA6** and DURAREFLECTOR to be ordered separately.



### LUMILINE PLUS NEO

Surface mounting General Purpose LED Battens in Extruded aluminium housing with wide range of wattages to suite variety of application areas.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMILINEPLUSNEOBS10WLED865SPCSSINDS	9405	625.00	30 N
LUMILINEPLUSNEOBS18WLED830SPCSSINDS	9405	900.00	30 N
LUMILINEPLUSNEOBS18WLED840SPCSSINDS	9405	900.00	30 N
LUMILINEPLUSNEOBS18WLED865SPCSSINDS	9405	900.00	30 N
LUMILINEPLUSNEOBS20WLED830SPCSSINDS	9405	935.00	30 N
LUMILINEPLUSNEOBS20WLED840SPCSSINDS	9405	935.00	30 N
LUMILINEPLUSNEOBS20WLED865SPCSSINDS	9405	935.00	30 N
LUMILINEPLUSNEOBS22WLED830SPCSSINDS	9405	965.00	30 N
LUMILINEPLUSNEOBS22WLED840SPCSSINDS	9405	965.00	30 N
LUMILINEPLUSNEOBS22WLED865SPCSSINDS	9405	965.00	30 N
LUMILINEPLUSNEOBS24WLED830SPCSSINDS	9405	990.00	30 N
LUMILINEPLUSNEOBS24WLED840SPCSSINDS	9405	990.00	30 N
LUMILINEPLUSNEOBS24WLED865SPCSSINDS	9405	990.00	30 N

Fixture size:LxWxH) in (550x23x37) mm (for 10 W), (LxWxH) in (1100x23x37) mm (for 18 W / 20 W / 22 W / 24 W)



### LUMILINE PLUS NEO G2

Surface mounting General Purpose IP40 LED Battens in Extruded Aluminium housing with wide range of wattages to suite variety of application areas.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMILINEPLUSNEOBS20WLED865SPCSSINDS-G2 Fixture size: (LxWxH) in (1100x23x37) mm	9405	1000.00	30 N



### LUMILINE PLUS HIGH WATTAGE

Surface/ Pendant mounting Special Application High Wattage LED Battens in Extruded aluminium housing with wide range of wattages to suite variety of application areas.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMILINEPLUSBS30WLED840SPCSSIND	9405	1300.00	30 N
LUMILINEPLUSBS30WLED865SPCSSIND	9405	1300.00	30 N
LUMILINEPLUSBS36WLED840SPCSSIND	9405	1600.00	30 N
LUMILINEPLUSBS36WLED865SPCSSIND	9405	1600.00	30 N
LUMILINEPLUSBS40WLED840SPCSSIND	9405	1800.00	30 N
LUMILINEPLUSBS40WLED865SPCSSIND	9405	1800.00	30 N

Fixture size: (LxWxH) in (11853x23x37) mm

(LUMILINEPLUSUSPCLAMP30X24X27DIA6) to be ordered separately.



### LUMILINE PLUS MINI

Surface mounting Special Application compact length LED Battens in Extruded Aluminium housing.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMILINEPLUSMINIBS18WLED865SPCSSIND	9405	800.00	30 N
LUMILINEPLUSMINIBS20WLED865SPCSSIND	9405	800.00	30 N

Fixture size: ( L x W x H ) in ( 550 x 23 x 33 ) mm



### LUMILINE PRO BATTEN

Surface mounting General Purpose ultra-slim economical LED Battens in Extruded PC housing and Square shaped diffuser with wide range of wattages to suit variety of application areas. THD: <10%

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMILINEPROBS18WLED865SPCSSIND	9405	775.00	30 N
LUMILINEPROBS20WLED865SPCSSIND	9405	800.00	30 N

Fixture size: ( L x W x H ) in ( 1100 x 24 x 33 ) mm



# Indoor Commercial LED Luminaires

## BATTEN

### LUMILINE NXT BATTEN

Surface mounting General Purpose ultra-slim economical LED Battens in Extruded PC housing and Square shaped diffuser with wide range of wattages to suit variety of application areas.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMILINENXTBS10WLED830SPCWH	9405	540.00	40 N
LUMILINENXTBS10WLED840SPCWH	9405	540.00	40 N
LUMILINENXTBS10WLED865SPCWH	9405	540.00	40 N
LUMILINENXTBS18WLED830SPCWH	9405	590.00	40 N
LUMILINENXTBS18WLED840SPCWH	9405	590.00	40 N
LUMILINENXTBS18WLED865SPCWH	9405	590.00	40 N
LUMILINENXTBS20WLED830SPCWH	9405	650.00	40 N
LUMILINENXTBS20WLED840SPCWH	9405	650.00	40 N
LUMILINENXTBS20WLED865SPCWH	9405	650.00	40 N
LUMILINENXTBS22WLED830SPCWH	9405	670.00	40 N
LUMILINENXTBS22WLED840SPCWH	9405	670.00	40 N
LUMILINENXTBS22WLED865SPCWH	9405	670.00	40 N

Fixture size: L x W x H in ( 600 x 24 x 33 ) mm (for 10 W), ( L x W x H ) in ( 1100 x 24 x33 ) mm (for 18 W / 20 W / 22 W)



### LUMILINE NEO BATTEN

Surface mounting General Purpose ultra-slim economical LED Battens in Extruded PC housing and round-shaped diffuser with a wide range of wattages to suit a variety of application areas.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMILINENEBS18WLED830SPCWH	9405	590.00	40 N
LUMILINENEBS18WLED840SPCWH	9405	590.00	40 N
LUMILINENEBS18WLED865SPCWH	9405	590.00	40 N
LUMILINENEBS20WLED830SPCWH	9405	650.00	40 N
LUMILINENEBS20WLED840SPCWH	9405	650.00	40 N
LUMILINENEBS20WLED865SPCWH	9405	650.00	40 N
LUMILINENEBS22WLED830SPCWH	9405	670.00	40 N
LUMILINENEBS22WLED840SPCWH	9405	670.00	40 N
LUMILINENEBS22WLED865SPCWH	9405	670.00	40 N

Fixture size:( L x W x H ) in ( 1100 x 24 x 33 ) mm



### LUMILINE TREND

Surface mounting General Purpose ultra-slim economical LED Battens in Extruded PC housing and Square shaped diffuser with wide range of wattages to suit variety of application areas.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMILINETRENDBS20WLED865SPCWH	9405	500.00	50 N
LUMILINETRENDBS20WLED865SPCWHG2	9405	500.00	30 N

Fixture size: (LxWxH) in (1110x20x30) mm



### REGAL BATTEN

General purpose industrial compact batten suitable for single or twin LED Retrofit T8 Tubes with integral LED driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
REGALBATTENT8UPTO1X22WSSBSWHNW	9405	650.00	15 N
REGALBATTENT8UPTO2X22WSSBSWHNW	9405	650.00	15 N

Fixture size: (LxWxH) in (1233x38x55) mm (for 1x22 W), (1233x98x55) mm (for 2x22 W)



### STREAK NEO BATTEN

General purpose industrial compact batten suitable for single or twin LED Retrofit T8 Tubes with integral LED driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
STREAKNEOT8UPTO1X22WSSBSWH	9405	280.00	20 N
STREAKNEOT8UPTO2X22WSSBSWH	9405	330.00	20 N

Fixture size: ( L x W x H ) in ( 1233 x 36 x 46 ) mm (for 1 x 22 W), (1233 x 71.5 x 46) mm (for 2x22 W )



### TITANIA PRO LED TUBELIGHT

Ultra bright LED Tubelight (single side connection) with aluminium insert/housing & very high efficacy  $\geq 150$  lm/W best suited for installation in existing tubelight luminaire with G13 lamp holders to give glare free light.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
TITANIAPRO1213T8SSTL14WLED865SPC	9405	1250.00	20 N

Fixture size: (  $\varnothing$  x L ) in ( 28 x 1213 ) mm



### TITANIA PLUS 2.0 LED TUBELIGHT

Ultra bright LED Tubelight (single side connection) with aluminium insert/housing & very high efficacy  $\geq 120$  lm/W best suited for installation in existing tubelight luminaire with G13 lamp holders to give glare free light.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
TITANIAPLUS2.01213T8SSTL18WLED865SPC	9405	1250.00	20 N
TITANIAPLUS1213T8SSTL30WLED865SPC	9405	1750.00	20 N

Fixture size: (  $\varnothing$  x L ) in ( 28 x 1213 ) mm



### TITANIA NEO LED TUBELIGHT

Ultra bright LED Tubelight (single side connection) with very high efficacy  $\geq 105$  lm/W best suited for installation in existing tubelight luminaire with G13 lamp holders to give glare free light.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
TITANIANE01213T8SSTL18WLED865SPC	9405	1100.00	20 N
TITANIANE01213T8SSTL20WLED865SPC	9405	1100.00	20 N

Fixture size: (  $\varnothing$  x L ) in ( 28 x 1213 ) mm



# Indoor Commercial LED Luminaires

## BATTEN

### PHOTON ULTRA PRO TUBELIGHT

Ultra bright LED Tubelight (single side connection) with very high efficacy  $\geq 150$  lm/W suited for installation in existing tubelight luminaire with G13 lamp holders to give glare free light.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PHOTONULTRAPRO1213T8SSTL14WLED865SPC	9405	1100.00	30 N
Fixture size: (ØxL) in (28x1213) mm (for 18 W / 20 W)			



### PHOTON ULTRA PLUS 2.0 TUBELIGHT <10%

Ultra bright LED Tubelight (single side connection) with very high efficacy  $\geq 115$  lm/W & THD<10% suited for installation in existing tubelight luminaire with G13 lamp holders to give glare free light.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PHOTONULTRAPLUSN1213T8SSTL18WLED865PCIND	9405	1325.00	30 N
PHOTONULTRAPLUSN1213T8SSTL20WLED865PCIND	9405	1325.00	30 N
Fixture size: (ØxL) in (28x1213) mm (for 18 W / 20 W)			



### PHOTON ULTRA 2.0 TUBELIGHT <15%

Ultra bright LED Tubelight (single side connection) with very high efficacy & THD <15% best suited for installation in existing tubelight luminaire with G13 lamp holders to give glare free light.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PHOTONULTRAE2.0603T8SSTL10WLED865SPC	9405	540.00	30 N
PHOTONULTRAE2.01213T8SSTL18WLED865SPC	9405	725.00	30 N
PHOTONULTRAE2.01213T8SSTL20WLED865SPC	9405	725.00	30 N
Fixture size: (ØxL) in (28x603) mm (for 10 W), (28x1213) mm (for 18 W / 20 W)			



### PHOTON ULTRA PL-L

Ultra bright LED PLL with very high efficacy suited for installation in existing 2G11 lamp holders to give glare free light.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PHOTONULTRAPLL419TL18WLED865SPC	9405	1135.00	20 N
Fixture size: ( L x W x H ) in ( 410 x 24 x 44 ) mm			



### HERCULES PL-L

Ultra bright LED PLL with very high efficacy suited for installation in existing 2G11 lamp holders to give glare free light.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
HERCULESPLL419TL18WLED865SPC	9405	900.00	20 N
HERCULESHPLLL419TL18WLED865SPC	9405	1000.00	20 N
Fixture size: ( L x W x H ) in ( 410 x 24 x 44 ) mm			



### LED FLEXI STRIP

Flexible LED strips with optimum brightness & uniformity of light for perfect cove lighting. IP20.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
FLEXISTRIP5MIP2024V/1ALED830MOD V1	9405	1200.00	10 N
FLEXISTRIP5MIP2024V/1ALED840MOD V1	9405	1200.00	10 N
FLEXISTRIP5MIP2024V/1ALED865MOD V1	9405	1200.00	10 N
CONSTANT VOLTAGE DRIVER24V1AUPTO 24W V1	9405	1000.00	20 N
FLEXISTRIP5MIP2024V/2ALED830MOD V1	9405	1325.00	10 N
FLEXISTRIP5MIP2024V/2ALED840MOD V1	9405	1325.00	10 N
FLEXISTRIP5MIP2024V/2ALED865MOD V1	9405	1325.00	10 N
Constant Voltage Driver24V2Aupto 48W V1	9405	1400.00	20 N
FLEXISTRIP5MIP2024V/3ALED830MOD V1	9405	1450.00	10 N
FLEXISTRIP5MIP2024V/3ALED840MOD V1	9405	1450.00	10 N
FLEXISTRIP5MIP2024V/3ALED865MOD V1	9405	1450.00	10 N
Const.Voltage 24V 3A LED Driver upto 72W	9405	2500.00	20 N

Fixture size: 5 m




### FLEXISTRIP ALUMINIUM PROFILE

Surface/ Recess/ Corner mounted aluminium profile with opal diffuser, end caps and mounting clamps.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
FLEXISTRIPALPROFILE17X14SURFACE	9405	1200.00	25 N
FLEXISTRIPALPROFILE17X14RECESS	9405	1250.00	25 N
FLEXISTRIPALPROFILE16X16RCORNER	9405	1200.00	25 N

Fixture size: (LxWxH) in (2000x17x14) mm Surface ; Cutout (LxWxH) in (2000x17x14) mm Recess ; Cutout (LxWxH) in (2000x16x16) mm Corner ;



### TRICA AC LED TRICOLOR STRIP LIGHT IP65

Flexible Tri-color Mains Voltage LED strips lights suitable for outdoor applications. IP65

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
FLEXISTRIPTRICAROEPE120D18MSTRIP65	9405	5000.00	2 N
FLEXISTRIPTRICAROEPE120D18MSTRIP65V2	9405	5000.00	2 N

Fixture size: 18 m

FLEXISTRIPTRICAROEPE120D18MSTRIP65: (Amber-White-Green)

FLEXISTRIPTRICAROEPE120D18MSTRIP65V2: (Saffron-White-Green)



# Indoor Commercial LED Luminaires

## LED STRIPS

### FLEXI STRIP TRICA AC LED TRICOLOR STRIP LIGHT IP65

Flexible LED strips with optimum brightness & uniformity of light for perfect cove lighting. IP65

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
FLEXISTRIP50MIP65AC6W/M830V1	9405	10000.00	2 N
FLEXISTRIP50MIP65AC6W/M840V1	9405	10000.00	2 N
FLEXISTRIP50MIP65AC6W/M865V1	9405	10000.00	2 N
FLEXISTRIP50MIP65AC10W/M830V1	9405	12000.00	2 N
FLEXISTRIP50MIP65AC10W/M840V1	9405	12000.00	2 N
FLEXISTRIP50MIP65AC10W/M865V1	9405	12000.00	2 N
FLEXISTRIP50MIP65AC10W/SAFFRONV1	9405	12000.00	2 N
FLEXISTRIP50MIP65AC10W/GREENV1	9405	12000.00	2 N
FLEXISTRIPACIP65POWERCORD	9405	500.00	40 N

Fixture size: 50 m



### FLEXISTRIP NEON AC LED MONO COLOR STRIP LIGHT IP65

Flexible Mono-color Mains Voltage NEON LED strips lights with Silicon housing suitable for outdoor applications. IP65

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
FLEXISTRIPNEON50MIP65AC7.5W/M830V1	9405	26000.00	2 N
FLEXISTRIPNEON50MIP65AC7.5W/M840V1	9405	26000.00	2 N
FLEXISTRIPNEON50MIP65AC7.5W/M865V1	9405	26000.00	2 N
FLEXISTRIPNEONACIP65POWERCORD	9405	26000.00	40 N

Fixture size: 50 m





# ACCENT Lighting Range Luminaires

Indoor lighting is an art. Havells understands human centric lighting which improves well-being and increases productivity. Hallmark of every luminaires shipped from Havells factory is a silent whisper of creativity and technology at its best.

### UNECO FIXED COB DOWNLIGHT

New generation, energy saving, aesthetically designed, recessed mounted down light pressure die-cast aluminium heat sink & high efficiency long life COB LED mounted on MCPCB with high efficacy for enhanced lumen output. THD <10%

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
UNECOFIXDLR8WLED830S60-G2	9405	1888.00	20 N
UNECOFIXDLR8WLED840S60-G2	9405	1888.00	20 N
UNECOFIXDLR8WLED857S60-G2	9405	1888.00	20 N
UNECOFIXDLR12WLED830S60-G2	9405	2232.00	20 N
UNECOFIXDLR12WLED840S60-G2	9405	2232.00	20 N
UNECOFIXDLR12WLED857S60-G2	9405	2232.00	20 N
UNECOFIXDLR15WLED830S60-G2	9405	2609.00	20 N
UNECOFIXDLR15WLED840S60-G2	9405	2609.00	20 N
UNECOFIXDLR15WLED857S60-G2	9405	2609.00	20 N
UNECOFIXDLR20WLED830S60-G2	9405	3622.00	10 N
UNECOFIXDLR20WLED840S60-G2	9405	3622.00	10 N
UNECOFIXDLR20WLED857S60-G2	9405	3622.00	10 N
UNECOFIXDLR30WLED830S60-G2	9405	5081.00	10 N
UNECOFIXDLR30WLED840S60-G2	9405	5081.00	10 N
UNECOFIXDLR30WLED857S60-G2	9405	5081.00	10 N
UNECOFIXDLR40WLED830S60-G2	9405	7138.00	10 N
UNECOFIXDLR40WLED840S60-G2	9405	7138.00	10 N
UNECOFIXDLR40WLED857S60-G2	9405	7138.00	10 N

Fixture size:

Ceiling cutout: Ø 75 mm, height 45 mm for 8 W ; Ceiling cutout: Ø 80 mm, height 47 mm for 12 W ;

Ceiling cutout: Ø 90 mm, height 48 mm for 15 W ; Ceiling cutout: Ø 115 mm, height 52 mm for 20 W

Ceiling cutout: Ø 162 mm, height 58 mm for 30 W ; Ceiling cutout: Ø 205 mm, height 62 mm for 40 W



### UNECO ADJUSTABLE COB DOWNLIGHT

New generation, energy saving, aesthetically designed, recessed mounted down light with 15° tilt pressure die-cast aluminum heat sink & high efficiency long life COB LED mounted on MCPCB with high efficacy for enhanced lumen output. THD <10%

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
UNECOADJDLR8WLED830S24-G2	9405	2232.00	20 N
UNECOADJDLR8WLED840S24-G2	9405	2232.00	20 N
UNECOADJDLR8WLED857S24-G2	9405	2232.00	20 N
UNECOADJDLR15WLED830S24-G2	9405	2936.00	20 N
UNECOADJDLR15WLED840S24-G2	9405	2936.00	20 N
UNECOADJDLR15WLED857S24-G2	9405	2936.00	20 N
UNECOADJDLR20WLED830S36-G2	9405	3948.00	10 N
UNECOADJDLR20WLED840S36-G2	9405	3948.00	10 N
UNECOADJDLR20WLED857S36-G2	9405	3948.00	10 N
UNECOADJDLR30WLED830S36-G2	9405	5322.00	10 N
UNECOADJDLR30WLED840S36-G2	9405	5322.00	10 N
UNECOADJDLR30WLED857S36-G2	9405	5322.00	10 N

Fixture size:

Ceiling cutout: Ø 75 mm, height 50 mm for 8 W ; Ceiling cutout: Ø 95 mm, height 67 mm for 15 W.

Ceiling cutout: Ø 120 mm, height 80 mm for 20 W ; Ceiling cutout: Ø 140 mm, height 85 mm for 30 W



# Indoor Architectural LED Luminaires

## DOWNLIGHTS

### UNECO SNOOT COB DOWNLIGHT

Recess mounted LED wall washers, tilted 70° outwards and swivels 350° to offer best illumination on the wall and retail displays. THD <10%

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
UNECOSNOOTDLR15WLED830S36WHT-G2	9405	3140.00	8 N
UNECOSNOOTDLR15WLED840S36WHT-G2	9405	3140.00	8 N
UNECOSNOOTDLR15WLED857S36WHT-G2	9405	3140.00	8 N
UNECOSNOOTDLR20WLED830S36WHT-G2	9405	4830.00	8 N
UNECOSNOOTDLR20WLED840S36WHT-G2	9405	4830.00	8 N
UNECOSNOOTDLR20WLED857S36WHT-G2	9405	4830.00	8 N
UNECOSNOOTDLR30WLED857S36WHT-G2	9405	5900.00	8 N
UNECOSNOOTDLR30WLED857S36WHT-G2	9405	5900.00	8 N
UNECOSNOOTDLR30WLED857S36WHT-G2	9405	5900.00	8 N
UNECOSNOOTDLR40WLED857S36WHT-G2	9405	6500.00	8 N
UNECOSNOOTDLR40WLED857S36WHT-G2	9405	6500.00	8 N
UNECOSNOOTDLR40WLED857S36WHT-G2	9405	6500.00	8 N

Fixture size:

Ceiling cutout: Ceiling cutout: Ø 89 mm, height 76 mm for 15 W ; Ceiling cutout: Ø 113 mm, height 100 mm for 20 W; Ceiling cutout: Ø 144 mm, height 126 mm for 30W & 40 W



### UNECO GIMBAL COB DOWNLIGHT

New generation, Energy Saving, aesthetically designed, Recessed Mounted Gimbal mounted Down light Pressure die-cast aluminium heat sink & high efficiency long life COB LED mounted on MCPCB with high efficacy for enhanced lumen output. THD <10%

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
UNECOGIMBALSPOT1X12WLED830S36BLK	9405	2500.00	24 N
UNECOGIMBALSPOT1X12WLED840S36BLK	9405	2500.00	24 N
UNECOGIMBALSPOT1X12WLED857S36BLK	9405	2500.00	24 N
UNECOGIMBALSPOT2X12WLED830S36BLK	9405	5000.00	18 N
UNECOGIMBALSPOT2X12WLED840S36BLK	9405	5000.00	18 N
UNECOGIMBALSPOT2X12WLED857S36BLK	9405	5000.00	18 N
UNECOGIMBALSPOT3X12WLED830S36BLK	9405	6000.00	12 N
UNECOGIMBALSPOT3X12WLED840S36BLK	9405	6000.00	12 N
UNECOGIMBALSPOT3X12WLED857S36BLK	9405	6000.00	12 N

Fixture size: Ceiling cutout: Ceiling cutout: 75x75 mm, height 58 mm for 1x12 W ; Ceiling cutout: 75x160 mm, height 58 mm for 2x12 W ; Ceiling cutout: 75x245 mm, height 58 mm for 3x12 W  
**# Also available in White housing on request.**



### LUMIN SPOT PRO DEEP-RECESSED COB DOWNLIGHT

Deep recessed antiglare LED Spot down light with UGR<19 for general and accent lighting. The premium reflector matches the ceiling and accentuates the architecture of the area without compromising the light output. THD <10%

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LUMINSPOTPROR7WLED830S36WHT	9405	2200.00	20 N
LUMINSPOTPROR7WLED840S36WHT	9405	2200.00	20 N
LUMINSPOTPROR7WLED857S36WHT	9405	2200.00	20 N
LUMINSPOTPROR12WLED830S36WHT	9405	2700.00	20 N
LUMINSPOTPROR12WLED840S36WHT	9405	2700.00	20 N
LUMINSPOTPROR12WLED857S36WHT	9405	2700.00	20 N
LUMINSPOTPROR12WLED830S60WHT	9405	2700.00	20 N
LUMINSPOTPROR12WLED840S60WHT	9405	2700.00	20 N
LUMINSPOTPROR12WLED857S60WHT	9405	2700.00	20 N
LUMINSPOTPROR15WLED830S36WHT	9405	3200.00	16 N
LUMINSPOTPROR15WLED840S36WHT	9405	3200.00	16 N
LUMINSPOTPROR15WLED857S36WHT	9405	3200.00	16 N
LUMINSPOTPROR15WLED830S60WHT	9405	3200.00	16 N
LUMINSPOTPROR15WLED840S60WHT	9405	3200.00	16 N
LUMINSPOTLPROR15WLED857S60WHT	9405	3200.00	16 N

Fixture size:

Ceiling cutout: Ø 57 mm, height 60 mm for 7W ; Ceiling cutout: Ø 75 mm, height 76 mm for 12W.

Ceiling cutout: Ø 81 mm, height 88 mm for 15W.

# Also available in Black housing on request.



### UNECO POP-UP

Recessed Mounted POP-UP LED Downlight with 355° rotation and 90° tilt for Directional adjustment, High efficiency COB used with better product efficacy 95 LPW. THD<10%

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
UNECOPOPUPR10WLED830S24WHT	9405	5000.00	10 N
UNECOPOPUPR20WLED830S24WHT	9405	7000.00	10 N
UNECOPOPUPR10WLED840S24WHT	9405	5000.00	10 N
UNECOPOPUPR20WLED840S24WHT	9405	7000.00	10 N
UNECOPOPUPR10WLED857S24WHT	9405	5000.00	10 N
UNECOPOPUPR20WLED857S24WHT	9405	7000.00	10 N
UNECOPOPUPR2X10WLED830S24WHT	9405	9000.00	6 N
UNECOPOPUPR2X20WLED830S24WHT	9405	12000.00	6 N
UNECOPOPUPR2X10WLED840S24WHT	9405	9000.00	6 N
UNECOPOPUPR2X20WLED840S24WHT	9405	12000.00	6 N
UNECOPOPUPR2X10WLED857S24WHT	9405	9000.00	6 N
UNECOPOPUPR2X20WLED857S24WHT	9405	12000.00	6 N

Fixture size: Ø 75 mm, length 100mm, width 100mm & height 112 mm and Cutout: 63x63mm for 1x10W ; Ø 92 mm, length 130mm, width 130mm & height 130 mm and Cutout: 83x83mm for 1x20W ; Ø 75 mm, length 184mm, width 100mm & height 112 mm and Cutout: 166x63mm for 2x10W ; Ø 92 mm, length 240mm, width 130mm & height 130 mm and Cutout: 233x83mm for 2x20W



# Indoor Architectural LED Luminaires

## DOWNLIGHTS

### UNECO SURFACE COB DOWNLIGHTS

Uneco surface light with black/white powder coated aluminium housing and pressure die-cast heat sink having high efficiency. THD <10%

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
UNECOSURFDLS8WLED830S24BLK-G2	9405	3475.00	20 N
UNECOSURFDLS8WLED840S24BLK-G2	9405	3475.00	20 N
UNECOSURFDLS8WLED857S24BLK-G2	9405	3475.00	20 N
UNECOSURFDLS15WLED830S24BLK-G2	9405	4172.00	20 N
UNECOSURFDLS15WLED840S24BLK-G2	9405	4172.00	20 N
UNECOSURFDLS15WLED857S24BLK-G2	9405	4172.00	20 N
UNECOSURFDLS20WLED830S36BLK-G2	9405	5562.00	10 N
UNECOSURFDLS20WLED840S36BLK-G2	9405	5562.00	10 N
UNECOSURFDLS20WLED857S36BLK-G2	9405	5562.00	10 N
UNECOSURFDLS30WLED830S36BLK-G2	9405	7622.00	10 N
UNECOSURFDLS30WLED840S36BLK-G2	9405	7622.00	10 N
UNECOSURFDLS30WLED857S36BLK-G2	9405	7622.00	10 N
UNECOSURFDLS8WLED830S24WHT-G2	9405	3475.00	20 N
UNECOSURFDLS8WLED840S24WHT-G2	9405	3475.00	20 N
UNECOSURFDLS8WLED857S24WHT-G2	9405	3475.00	20 N
UNECOSURFDLS15WLED830S24WHT-G2	9405	4172.00	20 N
UNECOSURFDLS15WLED840S24WHT-G2	9405	4172.00	20 N
UNECOSURFDLS15WLED857S24WHT-G2	9405	4172.00	20 N
UNECOSURFDLS20WLED830S36WHT-G2	9405	5562.00	10 N
UNECOSURFDLS20WLED840S36WHT-G2	9405	5562.00	10 N
UNECOSURFDLS20WLED857S36WHT-G2	9405	5562.00	10 N
UNECOSURFDLS30WLED830S36WHT-G2	9405	7622.00	10 N
UNECOSURFDLS30WLED840S36WHT-G2	9405	7622.00	10 N
UNECOSURFDLS30WLED857S36WHT-G2	9405	7622.00	10 N

Fixture size: Ø 55 mm, height 150 mm for 8W ; Ø 75 mm, height 150 mm for 15W.  
Ø 95 mm, height 200 mm for 20W ; Ø 115 mm, height 200 mm for 30W.



### UNECO SUSPENDED COB DOWNLIGHTS

Uneco pendent light with black/white powder coated aluminium housing and pressure die-cast heat sink having high efficiency. THD <10%

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
UNECOPENDDLDP8WLED830S24BLK-G2	9405	3863.00	20N
UNECOPENDDLDP8WLED840S24BLK-G2	9405	3863.00	20 N
UNECOPENDDLDP8WLED857S24BLK-G2	9405	3863.00	20 N
UNECOPENDDLDP15WLED830S24BLK-G2	9405	4635.00	20 N
UNECOPENDDLDP15WLED840S24BLK-G2	9405	4635.00	20 N
UNECOPENDDLDP15WLED857S24BLK-G2	9405	4635.00	20 N
UNECOPENDDLDP20WLED830S36BLK-G2	9405	5947.00	10 N
UNECOPENDDLDP20WLED840S36BLK-G2	9405	5947.00	10 N
UNECOPENDDLDP20WLED857S36BLK-G2	9405	5947.00	10 N
UNECOPENDDLDP30WLED830S24BLK-G2	9405	8034.00	10 N
UNECOPENDDLDP30WLED840S36BLK-G2	9405	8034.00	10 N
UNECOPENDDLDP30WLED857S36BLK-G2	9405	8034.00	10 N
UNECOPENDDLDP8WLED830S24WHT-G2	9405	3863.00	20 N
UNECOPENDDLDP8WLED840S24WHT-G2	9405	3863.00	20 N
UNECOPENDDLDP8WLED857S24WHT-G2	9405	3863.00	20 N
UNECOPENDDLDP15WLED830S24WHT-G2	9405	4635.00	20 N
UNECOPENDDLDP15WLED840S24WHT-G2	9405	4635.00	20 N
UNECOPENDDLDP15WLED857S24WHT-G2	9405	4635.00	20 N
UNECOPENDDLDP20WLED830S36WHT-G2	9405	5947.00	10 N
UNECOPENDDLDP20WLED840S36WHT-G2	9405	5947.00	10 N
UNECOPENDDLDP20WLED857S36WHT-G2	9405	5947.00	10 N
UNECOPENDDLDP30WLED830S36WHT-G2	9405	8034.00	10 N
UNECOPENDDLDP30WLED840S36WHT-G2	9405	8034.00	10 N
UNECOPENDDLDP30WLED857S36WHT-G2	9405	8034.00	10 N

Fixture size: Ø 55 mm, height 150 mm for 8W ; Ø 75 mm, height 150 mm for 15W.  
Ø 95 mm, height 200 mm for 20W ; Ø 115 mm, height 200 mm for 30W.



# Indoor Architectural LED Luminaires

## DOWNLIGHTS

### UNECO TRACK LIGHT

Track mounted LED light in Black/White finish having modern design, compact size with High power COB LED to provide focussed light. Track light is a method of lighting where light fixtures are attached anywhere on a continuous track rail which is electrically charged as compared to the need of routing electrical wiring to individual light position. THD <10%

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
UNECOTRACKLIGHTTS10WLED830S24BLK-V2	9405	3667.00	20 N
UNECOTRACKLIGHTTS10WLED840S24BLK-V2	9405	3667.00	20 N
UNECOTRACKLIGHTTS10WLED857S24BLK-V2	9405	3667.00	20 N
UNECOTRACKLIGHTTS15WLED830S36BLK-V2	9405	4500.00	20 N
UNECOTRACKLIGHTTS15WLED840S36BLK-V2	9405	4500.00	20 N
UNECOTRACKLIGHTTS15WLED857S36BLK-V2	9405	4500.00	20 N
UNECOTRACKLIGHTTS25WLED830S36BLK-V2	9405	5167.00	10 N
UNECOTRACKLIGHTTS25WLED840S36BLK-V2	9405	5167.00	10 N
UNECOTRACKLIGHTTS25WLED857S36BLK-V2	9405	5167.00	10 N
UNECOTRACKLIGHTTS30WLED830S36BLK-V2	9405	7000.00	10 N
UNECOTRACKLIGHTTS30WLED840S36BLK-V2	9405	7000.00	10 N
UNECOTRACKLIGHTTS30WLED857S36BLK-V2	9405	7000.00	10 N
UNECOTRACKLIGHTTS10WLED830S24WHT-V2	9405	3667.00	20 N
UNECOTRACKLIGHTTS10WLED840S24WHT-V2	9405	3667.00	20 N
UNECOTRACKLIGHTTS10WLED857S24WHT-V2	9405	3667.00	20 N
UNECOTRACKLIGHTTS15WLED830S36WHT-V2	9405	4500.00	20 N
UNECOTRACKLIGHTTS15WLED840S36WHT-V2	9405	4500.00	20 N
UNECOTRACKLIGHTTS15WLED857S36WHT-V2	9405	4500.00	20 N
UNECOTRACKLIGHTTS25WLED830S36WHT-V2	9405	5167.00	10 N
UNECOTRACKLIGHTTS25WLED840S36WHT-V2	9405	5167.00	10 N
UNECOTRACKLIGHTTS25WLED857S36WHT-V2	9405	5167.00	10 N
UNECOTRACKLIGHTTS30WLED830S36WHT-V2	9405	7000.00	10 N
UNECOTRACKLIGHTTS30WLED840S36WHT-V2	9405	7000.00	10 N
UNECOTRACKLIGHTTS30WLED857S36WHT-V2	9405	7000.00	10 N


Fixture size: Ø 60 mm, length 135mm, height 215 mm for 10W & 15W ; Ø 80 mm, length 150mm, height 230 mm for 20W ; Ø 90 mm, length 160mm, height 245 mm for 30W.



### UNECO TRACK LIGHT ACCESSORIES (BLACK/WHITE)

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
1MTR1PHASETTRACKTSWHT-V1	9405	2300.00	6 N
2MTR1PHASETTRACKTSWHT-V1	9405	4250.00	6 N
1PHASETTRACKTSWHTLIVEFEED	9405	600.00	6 N
Flat ISHAPECONNECTOR1PHASETSWHT	9405	765.00	50 N
Flat LSHAPECONNECTOR1PHASETSWHT	9405	975.00	50 N
Flat TSHAPECONNECTOR1PHASETSWHT	9405	1000.00	50 N
Flat XSHAPECONNECTOR1 PHASETSWHT	9405	1200.00	50 N
ADJUSTABLESUSPENSIONKITTSWHT	9405	715.00	100 N
1MTR1PHASETTRACKTSBLK-V1	9405	2300.00	6 N
2MTR1PHASETTRACKTSBLK-V1	9405	4250.00	6 N
1PHASETTRACKTSBLKLIVEFEED	9405	600.00	6 N
Flat ISHAPECONNECTOR1PHASETSBLK	9405	765.00	50 N
Flat LSHAPECONNECTOR1PHASETSBLK	9405	975.00	50 N
Flat TSHAPECONNECTOR1PHASETSBLK	9405	1000.00	50 N
Flat XSHAPECONNECTOR1 PHASETSBLK	9405	1200.00	50 N
ADJUSTABLESUSPENSIONKIT1PHASESBLK	9405	715.00	100 N





# Industrial LED Luminaires

Havells offers a wide variety of solutions for all industrial applications. Havells ensures the enhancement of productivity of the employees with the right light to keep them motivated. The use of Havells Industrial lights provides fatigue-free and accident-free environment.

### EMBERRO \*upto 190 lm/W system efficacy

Energy saving, high efficacy, environment friendly and robust highbay LED luminaire. IP66

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
EMBERROULTRAHBP055WLED757PWBTORLBLK	9405	17200.00	1N
EMBERROULTRAHBP085WLED757PWBTORLBLK	9405	19000.00	1N
EMBERROULTRAHBP118WLED757PWBTORLBLK	9405	23000.00	1N
EMBERROULTRAHBP146WLED757PWBTORLBLK	9405	27000.00	1N
EMBERROULTRAHBP176WLED757PWBTORLBLK	9405	30500.00	1N



### GYRELIS for tyre industries

Energy saving, environment friendly & robust Highbay LED luminaire with high efficacy.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
GYRELISHBPULT63WLED757PWBTORLTG	9405	16000.00	1N



### SAUCER GENX ADV ULTRA \*160 lm/W System Efficacy

Next generation, energy saving, environment friendly & robust highbay LED with PDC housing suitable for ceiling (Surface/Suspended) mounting.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
SAUCERGENXADVULTHBP92WLED757PNBTOPCGRY	9405	19000.00	1 N
SAUCERGENXADVULTHBP108WLED757PNBTOPCGRY	9405	19500.00	1 N
SAUCERGENXADVULTHBP122WLED757PWBTOPCGRY	9405	22000.00	1 N
SAUCERGENXADVULTHBP156WLED757PWBTOPCGRY	9405	25000.00	1 N
SAUCERGENXADVULTHBP185LED757PWBTOPCGRY	9405	30000.00	1 N



### SAUCER NEXTGEN HIGHBAY - ADV SERIES

Next generation, energy saving, environment friendly & robust highbay LED with PDC housing suitable for ceiling (Surface/Suspended) mounting with system efficacy upto 150 lm/W.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
SAUCERGENXADVHBP80WLED857EWBBORL	9405	10000.00	1 N
SAUCERGENXADVPROHBP80WLED857EWBBORL	9405	12000.00	1 N
SAUCERGENXADVHBP100WLED857PDCWBBORL	9405	13000.00	1 N
SAUCERGENXADVPROHBP100WLED857PDCWBBORL	9405	15000.00	1 N
SAUCERGENXADVHBP120WLED857EWBBORL	9405	14000.00	1 N
SAUCERGENXADVPROHBP120WLED857EWBBORL	9405	18000.00	1 N
SAUCERGENXADVHBP150WLED857EPWBBORL	9405	19000.00	1 N
SAUCERGENXADVMDHBP150WLED857EPWBBORL	9405	22000.00	1 N
SAUCERGENXADVPROHBP150WLED857EPWBBORL	9405	24000.00	1 N
SAUCERGENXADVHBP200WLED857MONBBORL	9405	25500.00	1 N
SAUCERGENXADVHBP200WLED857MOWBBORL	9405	25000.00	1 N
SAUCERGENXADVMDHBP200WLED857MONBBORL	9405	27500.00	1 N
SAUCERGENXADVMDHBP200WLED857MOWBBORL	9405	27000.00	1 N
SAUCERGENXADVPROHBP200WLED857MONBBORL	9405	30500.00	1 N
SAUCERGENXADVPROHBP200WLED857MOWBBORL	9405	30500.00	1 N

Note: Dimmable, Occupancy Sensor, Lux sensor, Warm white, LILO - variants available upon request.



# Industrial LED Luminaires

## HIGHBAY LIGHTING

### SAUCER HIGHBAY WITH OCCUPANY SENSOR

Energy saving, environment friendly & robust Highbay LED luminaire with high efficacy.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
SAUCERGENXADVPROHBP80WLED857OSWBBORL	9405	18000.00	6 N
SAUCERGENXADVPROHBP100WLED857OSWBBORL	9405	21000.00	6 N
SAUCERGENXADVPROHBP120WLED857OSWBBORL	9405	24000.00	1 N
SAUCERGENXPROOSHBP150WLED757PWBBORL	9405	28000.00	1 N
ASSEMBLED MICROWAVE SENSOR KIT 1-10V (external)	9405	2800.00	1 N



### GAZELLA HIGHBAY

Energy saving, environment friendly & robust Mediumbay /Highbay LED luminaire with high efficacy (100lm/W) with toughened glass/PC

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
GAZELLAHBV2P80WLED857PBOCLRPCGRY	9405	7500.00	6 N
GAZELLAHBV2P100WLED857PBOCLRPCGRY	9405	9250.00	6 N
GAZELLAHBV2P120WLED857PBOTGGRY	9405	10000.00	1 N
GAZELLAHBV2P150WLED857PBOTGGRY	9405	11000.00	1 N



### PARABELLO HIGHBAY

Energy saving, environment friendly & robust Mediumbay /Highbay LED luminaire with high efficacy (100 lm/W) with toughened glass.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PARABELLOHBP80WLED857PBOTG	9405	11000.00	4 N
PARABELLOHBP100WLED857PBOTG	9405	12000.00	4 N
PARABELLOHBP120WLED857PBOTG	9405	13500.00	4 N
PARABELLOHBP150WLED757PTOTG	9405	17000.00	1 N
PARABELLOHBP200WLED857PTOTG	9405	18900.00	1 N

Note: Lens variants available upon request.



### STUPE WELL GLASS

Environmental friendly, energy saving long life corrosion resistant, vertical surface mounting pressure die-cast aluminium housing (light engine) well glass luminaires with high power LED as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
STUPEWGP30WLED757SSYMTOPCGRY	9405	3500.00	6 N
STUPEWGP35WLED757SSYMTOPCGRY	9405	4000.00	6 N
STUPEWGP40WLED757SSYMTOPCGRY	9405	5000.00	6 N

Note: Warm white variant available upon request.



### Well Glass 70 W

Environmental friendly, energy saving long life corrosion resistant, vertical surface mounting pressure die-cast aluminium housing (light engine) well glass luminaires with high power LED as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURAWELLGLASSGENXP70WLED757PPC	9405	9600.00	6 N
STUPEWGP70WLED757PPYRPCGRY	9405	8000.00	6 N



# Industrial LED Luminaires

WELL GLASS / BULK HEAD / WEATHER PROOF

## ALTEZA WELL GLASS

Environmental friendly, energy saving long life corrosion resistant, pressure die-cast aluminium housing and control gear compartment well glass luminaires with LED as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ALTEZAWGS40WLED865SSYMTOPC	9405	4500.00	6 N
Note: 30 W/35 W available upon request.			



## HEXA 10 W - IP66

Environmental friendly, ultra modern, energy saving, surface mounted, decorative hexagon bulk head Back-lit LED luminaire comprising of high brightness LEDs.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
HEXAFT10WLED857SSYMBOPC	9405	2000.00	8 N



## RUGBY GENX 10

Designed with beautiful aesthetics using new generation technology in LED to enliven your outdoor and indoor areas in perfect synchronization with functionality and aesthetics. Family of bulkhead Lights designed to complement the geometry of the area with modern design.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
RUGBYGENXFTS10WLED865SSYMBOPC	9405	1650.00	12 N



## MAGNUM GRAND NEO

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, surface mounting IP66 luminaire with PC housing & opal finish cover suitable for wet location. LEDs used as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MAGNUMGRANDNEOIP6620WLED857SPC	9405	5000.00	6 N
MAGNUMGRANDNEOIP6636WLED857SPC	9405	6000.00	6 N
MAGNUMGRANDNEOIP6640WLED857SPC	9405	6250.00	6 N



## MAGNUM GRAND PWB (with emergency back-up)

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, Emergency Battery Back-up, surface mounting IP66 luminaire with PC housing & opal finish cover suitable for wet location.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MAGNUMGRANDPWBIP6620WLED857SPC	9405	14000.00	6 N
MAGNUMGRANDPWBIP6636WLED857SPC	9405	14500.00	6 N



# Industrial LED Luminaires

WEATHER PROOF / CLEAN ROOM

## ENDURALINEAR G2 WEATHERPROOF BATTENS

Surface and wall-mounted Moisture-resistant IP65 LED battens with vandal-resistant polycarbonate Housing, diffuser & integrated electronic driver.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURALINEARBS36WLED865SPCWHG1	9405	5500.00	10 N
ENDURALINEARBS40WLED865SPCWHG1	9405	6000.00	10 N



## MAGNUM RETRO (Single Side Connection)

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, surface/suspended mounting luminaire with PC housing and linear ribbed PC cover for glare free light, suitable for T8 LED Tube with single side connection.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MAGNUMRETROILS1X18PC	9405*	3000.00	6 N
MAGNUMRETROILS2X18PC	9405*	4000.00	6 N



## MAGNUM GRAND GOLD

Energy saving, environmental friendly, long life, corrosion resistant, impact proof, surface mounting IP66 luminaire with PC housing & opal finish cover suitable for wet location.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MAGNUMGRANDGOLD20WLED857SPC	9405	4000.00	12 N
MAGNUMGRANDGOLD36WLED857SPC	9405	4500.00	12 N
MAGNUMGRANDGOLD40WLED857SPC	9405	5000.00	12 N



## LED CLEAN ROOM BOTTOM OPENING MS EXE

IP65, dust free & zero maintenance 1x1 / 2x2 LED Clean Room Bottom Opening luminaire for hygienic facilities.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
BOCR1X1R18WLED857SPCMSCHEXE	9405	12500.00	1 N
BOCR2X2R36WLED857SPCMSCHEXE	9405	12500.00	1 N
BOCR2X2R42WLED857SPCMSCHEXE	9405	13000.00	1 N
BOCR2X2R60WLED857SPCMSCHEXE	9405	15500.00	1 N
BOCR2X2R80WLED857SPCMSCHEXE	9405	16000.00	1 N

Note: SS, Screwless, 2x1, additional features – variants available upon request.



## LED CLEAN ROOM TOP OPENING MS EXE

IP65, dust free & zero maintenance 1x1 / 2x2 LED Clean Room Top Opening luminaire for hygienic facilities.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
TOCR1X1R18WLED857SPCMSCHEXE	9405	8000.00	1 N
TOCR2X2R36WLED857SPCMSCHEXE	9405	14000.00	1 N
TOCR2X2R42WLED857SPCMSCHEXE	9405	14500.00	1 N
TOCR2X2R60WLED857SPCMSCHEXE	9405	15500.00	1 N
TOCR2X2R80WLED857SPCMSCHEXE	9405	16000.00	1 N

Note: SS additional features – variants available upon request.





# Outdoor LED Luminaires

Introducing the wide range of outdoor application LED products from Havells. This range is yet another example of Havells' endeavour to innovate and provide world class lighting solution, energy efficient products and robust design. These lights are designed to fulfill the lighting applications of City Road Lighting, Periphery Lighting, Prestigious Heritage Area Outdoor Lighting and Urban Landscape Lighting.

### ENDURA SUNDOWN

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LED as lighting source and lens embedded PC cover having Bottom Opening separate driver compartment with IP66 protection and impact resistance of IK08.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNDOWNSL25WLED765PASYBOPC	9405	3200.00	8 N
ENDURASUNDOWNSL30WLED757PASYBOPC	9406	3584.00	8 N
ENDURASUNDOWNSL35WLED765PASYBOPC	9406	4500.00	8 N
ENDURASUNDOWNSL40WLED765PASYBOPC	9405	5040.00	8 N
ENDURASUNDOWNSL45WLED765PASYBOPC	9405	6000.00	8 N
Suitable for pole dia Ø 42 mm (max.)			



### ENDURA SUNDOWN

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LED as lighting source and lens embedded PC cover having Bottom Opening separate driver compartment with IP66 protection and impact resistance of IK08.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNDOWNSL100 WLED765PASYBOPC	9406	13000.00	6 N
ENDURASUNDOWNSL120 WLED765PASYBOPC	9405	16000.00	6 N
Suitable for pole dia Ø 54 mm (max.)			



### ENDURA SUNDOWN NXT

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LED as lighting source and lens embedded PC cover having Bottom Opening separate driver compartment with IP66 protection and impact resistance of IK08.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNDOWNNXTSL25WLEDCWPASYBOPC	9405	3300.00	-'
ENDURASUNDOWNNXTSL30WLEDCWPASYBOPC	9405	3600.00	-'
Suitable for pole dia Ø 42 mm (max.) for 25 W & 30W			



Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNDOWNNXTSL45WLEDCWPASYBOPC	9405	6000	-'
ENDURASUNDOWNNXTSL60WLEDCWPASYBOPC	9405	7500	-'
Suitable for pole dia Ø 42 mm (max.) for 45W & 60W			



Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNDOWNNXTSL70WLEDCWPASYBOPC	9405	8064.00	-'
ENDURASUNDOWNNXTSL90WLEDCWPASYBOPC	9405	13000.00	-'
Suitable for pole dia Ø 55 mm (max.) for 70W & 90W			



Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNDOWNNXTSL120WLEDCWPASYBOPC	9405	16000.00	-'
Suitable for pole dia Ø 55 mm (max.) for 120W			

# Outdoor Luminaires

## STREET LIGHTS

### ENDURA SUNDOWN TG

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LED as lighting source and lens with Toughned Glass having Bottom Opening seperate driver compartment with IP66 protection and impact resistance of IK07.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNDOWNSL25WLED765PASYBOTGIHD	9405	3800.00	8 N
ENDURASUNDOWNSL45WLED765PASYBOTG	9405	6800.00	8 N

Suitable for pole dia Ø 42 mm (max.)



### ENDURA SUNDOWN TG

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LED as lighting source and Toughened glass having Bottom Opening seperate driver compartment with IP66 protection and impact resistance of IK07.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNDOWNSL60WLED765PASYBOTG	9405	7280.00	6 N
ENDURASUNDOWNSL70WLED765PASYBOTG	9405	8064.00	6 N
ENDURASUNDOWNSL72WLED765PASYBOTG	9405	8500.00	6 N
ENDURASUNDOWNSL90 WLED765PASYBOTG	9405	13000.00	6 N
ENDURASUNDOWNSL100 WLED765PASYBOTG	9405	14500.00	6 N
ENDURASUNDOWNSL120 WLED765PASYBOTG	9405	16000.00	6 N

Suitable for pole dia Ø 54 mm (max.)



### ENDURA PEARL PLUS WITH DIMMABLE MOTION SENSOR

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LEDs as lighting source and lens embedded PC cover having TOP Opening seperate driver compartment with IP66 protection and impact resistance of IK09.

**Sensor Features :** Mounting height : 10-12 meters / Detection Range : 10 meters / Minimum Pole to pole spacing to prevent overlapping / between two lights : 20 meter

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDPRLPLUSL120WLED757PASYTOPCMICR	9405	28000.00	-'
ENDPRLPLUSL150WLED757PASYTOPCMICR	9405	25000.00	-'

Suitable for pole dia Ø 54 mm (max.) for 120 W & 150W



### ENDURA SUNBEAM SENSOR 25 W / 30 W

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LEDs as lighting source and lens embedded PC cover having TOP Opening seperate driver compartment with IP66 protection and impact resistance of IK07.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNBEAMSL25WLED757SASYBOPCSENSO	9405	4500.00	-'
ENDURASUNBEAMSL30WLED757SASYBOPCSENSO	9405	5500.00	-'

Suitable for pole dia Ø 40 mm (max.) for 25 W & 30W



### ENDURA SUNBEAM SENSOR 45 W

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LEDs as lighting source and lens embedded PC cover having TOP Opening separate driver compartment with IP66 protection and impact resistance of IK07.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNBEAMSL45WLED757SASYTOPCSENSO Suitable for pole dia Ø 41 mm (max.) for 45W	9405	7500.00	-'



### ENDURA SUNBEAM SENSOR 60 W / 70 W

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LEDs as lighting source and lens embedded PC cover having TOP Opening separate driver compartment with IP66 protection and impact resistance of IK07.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNBEAMSL60WLED757SASYTOPCSENSO	9405	8000.00	-'
ENDURASUNBEAMSL70WLED757SASYTOPCSENSO Suitable for pole dia Ø 41 mm (max.) for 60W & 70W	9405	8500.00	-'



### ENDURA SUNBEAM SENSOR 90 W

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LEDs as lighting source and lens embedded PC cover having TOP Opening separate driver compartment with IP66 protection and impact resistance of IK07.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNBEAMSL90WLED757SASYTOPCSENSO Suitable for pole dia Ø 56 mm (max.) for 90W	9405	10500.00	-'



### ENDURA SUNBEAM GENX 45 W

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LEDs as lighting source and lens embedded PC cover having TOP Opening separate driver compartment with IP66 protection and impact resistance of IK08.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNDOWNGENXSL45WLED757PASYBOPC uitable for pole dia Ø 43 mm (max.) for 45 W	9405	6000.00	6 N



### ENDURA SUNBEAM GENX 60 W / 70 W / 72 W

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LEDs as lighting source and lens embedded PC cover having TOP Opening separate driver compartment with IP66 protection and impact resistance of IK08.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNBEAMGENXSL60WLED757SASYBOPC	9405	7400.00	6 N
ENDURASUNBEAMGENXSL70WLED757SASYBOPC	9405	7600.00	6 N
ENDURASUNBEAMGENXSL72WLED757SASYBOPC Suitable for pole dia Ø 41 mm (max.) for 60 W, 70W & 72W	9405	7700.00	6 N



# Outdoor Luminaires

## CANOPY FIXTURE / PIT LIGHTS

### ENDURA SUNBEAM GENX 90 W / 120 W

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LEDs as lighting source and lens embedded PC cover having TOP Opening separate driver compartment with IP66 protection and impact resistance of IK08.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNBEAMGENXSL90WLED757SASYBOPC Suitable for pole dia Ø 56 mm (max.) for 90 W	9405	10000.00	6 N

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURASUNBEAMGENXSL120WLED757SASYBOPC Suitable for pole dia Ø 56 mm (max.) for 120 W	9405	13000.00	12 N



### GLIMMER

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium IP66 roadway luminaire with high power LED as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
Glimmer24 LED Streetlight 90W	9405	On Request	-'
Glimmer24 LED Streetlight 120W	9405	52000.00	-'
Suitable for pole dia Ø 57 mm (max.) for 90 W & 120W			



### ENDURA PEARL MAGNUM PLUS

New generation energy saving & environmental friendly long life Versatile pressure die-cast aluminium IP66 roadway luminaire with high power LED as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
PEARLMAGPGENXSL170WLED757PASYPCHHEEWTX	9405	22000.00	2 N
PEARLMAGPGENXSL180WLED757PASYPCHHEEWTX	9405	22500.00	2 N
PEARLMAGPGENXSL190WLED757PASYPCHHEEWTX	9405	25000.00	2 N
PEARLMAGPGENXSL200WLED757PASYPCHHEEWTX	9405	28000.00	2 N
PEARLMAGPGENXSL210WLED757PASYPCHHEEWTX	9405	32000.00	2 N
PEARLMAGPGENXSL250WLED757PASYPCHHEEWTX	9405	38000.00	2 N
Suitable for pole dia Ø 60 mm (max.)			



### ENDURA PEARL PLUS

New generation energy saving and environmental friendly long life LED street light made up of pressure die cast aluminium housing with high efficiency LEDs as lighting source and lens embedded PC cover having TOP Opening separate driver compartment with IP66 protection and impact resistance of IK08.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENDURAPEARLPLUS150WNSLPC Suitable for pole dia Ø 54 mm (max.)	9405	17000.00	6 N



## FLARE

Flare is specially designed, multi-functional LED luminaire to replace under canopy.


Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
FLAREULTRACA80WLED757PWBLTG	9405	8400.00	1 N
FLAREULTRACA100WLED757PWBLTG	9405	9400.00	1 N
FLAREULTIMACA80WLED757PWBLTG	9405	11000.00	1 N
FLAREULTIMACA100WLED757PWBLTG	9405	12650.00	1 N
LSPAREASSEMPOWCOATFRAME375X375X1 FU	9405	1400.00	1 N
ASSEMBLEDPOWCOATFRAME600X600X1 FU	9405	2000.00	1 N



## GLINT

Linear Canopy is a special, multi-functional LED luminaire designed to replace traditional square under canopy lights in fuel bunks.1

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
GLINTCARS20WLED857PV3WSPDWBTOPCWHT	9405	15000.00	1 N
GLINTCARWS40WLED857PIV3WBTOLPCWSWHT	9405	18000.00	1 N
GLINTCARS80WLED857PV3WSPDWBTOPCWHT	9405	33500.00	1 N



## JETA TRENCH

Pit Lights are industrial luminaires specifically designed for service pits. Havells pit light is a fusion of engineering and modern design to provide beautiful aesthetics, durability and high lumen output.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
JETATRENCHFTS20WLED757PBOPC48V	9405	6600.00	1 N
JETATRENCHFTS20WLED757PBOPC	9405	7000.00	1 N



## JETA VIATL

Linear Canopy is a special, multi-functional LED luminaire designed to replace traditional square under canopy lights in fuel bunks.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
JETAVIATLTLPC20WLED757PASYSOPC	9405	On Request	1 N
JETAVIATLTLPC25WLED757PASYSOPC	9405	On Request	1 N
JETAVIATLTLPC30WLED757PASYSOPC	9405	8900.00	1 N



## FLOOD LIGHTS

### VALOUR TUNNEL

Resolute is a revolutionary design for area lighting applications with less weight and superior performance parameters. An energy saving, environment friendly design made of die-cast aluminium with high efficient LEDs as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VALOURTUNNEL50WLED757PINTASYM3LTG	9405	17110.00	1 N
VALOURTUNNELS100W1MLED757PSASY2LTGGRY	9405	21700.00	1 N
VALOURTUNNEL200WLED740PINTASYMLTGGRY	9405	32000.00	1 N
VALOURTUNNEL400W2MLED757PSASYMINTLTG	9405	55000.00	1 N



### JETA LEGANZA

Energy saving, environmental friendly, long life, die cast aluminium housing with LEDs as light source, suitable for highlighting architectural features or area lighting.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
JETALEGANZAFLS30WLED757P60DTOTG	9405	5400.00	1 N
JETALEGANZAFLS30WLED730P60DTOTG	9405	5400.00	1 N
JETALEGANZAFLS50WLED757P60DTOTG	9405	6700.00	1 N
JETALEGANZAFLS50WLED730P60DTOTG	9405	6700.00	1 N
JETALEGANZAFLS70WLED757P60DTOTG	9405	7000.00	1 N
JETALEGANZAFLS70WLED730P60DTOTG	9405	7400.00	1 N
JETALEGANZAFLS60WLED757P60DTOTG	9405	8100.00	1 N
JETALEGANZAFLS60WLED730P60DTOTG	9405	8300.00	1 N
JETALEGANZAFLS80WLED757P60DTOTG	9405	8400.00	1 N
JETALEGANZAFLS80WLED730P60DTOTG	9405	8700.00	1 N
JETALEGANZAFLS100WLED757P60DTOTG	9405	9400.00	1 N
JETALEGANZAFLS100WLED730P60DTOTG	9405	9700.00	1 N
JETALEGANZAFLS120WLED757P60DTOTG	9405	10300.00	1 N
JETALEGANZAFLS120WLED730P60DTOTG	9405	10600.00	1 N
JETALEGANZAFLS150WLED757P60DTOTG	9405	12800.00	1 N
JETALEGANZAFLS150WLED730P60DTOTG	9405	13200.00	1 N
JETALEGANZAFLS200WLED757P60DTOTG	9405	17100.00	1 N
JETALEGANZAFLS200WLED730P60DTOTG	9405	17500.00	1 N



### JETA SPECTRA

JETA SPECTRA is range of LED Floodlight offering a robust area lighting solution for multiple applications including Construction sites, Signages & General Area Lighting.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
JETASPECTRAFLS030WLED757SSYMTOPC	9405	6000.00	4 N
JETASPECTRAFLS050WLED757SSYMTOPC	9405	7700.00	2 N
JETASPECTRAFLS070WLED757SSYMTOPC	9405	9800.00	2 N
JETASPECTRAFLS100WLED757SSYMTOPC	9405	14000.00	2 N
JETASPECTRAFLS120WLED757SSYMTOPC	9405	16200.00	2 N
JETASPECTRAFLS150WLED757SSYMTOPC	9405	18990.00	2 N
JETASPECTRAFLS200WLED757SSYMTOPC	9405	24990.00	1 N
JETASPECTRAFLS250WLED757SSYMTOPC	9405	32990.00	1 N



### JETA ADORN

New generation energy saving & environmental friendly, long life, pressure die - cast aluminium housing Flood Light with PC diffused lens enclosure over LED for glare free light.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
JETAADORNFLS30WLED757SSYMTOTGV2	9405	2200.00	4 N
JETAADORNFLS50WLED757SSYMTOTGV2	9405	4000.00	2 N
JETAADORNFLS70WLED757SSYMTOTGV2	9405	4700.00	2 N
JETAADORNFLS100WLED757SSYMTOTGV3	9405	10000.00	2 N
JETAADORNFLS120WLED757SSYMTOTGV2	9405	11000.00	2 N
JETAADORNFLS150WLED757SSYMTOTGV3	9405	12500.00	2 N
JETAADORNFLS200WLED757SSYMTOTGV3	9405	16800.00	1 N
JETAADORNFLS250WLED757SSYMTOTGV2	9405	18000.00	1 N
JETAADORNNTFLS30WLED757SSYMTOTGV2	9405	4500.00	4 N
JETAADORNNTFLS50WLED757SSYMTOTGV2	9405	5600.00	2 N
JETAADORNNTFLS70WLED757SSYMTOTGV2	9405	7000.00	2 N
JETAADORNNTFLS100WLED757SSYMTOTGV2	9405	9300.00	1 N
JETAADORNNTFLS120WLED757SSYMTOTGV2	9405	9900.00	2 N
JETAADORNNTFLS150WLED757SSYMTOTGV2	9405	12400.00	2 N
JETAADORNNTFLS200WLED757SSYMTOTGV2	9405	15500.00	1 N
JETAADORNNTFLS250WLED757SSYMTOTGV2	9405	19000.00	1 N



### RESOLUTE

Resolute is a revolutionary design for area lighting applications with less weight and superior performance parameters. An energy saving, environment friendly design made of die-cast aluminium with high efficient LEDs as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
JETARESOLUTEFL1000W4M857INTUNBTOTG	9405	148500.00	1 N
JETARESOLUTEFLS1000W4M857INTNBTOTG	9405	148500.00	1 N
JETARESOLUTEFLS1000W4M857INT30DTOTG	9405	148500.00	1 N
JETARESOLUTEFL1000WUHE4M757INTMBTOTG	9405	147000.00	1 N
JETARESOLUTEFL1000WUHE4M757INTNBTOTG	9405	147000.00	1 N
JETARESOLUTEFL1000WUHE4M757INTUNBTOTG	9405	147000.00	1 N
JETARESOLUTEFLS1000W4M857MOD10DTOTG	9405	114000.00	1 N
JETARESOLUTEFLS1000W4M857MOD30DTOTG	9405	114000.00	1 N
JETARESOLUTEFLS1000W4M857MOD60DTOTG	9405	114000.00	1 N
ASSEMBLED CGBOX VALOUR500WP	9405	32200.00	1 N

(2 Nos. required for each 1000W FL)



# Outdoor LED Luminaires

## FLOOD LIGHTS

### JETA MONOS

JETA MONOS is a range of LED Floodlight uniquely designed Monolithic ADC-12 aluminium High Pressure Die Cast housing offering very high system efficacies. Designed to operate in ambient Temperatures of -10 °C to +50 °C, Operating voltage range: 100 V - 300 V, offers a robust area lighting solution for multiple applications including Sports Lighting, High Masts, Industrial Applications, Construction sites, Ports and Airports & General Area Lighting.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
JETAMONOSNEOFL300WHELED757WBTOTG	9405	36000.00	1 N
JETAMONOSNEOFL350WHELED757WBTOTG	9405	44000.00	1 N
JETAMONOSNEOFL400WHELED757WBTOTG	9405	49600.00	1 N
JETAMONOSNEOFL500WHELED757WBTOTG	9405	58000.00	1 N
JETAMONOSPROFL300WHELED757MBTOTG	9405	41500.00	1 N
JETAMONOSPROFL350WHELED757MBTOTG	9405	44500.00	1 N
JETAMONOSPROFL400WHELED757MBTOTG	9405	45500.00	1 N
JETAMONOSPROFL500WHELED757MBTOTG	9405	55750.00	1 N



### TYCOON LED POST TOP

Design inspired from the classical Victorian era using new generation technology in LED to rejuvenate your outdoor areas with functionality during night and aesthetics during the day. IP65 die cast aluminium Post top lantern designed with long life LED engine & Electronic Driver, designed for glare free symmetrical light distribution.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
TYCOONPT70WLED757PSYMTOPC	9405	47500.00	1 N
TYCOONPT70WLED730PSYMTOPC	9405	47500.00	1 N

Suitable for pole dia Ø 76 mm



### BARON LED POST TOP

Design inspired from the classical Victorian era using new generation technology in LED to rejuvenate your outdoor areas with functionality during night and aesthetics during the day. IP65 die cast aluminium Post top lantern designed with long life LED engine & Electronic Driver, designed for glare free symmetrical light distribution.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
BARONPT70WLED757PSYMTOPC	9405	43500.00	1 N
BARONPT70WLED730PSYMTOPC	9405	43500.00	1 N

Suitable for pole dia Ø 76 mm



### VICTORIA LED POST TOP

Design from the renaissance era yet with a modern look using new generation technology in LED to enliven your outdoor areas in perfect synchronization with functionality and aesthetics. IP66 Family of post top lantern designed to complement the geometry of the area.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VICTORIANXTPT45WLED730PSYMP CBLK	9405	41000.00	1 N
VICTORIANXTPT45WLED740PSYMP CBLK	9405	41000.00	1 N
VICTORIANXTPT45WLED757PSYMP CBLK	9405	41000.00	1 N

Suitable for pole dia Ø 76 mm



### SPRING 6 LED POST TOP

New generation IP 65 LED post-top, energy saving, environmental friendly, long life aesthetically designed with good indirect symmetrical light distribution, die-cast aluminium landscape luminaire with high power COB LED as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
SPRING6NXTPT35W730SYMWHTTGGRY	9405	34000.00	2 N
SPRING6NXTPT35W740SYMWHTTGGRY	9405	34000.00	2 N
SPRING6NXTPT35W757SYMWHTTGGRY	9405	34000.00	2 N

Suitable for pole dia Ø 76 mm



### RINK LED POST TOP

Circular LED post-top offering excellent uniform illumination and aesthetics in one go. Made up of Pressure Die Cast aluminium body and opal PC cover. IP 66 and IK 07 rating ensures it stands tall amid varied environmental conditions.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
RINKPT45WLED757PSYMTOPC	9405	22000.00	1 N
RINKPT60WLED757PSYMTOPC	9405	25000.00	1 N

Suitable for pole dia Ø 76 mm. Option of 3000K CCT is available against MOQ



# Outdoor LED Luminaires

## LANDSCAPE LIGHTS

### RUBY LED POST TOP

New generation, IP 65 LED post-top family, energy saving, environmental friendly, long life aesthetically designed with symmetrical light distribution, spun aluminium landscape luminaire with high power LEDs as light source. Clear Cover offers bright illumination for different applications.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
RUBYNEXTPT15WLED730PSYMTOPC	9405	6500.00	1 N
RUBYNEXTPT15WLED757PSYMTOPC	9405	6500.00	1 N
RUBYNEXTPT25WLED730PSYMTOPC	9405	9100.00	1 N
RUBYNEXTPT25WLED757PSYMTOPC	9405	9100.00	1 N
RUBYNEXTPT30WLED730PSYMTOPC	9405	9500.00	1 N
RUBYNEXTPT30WLED757PSYMTOPC	9405	9500.00	1 N
RUBYNEXTPT35WLED730PSYMTOPC	9405	10900.00	1 N
RUBYNEXTPT35WLED757PSYMTOPC	9405	10900.00	1 N
RUBYGEXPT35WLED730PSYMTOPC	9405	10900.00	1 N
RUBYGEXPT35WLED757PSYMTOPC	9405	10900.00	1 N
RUBYNEXTPT40WLED730PSYMTOPC	9405	11500.00	1 N
RUBYNEXTPT40WLED757PSYMTOPC	9405	11500.00	1 N
RUBYGEXPT40WLED730PSYMTOPC	9405	11500.00	1 N
RUBYGEXPT40WLED757PSYMTOPC	9405	11500.00	1 N
RUBYNEXTPT45WLED730PSYMTOPC	9405	13000.00	1 N
RUBYNEXTPT45WLED757PSYMTOPC	9405	13000.00	1 N
RUBYGEXPT45WLED730PSYMTOPC	9405	13000.00	1 N
RUBYGEXPT45WLED757PSYMTOPC	9405	13000.00	1 N

Suitable for pole dia Ø 50 mm for 15 W

Suitable for pole dia Ø 76 mm for 25 W/35 W/40 W/45 W/50 W/70 W



### CORAL LED POST TOP

New generation, IP 65 LED post-top family, energy saving, environmental friendly, long life aesthetically designed with symmetrical light distribution, spun aluminium landscape luminaire with high power LEDs as light source. Opal Cover offers soothing uniform illumination for different applications.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
CORALNEXTPT15WLED730PSYMTOPC		6500.00	1 N
CORALNEXTPT15WLED757PSYMTOPC		6500.00	1 N
CORALNEXTPT25WLED730PSYMTOPC		9100.00	1 N
CORALNEXTPT25WLED757PSYMTOPC		9100.00	1 N
CORALNEXTPT30WLED730PSYMTOPC		9500.00	1 N
CORALNEXTPT30WLED757PSYMTOPC		9500.00	1 N
CORALNEXTPT35WLED730PSYMTOPC		10900.00	1 N
CORALNEXTPT35WLED757PSYMTOPC		10900.00	1 N
CORALGEXPT35WLED730PSYMTOPC		10900.00	1 N
CORALGEXPT35WLED757PSYMTOPC		10900.00	1 N
CORALNEXTPT40WLED730PSYMTOPC		11500.00	1 N
CORALNEXTPT40WLED757PSYMTOPC		11500.00	1 N
CORALGEXPT40WLED730PSYMTOPC		11500.00	1 N
CORALGEXPT40WLED757PSYMTOPC		11500.00	1 N
CORALNEXTPT45WLED730PSYMTOPC		13000.00	1 N
CORALNEXTPT45WLED757PSYMTOPC		13000.00	1 N
CORALGEXPT45WLED730PSYMTOPC		13000.00	1 N
CORALGEXPT45WLED757PSYMTOPC		13000.00	1 N

Suitable for pole dia Ø 50 mm for 15 W, Suitable for pole dia Ø 76 mm for 25 W/35 W/45 W/50 W/70 W



### NEBULA LED POST TOP

Stellar LED post-top offering combination of sturdy design, excellent illumination and aesthetics in one go. IP 66 and IK 10 rating ensures it stands tall amid varied environmental conditions.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
NEBULAPT40WLED857PSYMTOPC	9405	13000.00	1 N
NEBULAPT40WLED857PSYMTOPCO	9405	13000.00	1 N
NEBULAPT60WLED857PSYMTOPC	9405	16000.00	1 N
NEBULAPT60WLED857PSYMTOPCO	9405	16000.00	1 N

Suitable for pole dia Ø 76 mm. Option of 3000K CCT is available against MOQ



### IRVINE – SPIKE LIGHT

Environmental friendly, compact, light weight, energy saving, IP66 LED spike light using COB LED as light source. Offered in Mono – Red, Green, Blue and Warm White Colour. Multi purpose application like column lighting, tree up-lighting, statue accentuation etc. can be addressed with ease.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
IRVINESPS5WLED830PSYMTG	9405	3200.00	4 N
IRVINESPS5WLEDREDPSYMTG	9405	3800.00	4 N
IRVINESPS5WLEDGRNPSYMTG	9405	3800.00	4 N
IRVINESPS5WLEDBLUPSYMTG	9405	3800.00	4 N

For mounting info refer TDS. Spike is part of std. packaging



### CLIO LED WALL LIGHT

Environmental friendly, new generation, energy saving, decorative IP 66 LED UP-down Luminaire with wall surface mounting using COB LED as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
CLIOLL15WLED730PSYMTOTUG	9405	8200.00	4 N
CLIWLS15WLED830PSYMTOTG	9405	8500.00	4 N
CLIWLS25WLED830PSYMTOTG	9405	10500.00	4 N

For mounting info refer TDS



### LYCUS LED SPIKE LIGHT

Environmental friendly, new generation, energy saving, decorative IP66 LED spike light using COB LED as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LYCUSSPS9WLED730PSYMBOTG	9405	6500.00	4 N
LYCUSSPS15WLED730PSYMBOTG	9405	7750.00	4 N
LYCUSSPS25WLED730PSYMBOTG	9405	9250.00	4 N

For mounting info refer TDS



### RADIANT LED STEP LIGHT

Environmental friendly, new generation, energy saving, decorative rectangular shaped IP66 LED step light for wall recessed application.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
RADIANTFTR07WLED830PSYMTOPC	9405	3600.00	16 N

For mounting info refer TDS



# Outdoor Luminaires

## LANDSCAPE LIGHTS

### DECO POLE

Aesthetically designed decorative hot dipped galvanised mild steel step pole with grey powder finish. Compatible for all Havells post top range. Window - Plasma cut & duly chamfered opening window of 300x110 mm for terminal connections & mounting accessories. Window cover is fitted with allen screws to the pole.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DECO POLE 3M TOP Ø 76 MM	7308	27000.00	1 N
DECO POLE 3.5M TOP Ø 76 MM	7308	30500.00	1 N
DECO POLE 4M TOP Ø 76 MM	7308	34000.00	1 N
DECO POLE 6M TOP Ø 76 MM	7308	49000.00	1 N

For mounting info refer TDS. Also available in ABC (Anti-Bacterial & Beach Coating) against MOQ.



### ECO POLE

Aesthetically designed decorative hot dipped galvanised mild steel step pole with grey powder finish. Compatible for all Havells post top range. Window - Plasma cut & duly chamfered opening window of 300x110 mm for terminal connections & mounting accessories. Window cover is fitted with allen screws to the pole. Decorative sleek casting ring to increase aesthetical appeal.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ECO POLE 3M TOP Ø 76 MM	7308	24000.00	1 N
ECO POLE 4M TOP Ø 76 MM	7308	30000.00	1 N

For mounting info refer TDS. Also available in ABC (Anti-Bacterial & Beach Coating) against MOQ.




### BASE COVER

Aesthetically designed decorative pole base cover, enhancing the appearance of the pole.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
STARK Decorative Pole Base Cover	7308	8500.00	1 N

For mounting info refer TDS. Also available in ABC (Anti-Bacterial & Beach Coating) against MOQ.



### BAMBOO LED BOLLARD

New generation, energy saving, environmental friendly, long life aesthetically designed aluminium landscape IP 65 luminaire for diffused lighting with high power LED as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
BAMBOOBSLS8WLED830PSYMTOPC	9405	6500.00	4 N
BAMBOOBSLS8WLED857PSYMTOPC	9405	6500.00	4 N
BAMBOOBSLS8WLED830SSYMTOPCM	9405	8500.00	4 N
BAMBOOBSLS8WLED857SSYMTOPCM	9405	8500.00	4 N

For mounting info refer TDS



### CONE LED BOLLARD

IP 65 Cone series acts as an imposing street furniture. The elegant yet minimalistic design acts a silent observer and giving light, diffuser at the upper portion adds functional value into landscape environment.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
CONEBLS8WLED830PSYMTOPC	9405	6900.00	4 N
CONEBLS8WLED857PSYMTOPC	9405	6900.00	4 N
CONEBL8WLED830PSYMTOPCM	9405	9400.00	4 N
CONEBLS8WLED857PSYMTOPCM	9405	9400.00	4 N

For mounting info refer TDS



### CONE NXG LED BOLLARD

Cone NXG series acts as an imposing street furniture with touch of aesthetic. Innovative design with uniformly lit diffuser at the upper portion acts a beacon of path guidance in a landscape environment with robust IP 65 rating.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
CONENXGBLS8WLEDPSYM830TOPC	9405	7500.00	4 N
CONENXGBLS8WLEDPSYM857TOPC	9405	7500.00	4 N
CONENXGBLS8WLEDPSYM830TOPCM	9405	10500.00	4 N
CONENXGBLS8WLEDPSYM857TOPCM	9405	10500.00	4 N

For mounting info refer TDS



### MOUNT LED BOLLARD

Sturdy IP 65 LED Bollard with excellent light out put through its PMMA window ensuring maximum illumination aspect in surrounding.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MOUNTBL10WLED830PSYMTOPMMA	9405	9500.00	4 N
MOUNTBL10WLED857PSYMTOPMMA	9405	9500.00	4 N
MOUNTBL10WLED830PSYMTOPMMAM	9405	10900.00	4 N
MOUNTBL10WLED857PSYMTOPMMAM	9405	10900.00	4 N

For mounting info refer TDS



### MINI MOUNT LED BOLLARD

Sturdy IP 65 LED Bollard with excellent light out put through its sleek PMMA window ensuring maximum illumination aspect in surrounding.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
MINIMOUNTBL10WLED830PSYMTOPMMAS	9405	6750.00	4 N
MINIMOUNTBL10WLED857PSYMTOPMMAS	9405	6750.00	4 N
MINIMOUNTBL10WLED830PSYMTOPMMA	9405	9500.00	4 N
MINIMOUNTBL10WLED857PSYMTOPMMA	9405	9500.00	4 N
MINIMOUNTBL10WLED830PSYMTOPMMAM	9405	10900.00	4 N
MINIMOUNTBL10WLED857PSYMTOPMMAM	9405	10900.00	4 N

For mounting info refer TDS



# Outdoor Luminaires

## LANDSCAPE LIGHTS

### UFO LED BOLLARD

Contemporary UFO shape design IP 65 LED bollard with minimum upward light component, ensuring excellent distribution and high system lumen efficacy.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
UFOBLS10WLED830PSYMTOPC	9405	9500.00	4 N
UFOBLS10WLED857PSYMTOPC	9405	9500.00	4 N
UFOBLS10WLED830PSYMTOPCM	9405	10900.00	4 N
UFOBLS10WLED857PSYMTOPCM	9405	10900.00	4 N

For mounting info refer TDS



### TURIN LED BOLLARD

Unique concept LED Bollard in IP 66 to ensure sustainable performance in all sections and aesthetics which keeps the surrounding lively.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
TURINBLS10WLED830PSYMTOPC	9405	10000.00	4 N
TURINBLS10WLED857PSYMTOPC	9405	10000.00	4 N

For mounting info refer TDS. Option of 3000K CCT is available against MOQ



### GRANDEUR LED LIGHT COLUMN

LED Light Column spreads uniform lighting all around the pathway. Offered in 3 m and 4 m height in cylindrical shape.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
GRANDEURCLS36W830PSYMBOPC	9405	45000.00	1 N
GRANDEURCLS36W857PSYMBOPC	9405	45000.00	1 N
GRANDEURCLS72W830PSYMBOPC	9405	68500.00	1 N
GRANDEURCLS72W857PSYMBOPC	9405	68500.00	1 N

For mounting info refer TDS



### EROS LED POST TOP

Aesthetically designed IP 66 LED post Top with aluminium enclosure, powered with high power LEDs as light source and die casted heat sink exhibiting classic Victorian look with symmetrical light distribution, suspended mounting arrangement and excellent heat dissipation for long life.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
EROSPT72WLED730PSYMTOPC	9405	30000.00	1 N
EROSPT72WLED757PSYMTOPC	9405	30000.00	1 N
EROSPT90WLED730PSYMTOPC	9405	34500.00	1 N
EROSPT90WLED757PSYMTOPC	9405	34500.00	1 N
EROSPT120WLED730PSYMTOPC	9405	41000.00	1 N
EROSPT120WLED757PSYMTOPC	9405	41000.00	1 N

For mounting info refer TDS



### EROS DECORATIVE ARMS

Family of Decorative Arms in different designs, shaped and lengths to compliment the EROS LED Post Tops and Poles Family.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
Orbit S Round Arm for Pole	7308	14000.00	1 N
For mounting info refer TDS. Ask sales person for more details			



### EROS DECORATIVE ARMS

Family of Decorative Arms in different designs, shaped and lengths to compliment the EROS LED Post Tops and Poles Family.


Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
Orbit D Round Arm for Pole	7308	25000.00	1 N
For mounting info refer TDS. Ask sales person for more details			



### EROS DECORATIVE ARMS

Family of Decorative Arms in different designs, shaped and lengths to compliment the EROS LED Post Tops and Poles Family.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
Orbit Plus S Round Arm for Pole	7308	18000.00	1 N
For mounting info refer TDS. Ask sales person for more details			



### EROS DECORATIVE ARMS

Family of Decorative Arms in different designs, shaped and lengths to compliment the EROS LED Post Tops and Poles Family.


Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
Orbit Plus D Round Arm for Pole	7308	34000.00	1 N
For mounting info refer TDS. Ask sales person for more details			



### EROS CASTING POLES

Family of Decorative Casting poles in different designs, shaped and heights to compliment the EROS LED Post Top family. These poles can infuse life into roads of high importance and visibility.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
EROSPOLET03030M	9405	30820.00	1 N
EROSPOLET03040M	9405	36180.00	1 N
EROSPOLET03060M	9405	50920.00	1 N
For mounting info refer TDS. Ask sales person for more details			



# Outdoor Luminaires

## SOLAR LANDSCAPE LIGHTS

### FIORIO SOLAR LED POST TOP

IP65 LED Solar post top with built-in Solar panel, LED light and Lithium battery with charge controller and Remote Control to select 32 lighting mode.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
FIORIO 20 W 5700 K Solar Post Top	9405	51000.00	2 N
For mounting info refer TDS			



### BUDZ SOLAR LED BOLLARD

IP65 LED Solar bollard with built-in solar panel, LED Light and Lithium battery with charge controller.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
BUDZ 1 W 5700 K Solar Bollard Light	9405	8900.00	6 N
For mounting info refer TDS			



### VILLA SOLAR LED GATE LIGHT

IP65 LED Solar pillar light with built-in Solar panel, LED Light and Lithium battery with charge controller.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
VILLA 1 W 5700 K Solar Gate Light	9405	8000.00	12 N
For mounting info refer TDS			



### ALL-IN-ONE SOLAR STREET LIGHT (NG SERIES)

NG Series AIO Solar Street Light is made with High Efficiency Mono Crystalline Solar PV Module, Lithium Ferro Phosphate battery with in-built BMS technology, High Efficacy LED, MPPT Solar Charge Controller and Aluminium Extruded body & is specially programmed to automatically control the dimming and brightness of light, which increases the backup time.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
SOLAR AIO 15 W	9405	55000.00	1 N
SOLAR AIO 20 W	9405	65000.00	1 N
SOLAR AIO 24 W	9405	70000.00	1 N
SOLAR AIO 30 W	9405	90000.00	1 N
SOLAR AIO 40 W	9405	95000.00	1 N
SOLAR AIO 60 W	9405	115000.00	1 N
SOLAR AIO 100 W	9405	165000.00	1 N



### ALL-IN-ONE SOLAR STREET LIGHT (PERFORMANCE SERIES)

Performance Series AIO Solar Street Light is made with High Efficiency Mono Crystalline Solar PV Module, Lithium Ferro Phosphate battery with in-built BMS technology, High Efficacy LED, MPPT Solar Charge Controller and Aluminium Extruded body having System Efficacy of >180 Lumens/watt

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
SOLAR AIO 15 W	9405	On Request	1 N
SOLAR AIO 20 W	9405	On Request	1 N
SOLAR AIO 30 W	9405	On Request	1 N
SOLAR AIO 40 W	9405	On Request	1 N
SOLAR AIO 60 W	9405	On Request	1 N
SOLAR AIO 100 W	9405	On Request	1 N



### STANDALONE LED STREET LIGHTING SYSTEM

Complete system comprising luminaire in Pressure Die-cast housing with inbuilt high efficiency MPPT charge controller, Lithium Ferro Phosphate battery and Solar PV module ideal for remote, rural and sub urban locations.

\* Actual product image may vary depending on the luminaire type/wattages

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
Standalone solar lighting system from 1000 to 5000 Lumens	9405	On Request	1 N
Standalone solar lighting system from 6000 to 12000 Lumens	9405	On Request	1 N
Standalone solar lighting system from 15000 to 28000 Lumens	9405	On Request	1 N



# Outdoor Luminaires

## COLORSCAPE LIGHTS

### SKILINE PLUS

High power color changing & monochromatic LED projector for super distance lighting with Intelligent logarithmic control technology.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
SKILINE PLUS 600 W DMX	9405	On Request	1 N
SKILINE PLUS 600 W	9405	On Request	1 N
SKILINE PLUS 450 W DMX	9405	On Request	1 N
SKILINE PLUS 450 W	9405	On Request	1 N
SKILINE PLUS 300 W DMX	9405	On Request	1 N
SKILINE PLUS 300 W	9405	On Request	1 N



### COMPASS

High intensity color changing & monochromatic compact LED projector with polarized light design & intelligent logarithmic control technology.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
COMPASS 200 W DMX	9405	On Request	1 N
COMPASS 200 W	9405	On Request	1 N
COMPASS 130 W DMX	9405	On Request	1 N
COMPASS 130 W	9405	On Request	1 N
COMPASS 80W DMX	9405	On Request	1 N
COMPASS 80W	9405	On Request	1 N
COMPASS 40 W DMX	9405	On Request	4 N
COMPASS 40 W	9405	On Request	4 N
COMPASS 28 W DMX	9405	On Request	4 N
COMPASS 30 W	9405	On Request	4 N



### ENGROSS

Color changing & monochromatic buried uplighter ideal for uplighting facades, columns & features with multiple optics & extensive pallet of colors.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENGROSS 40 W DMX	9405	On Request	1 N
ENGROSS 40 W	9405	On Request	1 N
ENGROSS 28 W DMX	9405	On Request	1 N
ENGROSS 30 W	9405	On Request	1 N
ENGROSS 16 W DMX	9405	On Request	1 N
ENGROSS 16 W	9405	On Request	1 N
ENGROSS 13 W	9405	On Request	1 N




### LINEATE INT

Stylish & modern linear color changing & monochromatic wall grazer with multi angle lens design to meet the demands of various lighting design outlook.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LINEATE INT 80 W DMX	9405	On Request	3 N
LINEATE INT 80 W	9405	On Request	3 N
LINEATE INT 60 W DMX	9405	On Request	3 N
LINEATE INT 60 W	9405	On Request	3 N
LINEATE INT 40 W DMX	9405	On Request	3 N
LINEATE INT 40 W	9405	On Request	3 N

1 m Length.




### LINEATE

Stylish & modern linear color changing & monochromatic wall grazer with multi angle lens design to meet the demands of various lighting design outlook.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
LINEATE 40 W DMX	9405	On Request	3 N
LINEATE 40 W	9405	On Request	3 N
LINEATE 24 W DMX	9405	On Request	3 N
LINEATE 24 W	9405	On Request	3 N
LINEATE 12 W DMX	9405	On Request	3 N
LINEATE 12 W	9405	On Request	3 N

1 m Length for 40 W, 24 W. 50 cm Length for 12 W. External driver to be ordered separately



### COLORLINE

Energy efficient, environment friendly, long life, exclusive innovative designed architectural Wall washer light with highly efficient LEDs as light source, suitable for highlighting Façade and its features

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
COLORLINE 24/25W DMX	9405	On Request	2 N
COLORLINE 24/25W 3000K	9405	On Request	2 N
COLORLINE 40W DMX	9405	On Request	2 N
COLORLINE 40W 3000K	9405	On Request	2 N
COLORLINE 50W DMX	9405	On Request	2 N
COLORLINE 50W 3000K	9405	On Request	2 N
COLORLINE 60W DMX	9405	On Request	2 N
COLORLINE 60W 3000K	9405	On Request	2 N
COLORLINE 70W DMX	9405	On Request	2 N
COLORLINE 70W 3000K	9405	On Request	2 N
COLORLINE 80W DMX	9405	On Request	2 N
COLORLINE 80W 3000K	9405	On Request	2 N

Colorline in with integral driver and suitable for 240 V AC, Fixture length 1000mm. Fixture length 300mm and 500mm available on request



### JETA QUANTO PLUS

Mono colour flood light luminaire offered in Mono – Red, Green, Blue and Warm White Colour. Pressure Die Cast aluminium body and Clear PC cover, and standard beam angle of 30Deg. Aesthetic consistency in multi purpose application like column lighting, tree up-lighting, statue accentuation etc.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
JETAQUANTOPLUSFLS50WLEDREDP30DPC	9405	8500.00	10 N
JETAQUANTOPLUSFLS50WLEDBLUEP30DPC	9405	8500.00	10 N
JETAQUANTOPLUSFLS50WLEDGREENP30DPC	9405	8500.00	10 N
JETAQUANTOPLUSFLS50WLED730P30DPC	9405	8500.00	10 N

For mounting info refer TDS



# Outdoor Luminaires

## COLORSCAPE LIGHTS

### XPERIA

Energy Efficient, environment friendly, long life, exclusive innovative designed RGBW projector light with highly efficient LEDs as light source, suitable for highlighting architectural features.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
XPERIA 30W DMX	9405	On Request	2 N
XPERIA 30W 3000K	9405	On Request	2 N
XPERIA 40W DMX	9405	On Request	2 N
XPERIA 40W 3000K	9405	On Request	2 N
XPERIA 45W DMX	9405	On Request	2 N
XPERIA 45W 3000K	9405	On Request	2 N
XPERIA 50W DMX	9405	On Request	2 N
XPERIA 50W 3000K	9405	On Request	2 N
XPERIA 55W DMX	9405	On Request	2 N
XPERIA 55W 3000K	9405	On Request	2 N
XPERIA 75W DMX	9405	On Request	2 N
XPERIA 75W 3000K	9405	On Request	2 N
XPERIA 90W DMX	9405	On Request	2 N
XPERIA 90W 3000K	9405	On Request	2 N
XPERIA 100W DMX	9405	On Request	2 N
XPERIA 100W 3000K	9405	On Request	2 N
XPERIA 120W DMX	9405	On Request	2 N
XPERIA 120W 3000K	9405	On Request	2 N
XPERIA 150W DMX	9405	On Request	2 N
XPERIA 150W 3000K	9405	On Request	2 N



### ADORN

Monochromatic buried uplighter ideal for uplighting landscape, facades, columns & features with multiple optics & saturated tones of white.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ADORN 6 W	9405	On Request	8 N
External driver to be ordered separately			



### ADORN MINI

Monochromatic buried uplighter ideal for uplighting landscape, facades, columns & features with multiple optics & saturated tones of white.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ADORN MINI 2 W	9405	On Request	24 N
External driver to be ordered separately			



### FLEXISTRIP

IP 67 rated flexible LED strip to add great color & dramatic effects with extensive pallet of colors.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
FLEXISTRIP 36 W DMX	9405	On Request	1 N
FLEXISTRIP 36 W	9405	On Request	1 N
FLEXISTRIP 72 W DMX	9405	On Request	1 N
FLEXISTRIP 72 W	9405	On Request	1 N

5 m Length. External driver to be ordered separately



### FLEXEA

IP 67 rated flexible LED Neon flex to add great color & dramatic effects with extensive pallet of colors.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
FLEXEA 12W/Mtr. DMX	9405	On Request	1 N
FLEXEA 12W/Mtr. 3000K	9405	On Request	1 N
FLEXEA 18W/Mtr. DMX	9405	On Request	1 N
FLEXEA 18W/Mtr. 3000K	9405	On Request	1 N

Standard roll length 5000mm. Length option 1000mm and 3000mm available on request.  
External driver to be ordered separately



### DMX CONTROLLER

The Stand Alone DMX 512 controller can be used to control a wide variety of different DMX systems from RGB/RGBW to more advanced moving and color mixing luminaires, DMX audio players and fountains. The dual channel DMX 512 controller comes with a variety of features including RTC/calendar, Ethernet facilities, dry contact port triggering, multi-zone programming and SD memory card. The lighting levels, colors and effects can be programmed from a PC using the Havells DMX software.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
DMX Controller	8537	On Request	1 N

For Colorscape solution kindly consult our local branch representative as additional accessories like External Drivers, DMX Controllers, Amplifiers, IP rated Connectors, Address Writers, Channel profile etc. are to be ordered for dynamic effect lighting.



### RADIANT GEN-X STEP LIGHT

Environmental friendly, new generation, energy saving, decorative round shaped recessed One way/Two way, Pathway/Step Luminaire with LED as light source.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
RADIANT GEN-X STEP LIGHT 2W 3000K One Way	9405	On Request	1 N
RADIANT GEN-X STEP LIGHT 4W 3000K Two Way	9405	On Request	1 N

Recession Box, External driver to be ordered separately



### ENGROSS GEN-X

Monochromatic buried trimless uplighter ideal for uplighting facades, columns & features with multiple optics.

Item Description	HSN Code	MRP Rs. Per Unit (incl. of all taxes)	Case Lot No. of unit/s
ENGROSS GEN-X 10W 3000K	9405	On Request	1 N

Recession Box, External driver to be ordered separately








## GENERAL CONDITIONS OF BUSINESS

- Prices are in Indian ₹ (Inclusive of GST).
- All prices are subject to Havells general terms & conditions of business.
- Manufacturing warranty period is dependent on life class, application, electrical infrastructure, etc. Kindly check with Havells sales representative for product warranty details.
- Warranty is void on luminaires if:
  - Earthing is not provided.
  - Failure due to surges, high voltage, improper installation and wrong application.
- No warranty on SPD.
- Images shown here are for representation only and may vary from actual product.
- Orders should be placed in case lot multiples & against the confirmed purchase order only.
- Continuous design improvement is a routine practice at Havells. Data provided may change without any prior intimation. Customers are advised to reconfirm the data or product dimensions before purchase with our local offices.
- This Price List supersedes all our previous Price Lists.
- Prices are subject to change without notice.
- Company reserves the right to issue amendments, which may arise due to any errors in the price list.

HSN Code	Products Included	GST Applicable
9405	LED Fixtures	18%
9405*	Conventional Fixtures	18%
9405	LED Driver	18%
8543	Solar Street Lights/Mini Mast	12%
7308	Galvanized products	18%
8537	DMX Controller & Accessories	18%
8539	Non-LED Lamps	18%

# Wide range of innovative products in Havells categories



"Actual products may vary in colour, design, description and colour combination etc. Although every effort has been made to ensure accuracy in the compilation of the technical detail within this publication. Specifications & performance data are constantly changing."



SCAN TO  
KNOW MORE

## Havells India Ltd.

QRG Towers, 2D, Sector -126, Expressway, Noida - 201 304 (UP), Ph. +91-120-3331000  
CIN - L31900DL1983PLC016304.

Copyright Subsists. Imitation of trade dress, graphics and color scheme of this document is a punishable offence.

