**TECHNOLOGICALLY
ADVANCED ENERGY PRODUCTS**

Product Preview & Price List 2018

Price effective: May, 2018

NEPTUNE

TABLE OF CONTENT

Company

A leader in the Energy Saving and Power Quality Management sector of India, Neptune India set its foot in the market with a dedicated approach and a strong vision to become a specialist in the field of energy saving. Today, the company strives forth with its love for energy and has taken huge steps to implement best solutions in all aspects of energy.

Energy efficiency is one of the rising needs in the urbanized world and many products are introduced to fulfill this demand.

One of the crucial advantages that energy efficiency products bring is the reduction of cost. For implementing cost saving measures, industries are looking forward to products that will also help them in maintaining their position in the growing market.

Established in the year 1989, Neptune India; with over 30,000 plus installations across the country and having a pan-India sales & support network. Neptune is a known brand in the Power Factor Correction, Energy Management, Harmonic Filtration & Power Distribution Products.

INDUSTRIAL PLUG & SOCKETS   HSN–8536

SURFACE MOUNTING

Surface Mounting Socket

Surface Mounting Socket

Ampere	2P+⏚ 230V Part No.	L.P. ₹	3P+⏚ 415V Part No.	L.P. ₹	3P+N+⏚ 230/415V Part No.	L.P. ₹
SPLASH PROOF IP–44						
16/20	111	**720**	11645	**810**	100	**810**
32	11651	**900**	11646	**980**	101	**980**
63	1104	**3,595**	1127	**3,490**	1124	**3,490**
WATER TIGHT IP–67						
16/20	1133	**1,190**	1137	**1,540**	1143	**1,540**
32	1145	**1,490**	1149	**1,860**	1155	**1,860**
63	1157	**4,590**	1161	**4,490**	1112	**4,490**
125	11427	**15,000**	11441	**15,820**	11447	**15,820**

PANEL MOUNTING

Panel Mounting Socket

Panel Mounting Socket

Panel Mounting Socket

Panel Mounting Socket

Ampere	2P+⏚ 230V Part No.	L.P. ₹	3P+⏚ 415V Part No.	L.P. ₹	3P+N+⏚ 230/415V Part No.	L.P. ₹
SOCKET–OUTLET ANGLED SPLASH PROOF IP–44						
16/20	1217	**440**	1221	**720**	12078	**720**
32	12310	**740**	1233	**890**	1215	**890**
63	12135	**3,095**	–	**3,170**	12380	**3,160**
SOCKET–OUTLET STRAIGHT						
16/20	131	**440**	1324	**710**	132001	**710**
32	13007	**740**	13011	**900**	1333	**900**
63	1307	**3,095**	134	**3,160**	136	**3,160**
SOCKET–OUTLET ANGLED WATER TIGHT IP–67						
16/20	1266	**930**	1270	**1,020**	1276	**1,020**
32	1278	**1,160**	1282	**1,310**	1288	**1,310**
63	12001	**3,690**	1200	**3,470**	129	**3,470**
125	12100	**12,100**	12104	**12,400**	12108	**12,400**
SOCKET–OUTLET STRAIGHT						
16/20	1372	**930**	1376	**1,020**	1382	**1,020**
32	13024	**1,160**	13028	**1,310**	1370	**1,310**
63	1396	**3,690**	13100	**3,470**	13104	**3,470**
125	13452	**12,100**	13447	**12,400**	13451	**12,400**

INDUSTRIAL PLUG & SOCKETS HSN-8536

PANEL MOUNTING

socket-outlet schuko

Plug-schuko

Angled-Plug, with short cable

Ampere	2P+ ⏚ 230V		3P+ ⏚ 415V		3P+N+ ⏚ 230/415V	
	Part No.	L.P. ₹	Part No.	L.P. ₹	Part No.	L.P. ₹
SPLASH PROOF IP-44						
16/20	71094	**440**	–	–	–	–
16/20	7370	**390**	–	–	–	–
16/20	231	**560**	–	–	–	–

PLUG

Plug

Plug water tight

GT Connector

GT Connector

Ampere	2P+ ⏚ 230V		3P+ ⏚ 415V		3P+N+ ⏚ 230/415V	
	Part No.	L.P. ₹	Part No.	L.P. ₹	Part No.	L.P. ₹
SPLASH PROOF IP-44						
16/20	21001	**370**	21005	**520**	203	**520**
32	21013	**620**	21017	**730**	204	**730**
63	2104	**3,190**	2151	**2,890**	21590	**2,890**
WATER TIGHT IP-67						
16/20	210576	**840**	21349	**1,110**	21239	**1,110**
32	210594	**1,260**	21351	**1,340**	210607	**1,340**
63	2181	**3,690**	2185	**3,360**	2189	**3,360**
125	2191	**10,870**	2195	**10,700**	2199	**10,700**
SPLASH PROOF IP-44						
16/20	31001	**560**	31005	**680**	303	**680**
32	31013	**730**	31017	**930**	304	**930**
63	3104	**3,750**	3151	**3,790**	3112	**3,790**
WATER TIGHT IP-67						
16/20	310333	**1,220**	31241	**1,490**	31243	**1,490**
32	31244	**1,720**	31245	**1,890**	310364	**1,890**
63	3181	**4,050**	3185	**3,850**	3124	**3,850**
125	3191	**12,500**	3195	**12,740**	3199	**12,740**

INDUSTRIAL PLUG & SOCKETS HSN-8536

SURFACE MOUNTING

Socket-outlet with MCB Provision

Socket-outlet interlocked

Ampere	2P+ ⏚ 230V Part No.	L.P. ₹	3P+ ⏚ 415V Part No.	L.P. ₹	3P+N+ ⏚ 230/415V Part No.	L.P. ₹
SPLASH PROOF IP-44						
16/20	15019	4,690	–	5,200	15059	5,200
32	15030	5,310	–	6,130	1585	6,130
63	–	–	–	12,700	15036	12,700
WATER TIGHT IP-67						
16/20	15024	4,790	15098	5,400	15028	5,400
32	15352	5,410	15111	6,400	15112	6,400
63	–	–	15000	12,920	15001	12,920
125	–	–	15158	38,700	15160	38,700
SPLASH PROOF IP-44						
16/20	1619	6,200	1610	8,900	1611	8,900
32	16097	8,200	16596	9,990	16043	9,990
63	–	–	16605	18,990	16603	18,990
WATER TIGHT IP-67						
16/20	1600	6,200	1602	8,990	1604	8,990
32	16104	8,770	160178	10,930	160177	10,930
63	–	–	16604	20,400	16602	20,400
125	–	–	16621	66,100	16622	66,100

DOMESTIC AC/ INDUSTRIAL OUTLET

Plug/Socket combined in metal enclosure

Plug/Socket combined in Polycarbonate enclosure

Appliance Inlet

Ampere	2P+ ⏚ 230V Part No.	L.P. ₹	3P+ ⏚ 415V Part No.	L.P. ₹	3P+N+ ⏚ 230/415V Part No.	L.P. ₹
SPLASH PROOF IP-44						
16/20	1201 SP/DP	1,360/1,370	–	1,940	3201	1,940
32	1202 SP/DP	1,890	–	2,450	3202	2,450
63	1203	7,870	–	7,730	3203	7,730
PLUG SOCKET COMBINED IN POLYCARBONATE						
16/20	901	1,610	–	2,280	903	2,280
32	911	2,180	–	2,700	913	2,700
SPLASH PROOF IP-44						
16/20	261	1,080	–	1,140	2612	1,140
32	2662	1,610	–	2,270	2600	2,270

VARIABOX The new genration of distributors HSN-8537

The new VARIABOX from Bals meets all requirments for a modem distributor housing and can be individually configured in 5 different sizes with versions S, M, L, & XXL as surface mounting or mobile combination. We have the right distributor for every user. Configuration according to individual specifications on the basis of pre-defined, encoded flanges, which offer a maximum level of safety during the initial installation & /or maintenance. With their robust design in a high grade & durable, quality plastic, their good seal, the modular expansion option & many Innovative extra features, the new VARIABOX proves itself even under the most adverse conditions.

Variabox-S   Variabox-M   Variabox-L   Variabox-XL

Features

▶ Ready wired for installation

▶ Housing made of high-grade, impact-resistant plastic

▶ Top and bottom can be sealed together

▶ Permanently attached cover screws

▶ All CEE socket outlets with screw less, maintenance-free QUICK-CONNECT connection technology

▶ Colors, bottom-black. top-electro grey (Housing top optionally available in the colors yellow, red, blue or silver)

▶ With high quality handle

▶ Coded flange system for maximum safety during initial installation and maintenance

▶ Fuse elements arranged below transparent, lockable operating window with user friendly OTC mechanics (one touch close)

Item Code	Dimensions	L.P. ₹
Variabox-Small	130 x 230 mm	**8,550/-**
Variabox-Medium	260 x 230 mm	**10,350/-**
Variabox-Large	390 x 230 mm	**13,950/-**
Variabox-Extra Large	520 x 230 mm	**17,550/-**
10 Way Window	-	**1,620/-**
4 Way Window	-	**1,575/-**

ECO BOX ENCLOSURE & JUNCTION BOXES   HSN-8538

Modular Distribution Board – IP 65

Modular Distribution Board

Modular Enclosure

Junction Boxes

Dimensions LxWxH (mm)	Part No.	L.P.₹
MODULAR DISTRIBUTION BOARDS		
150 x 300 x 215	9150	**2,390/-**
300 x 300 x 215	9300	**3,100/-**
450 x 300 x 215	9450	**4,690/-**
600 x 300 x 215	9600	**5,870/-**
MODULAR ENCLOSURE		
180 x 180 x 135	6180	**1,380/-**
180 x 240 x 135	6260	**1,620/-**
240 x 320 x 135	6320	**2,940/-**
320 x 420 x 135	6420	**4,050/-**
420 x 640 x 160	6520	**8,910/-**
JUNCTION BOXES		
90 x 90 x 50	1001	**280/-**
100 x 100 x 60	1002	**340/-**
110 x 140 x 70	1003	**590/-**
130 x 130 x 100	1004	**670/-**
130 x 170 x 80	1005	**750/-**
170 x 210 x 100	1006	**1,490/-**

DESCRIPTION

Modular Enclosure

▶ Impact resistant modular polycarbonate distribution boards
▶ Chemical resistant
▶ Solid and Stable
▶ Self-extinguishing
▶ Weather Resistant
▶ Corrosion free screws

Eco Box Modular Distribution Boards

▶ Impact resistant modular polycarbonate enclosures
▶ Chemical resistant
▶ Solid and Stable
▶ Self-extinguishing
▶ Weather Resistant
▶ Corrosion free screws
▶ Self internal fixing center / fixing center outside
▶ Cable entry to client's specifications

Mobile Distribution Rubber Boards   HSN-8537

Customized IP 65 L.V. Distribution Panels & Feeder Pillar HSN-8537

Enclosures HSN-8538   IP-65

Part No.	Rating	LxWxH (mm)	L.P. ₹
3004	4 Way	160 x 225 x 100	1,400/-
3008	8 Way	225 x 225 x 100	2,280/-
3304	12 Way	300 x 225 x 100	3,290/-
3308	24 Way	300 x 400 x 100	5,700/-
3312	36 Way	300 x 600x 100	8,400/-

Rubber distribution & IP 65 L.V. Distribution Panel- **Price as per specification on request**

Windows HSN-8538

No. of ways	Part No.	L.P. ₹
2 Way	5882	450/-
4 Way	5891	495/-
8 Way	58010	630/-
12 Way	58019	790/-