

DISCOVER A REFRESHING  
START TO EACH DAY.



EXPLORE OUR WIDE RANGE OF ADVANCED  
AND AESTHETIC WATER HEATERS.



## Reinvigoration starts with a Bajaj Water Heater.



At Bajaj Electricals, we strive to blend technology and aesthetics to give you Water Heaters that exemplify perfection. From introducing new features such as Titanium Armour Technology that improves durability and product life to Swirl Flow Technology that keeps the water hot for a longer duration, our commitment to innovate has made us the most sold Water Heater brand\*. Each new product has been a step towards ensuring we set benchmarks in the product category and helping you revitalise as you start the day. Come explore a world of rejuvenation with us.

\*The claim of India's No. 1 Electric Water Heater Brand is based on an independent market research conducted by a 3<sup>rd</sup> party for the Financial Year 2018-19.



Special inner tank coating for preventing corrosion and rusting. Results in long tank life.



Ensures 20% more hot water.



BEE rating assures it's highly energy efficient.



High warranty for complete peace of mind.



The water stays hot for a longer time, thanks to the polyurethane foam inserted between the outer and inner shells.



Intelligent timer to pre-set the heat up time; saving energy and time. The settings are not disturbed even in power outages.



Adjust the temperature and timer from a distance of up to 20 feet.



The digital display on the water heater shows the temperature of the hot water and time set, if any.



Enables operation of water heater from anywhere in the world through Wi-Fi & app (Android & iOS).



Advance settings for temperature & time.



**ADJUSTABLE THERMOSTAT**

Electronic thermostat helps select the precise temperature of water.



**MULTIPLE SAFETY SYSTEMS**

Helps in averting any operational hazard, ensuring more safety.




**APPROVED**

A testimony of the product quality.



**FLAME FAILURE PROTECTION**

If the flame gets extinguished, the gas flow will be stopped automatically.



**SUITABLE FOR HIGH-RISE BUILDINGS**

Pressure withstanding capacity up to 8 bar (G+18 floors/270 feet).




**ADJUSTABLE BURNER KNOB**

Increases or decreases fuel burning rate which in turn controls the water temperature.



**RUST-PROOF EXTERNAL BODY**

Prevents rusting and corrosion of water heater from outside, making the product long-lasting.



**PROGRESSIVE LED INDICATOR**

**PROGRESSIVE LED INDICATOR**

LED colour intensity changes with increasing water temperature indicating the readiness of hot water.



**CHILD SAFETY PROTECTION**

For enhanced safety.



# WATER HEATERS



Coming  
Soon



Capacity: 10L

Voice assisted with Alexa / Google Home

IPX5 waterproof technology

App (iOS & Android) & Remote controlled operation

100% Shockproof

Tank design is suitable to withstand 8 bar pressure

Can be operated from anywhere in the world using the app

Glass lined enamel coated inner tank & element

Self-diagnosis

Auto shut off

Fire retardant cable with plug

Warranty: 2 / 4 / 7 years (Product / Element / Tank)



**APP-ENABLED**



**PROGRESSIVE  
LED INDICATOR**



**DIGITAL DISPLAY**



**PRE-SET  
MEMORY**



**INTELLIGENT  
SCHEDULER**



**MULTIPLE  
SAFETY SYSTEMS**



**RUST-PROOF  
EXTERNAL BODY**



**5 STAR  
BEE RATING**



**MAGNESIUM  
ANODE**



**PUF  
INSULATION**



**SUITABLE FOR  
HIGH-RISE  
BUILDINGS**

#Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.



Capacity: 15L & 25L

Glass lined enamel coated heating element

Digital temperature display

Feather touch buttons

Shock resistant injection moulded ABS body

IPX4 waterproof technology

Fire retardant cable with plug

Remote controlled operation

Tank design is suitable to withstand 8 bar pressure

Warranty: 2 / 4 / 7 years (Product / Element / Tank)



TITANIUM ARMOUR  
TECHNOLOGY



SWIRL FLOW  
TECHNOLOGY



PRE-SETTING **24**  
HOURS IN ADVANCE



MAGNESIUM  
ANODE



SUITABLE FOR  
HIGH-RISE BUILDINGS



DIGITAL DISPLAY

\*Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.



Capacity: 10L, 15L & 25L

Glass lined enamel coated heating element

Stepless temperature selection

Shock resistant injection moulded  
ABS body

IPX4 waterproof technology

Fire retardant cable with plug

Tank design is suitable to withstand 8 bar  
pressure

Warranty: 2 / 4 / 7 years (Product / Element / Tank)



TITANIUM ARMOUR  
TECHNOLOGY



SWIRL FLOW  
TECHNOLOGY



PUF INSULATION



ADJUSTABLE  
THERMOSTAT



MAGNESIUM  
ANODE



SUITABLE FOR  
HIGH-RISE BUILDINGS

#Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.



Capacity: 6L, 10L, 15L & 25L

Glass lined enamel coated incoloy heating element\*

Temperature indicating dial

Shock resistant ABS outer body

IPX4 waterproof technology

Fire retardant cable

Tank design is suitable to withstand 8 bar pressure

Warranty: 2 / 3 / 7 years (Product / Element / Tank)



TITANIUM ARMOUR  
TECHNOLOGY



SWIRL FLOW  
TECHNOLOGY



PUF INSULATION



ADJUSTABLE  
THERMOSTAT



MAGNESIUM  
ANODE



SUITABLE FOR  
HIGH-RISE BUILDINGS

\*Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.  
\*Applicable for 15L & 25L variants



Capacity: 10L, 15L & 25L

Efficient long life copper heating element

Temperature indicating dial

Shock resistant ABS outer body

IPX4 waterproof technology

Fire retardant cable

Tank design is suitable to withstand 8 bar pressure

Warranty: 2 / 3 / 7 years (Product / Element / Tank)



TITANIUM ARMOUR  
TECHNOLOGY



SWIRL FLOW  
TECHNOLOGY



PUF INSULATION



ADJUSTABLE  
THERMOSTAT



MAGNESIUM  
ANODE



SUITABLE FOR  
HIGH-RISE BUILDINGS

#Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.



Capacity: 10L, 15L & 25L

India's 1<sup>st</sup> designer pre-coated sheet metal body

Efficient long life copper heating element

Temperature indicating dial

IPX4 waterproof technology

Fire retardant cable

Tank design is suitable to withstand 8 bar pressure

Warranty: 2 / 3 / 7 years (Product / Element / Tank)



TITANIUM ARMOUR  
TECHNOLOGY



SWIRL FLOW  
TECHNOLOGY



PUF INSULATION



ADJUSTABLE  
THERMOSTAT



MAGNESIUM  
ANODE



SUITABLE FOR  
HIGH-RISE BUILDINGS

#Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.

NEW



Capacity: 10L, 15L & 25L

India's 1<sup>st</sup> designer pre-coated sheet metal body

Efficient long life copper heating element

Temperature indicating dial

IPX4 waterproof technology

Fire retardant cable

Tank design is suitable to withstand 8 bar pressure

Warranty: 2 / 3 / 7 years (Product / Element / Tank)



TITANIUM ARMOUR TECHNOLOGY



SWIRL FLOW TECHNOLOGY



PUF INSULATION



ADJUSTABLE THERMOSTAT



MAGNESIUM ANODE



SUITABLE FOR HIGH-RISE BUILDINGS

\*Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.



Capacity: 6L, 10L, 15L & 25L

Efficient long life copper heating element

Alluring design

Shock resistant ABS outer body

IPX4 waterproof technology

Fire retardant cable

Tank design is suitable to withstand 8 bar pressure

Warranty: 2 / 2 / 5 years (Product / Element / Tank)



TITANIUM ARMOUR  
TECHNOLOGY



SWIRL FLOW  
TECHNOLOGY



PUF INSULATION



ADJUSTABLE  
THERMOSTAT



MAGNESIUM  
ANODE



SUITABLE FOR  
HIGH-RISE BUILDINGS

\*Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.



Capacity: 10L, 15L & 25L

Single line welded rust proof body

Efficient long life copper heating element

Pre-coated sheet metal body outer body

IPX4 waterproof technology

Fire retardant cable

Tank design is suitable to withstand 8 bar pressure

Warranty: 2 / 2 / 5 years (Product / Element / Tank)



TITANIUM ARMOUR  
TECHNOLOGY



SWIRL FLOW  
TECHNOLOGY



PUF INSULATION



ADJUSTABLE  
THERMOSTAT



MAGNESIUM  
ANODE



SUITABLE FOR  
HIGH-RISE BUILDINGS

#Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.



Capacity: 15L & 25L

Efficient long life copper heating element

Suitable for floor & wall mounting

IPX4 waterproof technology

Fire retardant cable with plug

Tank design is suitable to withstand 8 bar pressure

Right wall / left wall mounting options available

Compact design to fit in less height area

Warranty: 2 / 3 / 7 years (Product / Element / Tank)



TITANIUM ARMOUR TECHNOLOGY



SWIRL FLOW TECHNOLOGY



PUF INSULATION



ADJUSTABLE THERMOSTAT



MAGNESIUM ANODE




SUITABLE FOR HIGH-RISE BUILDINGS

<sup>#</sup>Conforms to BEE norms. Due to the process of continuous improvement, specifications are subject to change.



Free Installation Available on all Storage Water Heaters^



# WATER HEATERS



NEW



Capacity: 1L & 3L

Efficient long life copper heating element  
(3kW & 4.5kW)

Alluring Prism design

Shock resistant ABS outer body

LED indicators for power on and heating  
function

Fire retardant cable

Tank design is suitable to withstand 6.5 bar  
pressure



PRODUCT	2 YEAR
HEATING ELEMENT	3 YEAR
INNER TANK	5 YEAR



MULTIPLE  
SAFETY SYSTEMS



SUITABLE FOR  
HIGH-RISE BUILDINGS



APPROVED



Capacity: 1L & 3L

Efficient long life copper heating element  
(3kW & 4.5kW)

Alluring design

Shock resistant ABS outer body

Neon indicators for power on and  
heating function

Fire retardant cable

Tank design is suitable to withstand 6.5 bar  
pressure



PRODUCT	2 YEAR
HEATING ELEMENT	3 YEAR
INNER TANK	5 YEAR



MULTIPLE  
SAFETY SYSTEMS



SUITABLE FOR  
HIGH-RISE BUILDINGS



APPROVED



Capacity: 1L & 3L

Efficient long life copper heating element  
(3kW & 4.5kW)

Shock resistant ABS outer body

Neon indicators for power on and  
heating function

Fire retardant cable

Tank design is suitable to withstand 6.5 bar  
pressure



PRODUCT	2 YEAR
HEATING ELEMENT	3 YEAR
INNER TANK	5 YEAR



MULTIPLE  
SAFETY SYSTEMS



SUITABLE FOR  
HIGH-RISE BUILDINGS



APPROVED



Free Installation Available on all Instant Water Heaters^



# WATER HEATER





Capacity: 6L

Pre-coated steel body

Advanced combustion technology for best thermal efficiency of  $\geq 84\%$

Burner setting to adjust water temperature

Thick heat exchanger made of copper

Auto ignition

Overheat protection cut-off

Inlet water flow sensor

Dry heat protection

Suitable for water pressure from 0.1 bar to 7.5 bar



2 YEAR PRODUCT



FLAME FAILURE PROTECTION



OXYGEN DEPLETION SENSOR



ADJUSTABLE BURNER KNOB



CHILD SAFETY PROTECTION

Free Installation Available^



Immersion Water Heaters in 1kW and 1.5kW







**CIN:** L31500MH1938PLC009887 | **Regd. Office:** 45 / 47, Veer Nariman Road, Mumbai - 400 001.  
**Tel.:** 022-6149 7000

---

Free Home Service\*: 022 4128 0000

consumercare@bajajelectricals.com | shop.bajajelectricals.com |    

\*^T&C apply. Please visit: [www.bajajelectricals.com/terms-and-conditions](http://www.bajajelectricals.com/terms-and-conditions)