



NATIONAL PRICE LIST

W.E.F. 25.12.2020



- CABLE TERMINAL ENDS
- IN - LINE CONNECTORS
- EARTHING & LIGHTNING PROTECTION SYSTEMS



HEX - BCA factory at Vapi, Gujarat




HEX - HCA factory at Jamnagar, Gujarat

HEX is a globally renowned brand for Cable Lugs, Cable Glands, Crimping Tools and Earthing & Lightning Protection Systems.

The vast **HEX** range of products is being manufactured by Brass Copper & Alloy (I) Ltd. since 1991.

Our large & diverse base of valuable customers spread all over India & globally are a testimony to the quality of our products & the history of our dedication & growth.

Don't hesitate to browse our website or contact us for any further enquiries.



AWARD FOR
EXPORT EXCELLENCE
PRESENTED BY
THE HON'BLE MINISTER OF
EXTERNAL AFFAIRS
SHRI PRANAB MUKHERJEE
AT KOLKATTA
FOR THE YEAR 2006-2007



AWARD FOR
EXPORT EXCELLENCE
PRESENTED BY
THE HON'BLE CHIEF MINISTER OF GOA
SHRI MANOHAR PARRIKAR
AT GOA
FOR THE YEAR 2010-2011



AWARD FOR
EXPORT EXCELLENCE
RECEIVED AT
MADHYA PRADESH
FOR THE YEAR 2011-2012



AWARD FOR
EXPORT EXCELLENCE
RECEIVED AT
MUMBAI
FOR THE YEAR 2014-2015

ACHIEVEMENTS

**HEX CRIMPING TYPE
COPPER RING TYPE
TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
0.75	-	HR - 075	2.32
1	-	HR - 100	2.32
1.5	3.2	HR - 7153	1.88
1.5	3.7	HR - 7048	1.59
1.5	4.2	HR - 7049	1.49
1.5	2.2	HR - 7103	1.88
1.5	2.6	HR - 7000	1.88
1.5	3.2	HR - 7001	1.61
1.5	3.7	HR - 7002	1.61
1.5	4.2	HR - 7003	1.36
1.5	4.2	HR - 7154	1.84
1.5	3.2	HR - 7104	1.90
1.5	4.2	HR - 7004	1.67
1.5	5.2	HR - 7005	1.57
1.5	4.2	HR - 7105	2.37
1.5	5.2	HR - 7006	2.09
1.5	6.4	HR - 7007	2.02
1.5	6.4	HR - 7106	2.44
2.5	3.2	HR - 7107	1.86
2.5	3.7	HR - 7008	1.81
2.5	3.7	HR - 7108	2.18
2.5	4.2	HR - 7009	1.91
2.5	5.2	HR - 7010	1.79
2.5	5.2	HR - 7109	2.32
2.5	6.4	HR - 7011	2.13
2.5	5.2	HR - 7110	3.29
2.5	6.4	HR - 7012	3.08
2.5	8.2	HR - 7013	2.78
2.5	6.4	HR - 7111	4.51
2.5	8.2	HR - 7014	4.14
2.5	10.2	HR - 7015	3.99
2.5	10.2	HR - 7151	4.68
2.5	12.7	HR - 7047	4.18
4-6	4.2	HR - 7155	3.35
4-6	5.2	HR - 7050	3.18
4-6	4.2	HR - 7112	4.25
4-6	5.2	HR - 7016	4.10
4-6	5.2	HR - 7113	4.60
4-6	6.4	HR - 7017	4.35
4-6	8.2	HR - 7018	3.92
4-6	5.2	HR - 7114	4.75
4-6	6.4	HR - 7019	4.87
4-6	5.2	HR - 7157	5.15
4-6	6.4	HR - 7115	6.03
4-6	8.2	HR - 7020	5.41
4-6	9.7	HR - 7021	5.21
4-6	8.2	HR - 7116	7.04
4-6	10.2	HR - 7022	6.52
4-6	0.2	HR - 7117	7.70
4-6	10.2	HR - 7023	7.54
4-6	12.7	HR - 7024	6.52

**HEX CRIMPING TYPE
INSULATED COPPER RING
TYPE TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
0.75	-	HRI - 075	2.93
1	-	HRI - 100	2.93
1.5	3.2	HRI - 7057	2.27
1.5	3.7	HRI - 7058	2.22
1.5	4.2	HRI - 7059	2.12
1.5	2.2	HRI - 7052	2.43
1.5	2.6	HRI - 7053	2.41
1.5	3.2	HRI - 7054	1.99
1.5	3.7	HRI - 7055	1.92
1.5	4.2	HRI - 7056	1.92
1.5	4.2	HRI - 7063	2.41
1.5	3.2	HRI - 7060	2.55
1.5	4.2	HRI - 7061	2.30
1.5	5.2	HRI - 7062	2.18
1.5	4.2	HRI - 7064	2.97
1.5	5.2	HRI - 7065	2.72
1.5	6.4	HRI - 7066	2.60
1.5	6.4	HRI - 7067	3.07
2.5	3.2	HRI - 7068	2.52
2.5	3.7	HRI - 7069	2.38
2.5	3.7	HRI - 7070	2.84
2.5	4.2	HRI - 7071	2.53
2.5	5.2	HRI - 7072	2.45
2.5	5.2	HRI - 7073	2.97
2.5	6.4	HRI - 7074	2.78
2.5	5.2	HRI - 7075	3.95
2.5	6.4	HRI - 7076	3.74
2.5	8.2	HRI - 7077	3.44
2.5	6.4	HRI - 7078	5.17
2.5	8.2	HRI - 7079	4.79
2.5	10.2	HRI - 7080	4.65
2.5	10.2	HRI - 7081	5.34
2.5	12.7	HRI - 7082	5.05
4-6	4.2	HRI - 7083	4.44
4-6	5.2	HRI - 7084	4.27
4-6	4.2	HRI - 7085	5.33
4-6	5.2	HRI - 7086	5.19
4-6	5.2	HRI - 7088	5.63
4-6	6.4	HRI - 7089	5.44
4-6	8.2	HRI - 7090	5.01
4-6	5.2	HRI - 7087	5.83
4-6	6.4	HRI - 7091	5.95
4-6	5.2	HRI - 7092	5.67
4-6	6.4	HRI - 7093	7.12
4-6	8.2	HRI - 7094	6.50
4-6	9.7	HRI - 7095	6.24
4-6	8.2	HRI - 7096	8.13
4-6	10.2	HRI - 7097	7.61
4-6	0.2	HRI - 7098	8.78
4-6	10.2	HRI - 7099	8.62
4-6	12.7	HRI - 7100	7.61

**HEX INSULATED COPPER RING
TYPE TERMINAL ENDS WITH
METAL REINFORCEMENT**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
-	-	-	-
-	-	-	-
1.5	3.2	HRR - 7440	3.02
1.5	3.7	HRR - 7441	2.90
1.5	4.2	HRR - 7442	2.81
1.5	2.2	HRR - 7435	3.12
1.5	2.6	HRR - 7436	3.10
1.5	3.2	HRR - 7437	2.76
1.5	3.7	HRR - 7438	2.76
1.5	4.2	HRR - 7439	2.60
1.5	4.2	HRR - 7446	3.10
1.5	3.2	HRR - 7443	3.23
1.5	4.2	HRR - 7444	2.98
1.5	5.2	HRR - 7445	2.87
1.5	4.2	HRR - 7447	3.66
1.5	5.2	HRR - 7448	3.41
1.5	6.4	HRR - 7449	3.29
1.5	6.4	HRR - 7450	3.76
2.5	3.2	HRR - 7451	3.24
2.5	3.7	HRR - 7452	3.10
2.5	3.7	HRR - 7453	3.56
2.5	4.2	HRR - 7454	3.22
2.5	5.2	HRR - 7455	3.16
2.5	5.2	HRR - 7456	3.69
2.5	6.4	HRR - 7457	3.50
2.5	5.2	HRR - 7458	4.66
2.5	6.4	HRR - 7459	4.46
2.5	8.2	HRR - 7460	4.15
2.5	6.4	HRR - 7461	5.88
2.5	8.2	HRR - 7462	5.51
2.5	10.2	HRR - 7463	5.36
2.5	10.2	HRR - 7464	6.05
2.5	12.7	HRR - 7465	5.77
4-6	4.2	HRR - 7466	5.72
4-6	5.2	HRR - 7467	5.56
4-6	4.2	HRR - 7468	6.62
4-6	5.2	HRR - 7469	6.47
4-6	5.2	HRR - 7471	6.92
4-6	6.4	HRR - 7472	6.73
4-6	8.2	HRR - 7473	6.30
4-6	5.2	HRR - 7474	7.12
4-6	6.4	HRR - 7475	7.24
4-6	5.2	HRR - 7470	7.29
4-6	6.4	HRR - 7476	8.40
4-6	8.2	HRR - 7477	7.79
4-6	9.7	HRR - 7478	7.52
4-6	8.2	HRR - 7479	9.42
4-6	10.2	HRR - 7480	8.90
4-6	0.2	HRR - 7481	10.07
4-6	10.2	HRR - 7482	9.91
4-6	12.7	HRR - 7483	8.90



**HEX CRIMPING TYPE
COPPER RING TYPE
TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
10	4.2	HR - 7118	5.53
10	5.2	HR - 7025	5.42
10	4.2	HR - 7119	6.30
10	5.2	HR - 7026	4.77
10	6.4	HR - 7120	5.58
10	8.2	HR - 7121	7.19
10	8.2	HR - 7122	9.41
10	10.2	HR - 7027	9.31
10	10.2	HR - 7123	11.66
10	12.7	HR - 7028	9.84
16	5.2	HR - 7124	8.67
16	5.2	HR - 7125	10.03
16	6.4	HR - 7029	9.48
16	6.4	HR - 7126	12.07
16	8.2	HR - 7030	11.48
16	9.7	HR - 7031	11.12
16	8.2	HR - 7127	12.87
16	10.2	HR - 7032	12.87
16	10.2	HR - 7128	15.50
16	12.7	HR - 7033	14.56
25	6.4	HR - 7156	20.80
25	8.2	HR - 7051	20.19
25	6.4	HR - 7129	21.99
25	8.2	HR - 7034	21.97
25	10.2	HR - 7035	20.46
25	6.4	HR - 7130	23.64
25	8.2	HR - 7036	24.42
25	10.2	HR - 7131	23.93
25	10.2	HR - 7132	31.69
25	12.7	HR - 7037	32.00

**HEX CRIMPING TYPE
COPPER RING TYPE
TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
35	6.4	HR - 7133	26.65
35	8.2	HR - 7038	26.08
35	8.2	HR - 7134	31.66
35	10.2	HR - 7039	31.51
35	10.2	HR - 7135	35.09
35	12.7	HR - 7040	33.20
50	8.2	HR - 7136	43.00
50	10.2	HR - 7041	38.34
50	10.2	HR - 7137	45.70
50	10.2	HR - 7138	47.46
50	12.7	HR - 7042	48.37
50	16.2	HR - 7139	53.54
70	10.2	HR - 7140	57.78
70	12.7	HR - 7043	54.47
70	12.70	HR - 7141	57.26
70	16.20	HR - 7142	66.28
95	10.2	HR - 7143	74.82
95	10.2	HR - 7144	79.40
95	12.7	HR - 7044	78.32
95	16.2	HR - 7145	91.32
120	12.7	HR - 7146	102.23
120	20.3	HR - 7148	146.32
150	12.7	HR - 7149	219.34
150	16.2	HR - 7045	208.83
150	16.2	HR - 7150	235.39
150	20.3	HR - 7046	214.09

**HEX SNAP ON
TYPE
TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
1	-	HSP - 8369	2.93
1.5	-	HSP - 8364	2.72
2.5	-	HSP - 8349	2.64
2.5	-	HSP - 8347	2.64
1.5	-	HSP - 8351	2.55
1.5	-	HSP - 8351 (I)	3.31

**HEX SOLDERING TYPE COPPER
OPEN - CLOSE
CABLE TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
1.5	4.2	HOC - 371	1.53
2.5	5.2	HOC - 372	2.26
4	5.2	HOC - 373	3.48
6	6.5	HOC - 374	5.24
10	6.5	HOC - 375	5.85
16	8.2	HOC - 376	10.99
25	8.2	HOC - 377	23.17
35	8.2	HOC - 378	24.63
50	10.2	HOC - 379	44.94
70	10.2	HOC - 380	72.25



**HEX CRIMPING TYPE COPPER
FORK TYPE
TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
0.75	-	HF - 75	1.81
1	-	HF - 100	1.81
1.5	5.1	HF - 7214	3.10
1.5	3.5	HF - 7249	1.44
1.5	3	HF - 7250	2.12
2.5	3.5	HF - 7251	1.75
2.5	5	HF - 7280	4.16
4-6	3.1	HF - 7252	3.06
4-6	3.5	HF - 7253	2.78
10	6.5	HF - 7254	7.90
10	8.2	HF - 7255	7.85

**HEX INSULATED COPPER
FORK TYPE
TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
0.75	-	HFI - 075	2.40
1	-	HFI - 100	2.40
1.5	5.1	HFI - 7925	3.39
1.5	3.5	HFI - 7926	2.07
1.5	3	HFI - 7927	2.40
2.5	3.5	HFI - 7928	2.40
2.5	5	HFI - 7929	4.82
4-6	3.1	HFI - 7930	4.14
4-6	3.5	HFI - 7931	3.87
10	6.5	HFI - 7932	10.16
10	8.2	HFI - 7933	9.71

**HEX INSULATED COPPER FORK
TYPE TERMINAL ENDS WITH
METAL REINFORCEMENT.**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
0.75	-	-	-
1	-	-	-
1.5	5.1	HFR - 7934	4.25
1.5	3.5	HFR - 7935	3.01
1.5	3	HFR - 7936	3.26
2.5	3.5	HFR - 7937	3.38
2.5	5	HFR - 7938	5.53
4-6	3.1	HFR - 7939	5.43
4-6	3.5	HFR - 7940	5.40
10	6.5	HFR - 7941	14.08
10	8.2	HFR - 7942	13.63

HEX RANGE OF MECHANICAL CONNECTORS



**HEX CRIMPING TYPE
COPPER PIN TYPE
TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
0.75	-	HP - 0.75	2.20
1	-	HP - 1.00	2.20
1.5	-	HP - 35	1.87
1.5	-	HP - 9	1.56
2.5	-	HP - 1	1.72
2.5	-	HP - 2	1.53
4	-	HP - 3	3.91
4	-	HP - 4	4.75
6	-	HP - 5	4.09
6	-	HP - 6	4.58
10	-	HP - 7	6.12
16	-	HP - 8	11.46
25	-	HP - 10	23.19
35	-	HP - 11	32.21
50	-	HP - 12	52.75
70	-	HP - 13	54.73
95	-	HP - 14	68.88

**HEX INSULATED COPPER
PIN TYPE
TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
0.75	-	HPI - 075	2.80
1	-	HPI - 100	2.80
1.5	-	HPI - 35	2.25
1.5	-	HPI - 17	2.18
2.5	-	HPI - 18	2.37
2.5	-	HPI - 19	2.19
4	-	HPI - 20	4.99
4	-	HPI - 21	5.32
6	-	HPI - 22	5.18
6	-	HPI - 23	5.33
10	-	HPI - 24	8.37
16	-	HPI - 25	14.09
25	-	-	-
35	-	-	-
50	-	-	-
70	-	-	-
95	-	-	-

**HEX INSULATED PIN TYPE
TERMINAL ENDS WITH
METAL REINFORCEMENT**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
0.75	-	-	-
1	-	-	-
1.5	-	HPR - 35	3.02
1.5	-	HPR - 26	2.87
2.5	-	HPR - 27	3.09
2.5	-	HPR - 28	2.90
4	-	HPR - 29	6.28
4	-	HPR - 30	6.89
6	-	HPR - 31	6.47
6	-	HPR - 32	6.72



**HEX CRIMPING TYPE COPPER
RING FORK (U - CUT)
TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
1.5	3.1	HU - 7235	1.93
1.5	3.6	HU - 7240	1.72
1.5	3.1	HU - 7241	1.72
1.5	3.6	HU - 7244	1.72
1.5	4.1	HU - 7237	1.83
1.5	4.1	HU - 7236	1.83
1.5	5.1	HU - 7238	2.87
1.5	6.1	HU - 7861	2.17
2.5	3.1	HU - 7862	2.06
2.5	3.6	HU - 7863	2.06
2.5	4.1	HU - 7239	2.32
2.5	5.1	HU - 7242	2.32
2.5	6.1	HU - 7864	2.38
4-6	4.1	HU - 7243	3.38
4-6	4.1	HU - 7245	3.97
4-6	5.1	HU - 7246	3.84
4-6	5.1	HU - 7247	4.93
4-6	6.1	HU - 7248	4.40
10	4.1	HU - 7865	5.19
10	5.1	HU - 7866	5.19
10	6.1	HU - 7867	5.07
10	8.1	HU - 7868	6.50
16	5.1	HU - 7869	8.68
16	6.1	HU - 7870	8.59
16	8.1	HU - 7871	11.87
16	8.1	HU - 7872	12.58

**HEX INSULATED COPPER
RING FORK (U-CUT)
TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
1.5	3.1	HUI - 7873	2.37
1.5	3.6	HUI - 7874	2.12
1.5	3.1	HUI - 7875	2.07
1.5	3.6	HUI - 7876	2.12
1.5	4.1	HUI - 7877	2.19
1.5	4.1	HUI - 7878	2.15
1.5	5.1	HUI - 7879	3.50
1.5	6.1	HUI - 7880	2.46
2.5	3.1	HUI - 7881	2.49
2.5	3.6	HUI - 7882	2.49
2.5	4.1	HUI - 7883	2.84
2.5	5.1	HUI - 7884	2.96
2.5	6.1	HUI - 7885	3.04
4-6	4.1	HUI - 7886	4.47
4-6	4.1	HUI - 7887	5.05
4-6	5.1	HUI - 7888	4.83
4-6	5.1	HUI - 7889	6.02
4-6	6.1	HUI - 7890	5.49
10	4.1	HUI - 7891	7.45
10	5.1	HUI - 7892	7.58
10	6.1	HUI - 7893	7.34
10	8.1	HUI - 7894	8.75
16	5.1	HUI - 7895	11.31
16	6.1	HUI - 7896	11.22
16	8.1	HUI - 7897	14.50
16	8.1	HUI - 7898	14.83

**HEX INSULATED RING FORK
(U-CUT) TERMINAL ENDS WITH
METAL REINFORCEMENT**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
1.5	3.1	HUR - 7899	3.07
1.5	3.6	HUR - 7900	2.86
1.5	3.1	HUR - 7901	2.86
1.5	3.6	HUR - 7902	2.86
1.5	4.1	HUR - 7903	2.97
1.5	4.1	HUR - 7904	2.97
1.5	5.1	HUR - 7905	4.19
1.5	6.1	HUR - 7906	3.32
2.5	3.1	HUR - 7907	3.20
2.5	3.6	HUR - 7908	3.20
2.5	4.1	HUR - 7909	3.55
2.5	5.1	HUR - 7910	3.68
2.5	6.1	HUR - 7911	3.75
4-6	4.1	HUR - 7912	5.76
4-6	4.1	HUR - 7913	6.34
4-6	5.1	HUR - 7914	6.11
4-6	5.1	HUR - 7915	7.31
4-6	6.1	HUR - 7916	6.78
10	4.1	HUR - 7917	11.37
10	5.1	HUR - 7918	11.50
10	6.1	HUR - 7919	11.26
10	8.1	HUR - 7920	12.67
16	5.1	HUR - 7921	17.43
16	6.1	HUR - 7922	17.34
16	8.1	HUR - 7923	20.62
16	8.1	HUR - 7924	20.95



HEX RANGE OF STAINLESS STEEL CABLE TIES



**HEX CRIMPING TYPE TINNED
COPPER TERMINAL ENDS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
2.5	5.2	HS - 05	3.35
4	6.5	HS - 06	4.50
6	6.5	HS - 07	5.90
10	6.5	HS - 08	6.45
16	6.5	HS - 09	10.07
25	6.5	HS - 10	18.73
35	6.5	HS - 11	20.80
35	8.2	HS - 12	20.80
50	6.5	HS - 13	28.28
50	8.2	HS - 14	28.28
50	10.2	HS - 15	28.28
70	8.2	HS - 16	49.53
70	10.2	HS - 17	49.53
70	12.7	HS - 18	49.53
95	10.2	HS - 19	68.95
95	12.7	HS - 20	68.95
120	10.2	HS - 21	89.41
120	12.7	HS - 22	89.41
120	16.2	HS - 23	89.41
150	10.2	HS - 24	136.89
150	12.7	HS - 25	136.89
150	16.2	HS - 26	136.89
185	12.7	HS - 27	192.36
185	16.2	HS - 28	192.36
225	16.2	HS - 231	247.98
240	16.2	HS - 29	277.29
240	20.3	HS - 30	277.29
300	16.2	HS - 31	378.51
300	20.3	HS - 32	378.51
400	20.3	HS - 33	548.56
500	20.3	HS - 34	693.43
630	20.3	HS - 35	1064.77
800	-	HS - 062	1666.22
1000	-	HS - 076	3539.13

**HEX CRIMPING TYPE TINNED
COPPER HEAVY DUTY
TERMINALS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
25	8.2	HS - 282	19.41
35	8.2	HS - 283	35.30
50	8.2	HS - 284	57.94
70	10.2	HS - 285	91.08
95	12.7	HS - 286	137.06
120	12.7	HS - 287	214.58
150	12.7	HS - 288	243.11
185	12.7	HS - 289	359.62
240	16.2	HS - 290	517.05
300	16.2	HS - 291	640.39
400	20.3	HS - 292	1061.60
500	20.3	HS - 293	1629.58
600	20.3	HS - 294	2503.14

**HEX SOLDERING TYPE COPPER
TERMINAL ENDS (AS PER
TABLE 2A OF BS 91(1954)
REVISED 1960) AMPS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
15	3.2	HSS - 201	4.33
30	5.1	HSS - 202	4.85
60	6.4	HSS - 203	16.59
100	9.5	HSS - 204	29.51
150	9.5	HSS - 205	61.30
200	12.7	HSS - 206	83.35
300	12.7	HSS - 207	231.29
400	15.9	HSS - 208	228.11
500	19	HSS - 209	268.85
600	19	HSS - 210	436.56
800	23.8	HSS - 211	842.14
1000	23.8	HSS - 212	1173.58

**HEX SOLDERING TYPE COPPER
TERMINAL ENDS (AS PER
TABLE 2A OF BS 91(1954)
REVISED 1960)**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
15	5.1	HSS - 06	7.35
30	7.1	HSS - 07	16.49
60	10.3	HSS - 08	25.70
100	11.9	HSS - 09	42.20
150	13.5	HSS - 10	82.83
200	13.5	HSS - 11	129.69
300	16.7	HSS - 12	197.48
400	16.7	HSS - 13	326.24
500	19.8	HSS - 14	508.36

**HEX CRIMPING TYPE COPPER
IN - LINE CONNECTORS
(HEAVY DUTY)**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
25	-	HI - 24	17.62
35	-	HI - 25	28.30
50	-	HI - 26	43.13
70	-	HI - 27	75.85
95	-	HI - 28	119.38
120	-	HI - 29	161.47
150	-	HI - 30	203.17
185	-	HI - 31	256.10
240	-	HI - 32	380.32
300	-	HI - 33	561.17
400	-	HI - 34	1002.50
500	-	HI - 35	1295.06
625	-	HI - 36	1794.38

**HEX CRIMPING TYPE TINNED
COPPER IN - LINE
CONNECTORS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
1.5	-	HI - 450	2.46
2.5	-	HI - 451	2.63
4-6	-	HI - 452	3.66
10	-	HI - 456	5.09
16	-	HI - 457	7.72
25	-	HI - 484	18.19
35	-	HI - 485	24.60
50	-	HI - 477	37.64
70	-	HI - 478	51.37
95	-	HI - 479	72.30

**HEX CRIMPING TYPE COPPER
IN - LINE CONNECTORS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
1.5	-	HI - 453	2.54
2.5	-	HI - 454	3.11
4-6	-	HI - 455	5.29
10	-	HI - 460	7.34
16	-	HI - 461	13.90
25	-	HI - 486	29.91
35	-	HI - 487	37.17
50	-	HI - 480	57.12
70	-	HI - 481	79.27
95	-	HI - 482	116.14

**HEX CRIMPING TYPE COPPER
IN - LINE CONNECTORS**



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
2.5	-	HI - 23	2.96
4	-	HI - 03	3.98
6	-	HI - 04	4.66
16	-	HI - 06	8.43
25	-	HI - 07	14.38
35	-	HI - 08	19.07
50	-	HI - 09	24.62
70	-	HI - 10	39.56
95	-	HI - 11	59.96
120	-	HI - 12	81.21
150	-	HI - 13	116.64
185	-	HI - 14	157.39
225	-	HI - 20	186.96
240	-	HI - 15	203.89
300	-	HI - 16	294.80
400	-	HI - 17	443.95
500	-	HI - 18	607.57
625	-	HI - 19	799.21
800	-	HI - 21	1204.27
1000	-	HI - 22	2517.77

HEX CRIMPING TYPE TINNED INSULATED SEALING FERRULES NYLON



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
0.5	HE 0506	WHITE	0.61
0.5	HE 0508	WHITE	0.65
0.5	HE 0510	WHITE	0.76
0.5	HE 0512	WHITE	0.83
0.75	HE 7506	BLUE	0.61
0.75	HE 7508	BLUE	0.68
0.75	HE 7510	BLUE	0.79
0.75	HE 7512	BLUE	0.86
1	HE 1006	RED	0.65
1	HE 1008	RED	0.72
1	HE 1010	RED	0.83
1	HE 1012	RED	0.90
1.5	HE 1508	BLACK	0.79
1.5	HE 1510	BLACK	0.90
1.5	HE 1512	BLACK	1.01
1.5	HE 1518	BLACK	1.26
2.5	HE 2508	GREY	0.94
2.5	HE 2510	GREY	1.05
2.5	HE 2512	GREY	1.32
2.5	HE 2518	GREY	1.70
4	HE 4009	ORANGE	1.32
4	HE 4012	ORANGE	1.51
4	HE 4018	ORANGE	1.73
6	HE 6012	GREEN	1.70
6	HE 6018	GREEN	1.96
10	HE 10-12	BROWN	3.01
10	HE 10-18	BROWN	3.35
16	HE 16-12	GREEN	3.20
16	HE 16-18	GREEN	3.77
25	HE 25-16	BROWN	7.53
25	HE 25-22	BROWN	13.19
35	HE 35-16	DUST	7.53
35	HE 35-25	DUST	13.40
50	HE 50-20	OLIVES	13.19
50	HE 50-25	OLIVES	16.95

HEX CRIMPING TYPE COPPER CABLE ENDS (SEALING FERRULES)



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
0.5	-	HSF - 508	0.36
0.75	-	HSF - 509	0.38
1	-	HSF - 510	0.40
1	-	HSF - 511	0.48
1.5	-	HSF - 512	0.49
1.5	-	HSF - 513	0.60
2.5	-	HSF - 514	0.60
2.5	-	HSF - 515	0.67
4	-	HSF - 516	0.68
4	-	HSF - 517	0.79
6	-	HSF - 518	0.96
6	-	HSF - 519	1.17
6	-	HSF - 520	1.47
10	-	HSF - 521	1.88
10	-	HSF - 522	2.01
10	-	HSF - 523	2.30
16	-	HSF - 524	2.01
16	-	HSF - 525	2.30
16	-	HSF - 526	2.60

HEX TWIN INSULATED FERRULES



CABLE MM ²	COLOR	PROD. CODE	RATE / PCS.
0.5	HTSFI 0508	WHITE	1.08
0.75	HTSFI 7508	BLUE	1.26
1	HTSFI 1010	RED	1.62
1.5	HTSFI 1508	BLACK	1.62
2.5	HTSFI 2510	GREY	2.07
4	HTSFI 4012	ORANGE	3.01



EARTHING SYSTEMS



LIGHTNING PROTECTION SYSTEMS



HEX COPPER TERMINAL ENDS WITH INSPECTION SLOTS (HEAVY DUTY FOR XLPE CABLES)



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
1.5	5.2	HT 1.5-5	2.92
1.5	6.5	HT 1.5-6	2.92
2.5	4.2	HT 2.5-4	3.31
2.5	5.2	HT 2.5-5	3.31
2.5	6.5	HT 2.5-6	3.31
4	5.2	HT 4-5	4.65
4	6.5	HT 4-6	4.65
6	5.2	HT 6-5	6.30
6	6.5	HT 6-6	6.30
6	8.4	HT 6-8	6.30
10	6.5	HT 10-6	7.30
10	8.4	HT 10-8	7.30
16	6.5	HT 16-6	9.97
16	8.4	HT 16-8	9.97
25	6.5	HT 25-6	15.72
25	8.4	HT 25-8	15.72
25	10.5	HT 25-10	15.72
35	6.5	HT 35-6	25.24
35	8.4	HT 35-8	25.24
35	10.5	HT 35-10	25.24
50	8.4	HT 50-8	37.05
50	10.5	HT 50-10	37.05
70	8.4	HT 70-8	59.15
70	10.5	HT 70-10	59.15
70	13	HT 70-12	59.15
95	10.5	HT 95-10	92.36
95	13	HT 95-12	92.36
120	13	HT 120-12	132.43
120	17	HT 120-16	132.43
150	13	HT 150-12	171.71
150	17	HT 150-16	171.71
185	17	HT 185-16	227.22
240	17	HT 240-16	344.56
240	21	HT 240-20	344.56
300	17	HT 300-16	517.64
300	21	HT 300-20	517.64
400	17	HT 400-16	845.67
400	21	HT 400-20	845.67
500	17	HT 500-16	1122.88
500	21	HT 500-20	1122.88
630	-	HT 630-BL	1774.36
630	21	HT 630-20	1774.36
800	-	HT 800-BL	2783.33
1000	-	HT 1000-BL	4088.08

HEX CRIMPING TYPE LONG BARREL COPPER TERMINAL ENDS (MED. DUTY)



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
2.5	5	HEB - 05	5.05
4	6	HEB - 06	6.74
6	6	HEB - 07	8.54
10	6	HEB - 08	9.91
16	6	HEB - 09	14.14
25	6	HEB - 10	23.07
35	6	HEB - 11	25.84
35	8	HEB - 12	25.84
50	6	HEB - 13	34.80
50	8	HEB - 14	34.80
50	10	HEB - 15	34.80
70	8	HEB - 16	59.26
70	10	HEB - 17	59.26
70	12	HEB - 18	59.26
95	10	HEB - 19	88.44
95	12	HEB - 20	88.44
120	10	HEB - 21	119.57
120	12	HEB - 22	119.57
120	16	HEB - 23	119.57
150	10	HEB - 24	183.53
150	12	HEB - 25	183.53
150	16	HEB - 26	183.53
185	12	HEB - 27	273.49
185	16	HEB - 28	273.49
225	16	HEB - 231	343.93
240	16	HEB - 29	391.12
240	20	HEB - 30	391.12
300	16	HEB - 31	548.20
300	20	HEB - 32	548.20
400	20	HEB - 33	802.24
500	20	HEB - 34	1056.39
630	20	HEB - 35	1547.72
800	-	HEB - 62	2429.93
1000	-	HEB - 76	4651.42

HEX CRIMPING TYPE TINNED COPPER TRANSFORMER TERMINAL ENDS



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
500	8.5	HT 500-4E8	1241.69
500	10.5	HT 500-4E10	1241.69
630	8.5	HT 630-4E8	1857.25
630	10.5	HT 630-4E10	1857.25

HEX COPPER REDUCER TYPE TERMINAL ENDS



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
2.5	-	HPC - 07	10.71
4	-	HPC - 16	10.41
6	-	HPC - 18	10.25
10	-	HPC - 20	12.05
16	-	HPC - 02	16.96
25	-	HPC - 25	29.15
25	-	HPC - 03	38.84
35	-	HPC - 04	42.11
50	-	HPC - 26	50.00
70	-	HPC - 27	69.36
70	-	HPC - 06	105.46
70	-	HPC - 28	119.85
95	-	HPC - 29	125.71
95	-	HPC - 08	176.50
95	-	HPC - 31	91.40
120	-	HPC - 32	155.48
120	-	HPC - 34	115.33
120	-	HPC - 35	171.47
150	-	HPC - 37	205.22
185	-	HPC - 38	268.03
240	-	HPC - 44	451.80
300	-	HPC - 45	560.57
400	-	HPC - 48	644.97

HEX COPPER TUBULAR INSULATED IN-LINE CONNECTORS



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
1.5	-	HTIC - 1.5	3.82
2.5	-	HTIC - 2.5	4.37
4.6	-	HTIC - 4	7.28

HEX CRIMPING TYPE COPPER EXTENDED PLAM / 2 HOLE CABLE TERMINAL END



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
50	-	HS - 466	64.54
70	-	HS - 467	102.25
95	-	HS - 468	149.73
120	-	HS - 469	206.89
150	-	HS - 470	279.42
185	-	HS - 471	356.96
240	-	HS - 472	523.74
300	-	HS - 473	812.10
400	-	HS - 474	1361.72
500	-	HS - 475	1798.41
625	-	HS - 476	2701.83

BI-METALLIC (CU-AL) CABLE LUGS & CONNECTORS



HEX CRIMPING TYPE ALUMINIUM TERMINAL ENDS FOR ALUMINIUM CONDUCTORS



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
2.5	3.2	HAS - 151	2.15
2.5	3.7	HAS - 309	1.87
4	4.2	HAS - 155	1.98
4	5.1	HAS - 317	2.28
6	5.2	HAS - 158	1.95
6	6.5	HAS - 313	1.95
10	4.2	HAS - 159	2.70
10	6.4	HAS - 214	2.70
10	8.2	HAS - 215	2.70
16	6.4	HAS - 252	3.43
16	8.2	HAS - 216	3.43
16	10.2	HAS - 217	3.43
25	6.4	HAS - 253	4.60
25	8.2	HAS - 218	4.60
25	10.2	HAS - 219	4.60
25	12.7	HAS - 220	4.60
35	6.4	HAS - 254	5.91
35	8.2	HAS - 221	5.91
35	10.2	HAS - 222	5.91
50	8.2	HAS - 255	9.25
50	10.2	HAS - 312	9.25
50	12.7	HAS - 224	9.25
70	8.2	HAS - 256	15.79
70	10.2	HAS - 225	15.79
70	12.7	HAS - 226	15.79
95	10.2	HAS - 227	16.86
95	12.7	HAS - 228	16.86
95	16.2	HAS - 229	16.86
120	10.2	HAS - 257	23.88
120	12.7	HAS - 230	23.88
120	16.2	HAS - 231	23.88
150	10.2	HAS - 258	32.99
150	12.7	HAS - 232	32.99
150	16.2	HAS - 233	32.99
185	10.2	HAS - 311	40.40
185	12.7	HAS - 234	40.40
185	16.2	HAS - 235	40.40
225	12.7	HAS - 320	52.28
240	12.7	HAS - 236	68.25
240	16.2	HAS - 237	68.25
300	16.2	HAS - 300	94.27
300	20.3	HAS - 259	94.27
400	20.3	HAS - 260	145.95
500	20.3	HAS - 296	196.24
625	20.3	HAS - 261	249.62
800	-	HAS - 318	399.16
1000	-	HAS - 319	636.24

HEX BI-METALIC TIN PLATED ALUMINIUM TUBULAR TERMINALS



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
2.5	3.7	HBAS - 151	2.41
2.5	3.7	HBAS - 309	2.41
4	4.2	HBAS - 155	2.57
4	5.1	HBAS - 317	2.57
6	5.2	HBAS - 158	2.18
6	6.5	HBAS - 313	2.18
10	4.2	HBAS - 159	3.52
10	6	HBAS - 214	3.52
10	8	HBAS - 215	3.52
16	6	HBAS - 252	4.46
16	8	HBAS - 216	4.46
16	10	HBAS - 217	4.46
25	6.4	HBAS - 253	5.99
25	8	HBAS - 218	5.99
25	10	HBAS - 219	5.99
25	12	HBAS - 220	5.99
35	6.4	HBAS - 254	8.04
35	8	HBAS - 221	8.04
35	10	HBAS - 222	8.04
50	8	HBAS - 255	12.58
50	10	HBAS - 312	12.58
50	12	HBAS - 224	12.58
70	8	HBAS - 256	21.46
70	10	HBAS - 225	21.46
70	12	HBAS - 226	21.46
95	10	HBAS - 227	22.92
95	12	HBAS - 228	22.92
95	16	HBAS - 229	22.92
120	10	HBAS - 257	32.48
120	12	HBAS - 230	32.48
120	16	HBAS - 231	32.48
150	10	HBAS - 258	44.87
150	12	HBAS - 232	44.87
150	16	HBAS - 233	44.87
185	10	HBAS - 311	54.94
185	12	HBAS - 234	54.94
185	16	HBAS - 235	54.94
225	12	HBAS - 320	71.10
240	12	HBAS - 236	92.82
240	16	HBAS - 237	92.82
300	16	HBAS - 300	128.20
300	20	HBAS - 259	128.20
400	20	HBAS - 260	198.48
500	20	HBAS - 296	266.88
630	20	HBAS - 261	339.48
800	-	HBAS - 318	542.86
1000	-	HBAS - 319	865.24

HEX ALUMINIUM TUBULAR TERMINAL (LONG BARREL)



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
2.5	3	HASL - 551	1.88
2.5	3.5	HASL - 509	1.88
4	4	HASL - 555	1.91
4	5	HASL - 517	1.91
6	5	HASL - 558	1.91
6	6	HASL - 513	1.91
10	6	HASL - 514	2.72
10	8	HASL - 515	2.72
16	6	HASL - 552	3.96
16	8	HASL - 516	3.96
16	10	HASL - 617	3.96
25	8	HASL - 518	5.11
25	10	HASL - 519	5.11
25	12	HASL - 520	5.11
35	8	HASL - 521	6.06
35	10	HASL - 522	6.06
50	8	HASL - 655	11.07
50	10	HASL - 512	11.07
50	12	HASL - 524	11.07
70	8	HASL - 556	18.23
70	10	HASL - 525	18.23
70	12	HASL - 526	18.23
95	10	HASL - 527	19.95
95	12	HASL - 528	19.95
95	16	HASL - 529	19.95
120	10	HASL - 557	28.43
120	12	HASL - 530	28.43
120	16	HASL - 531	28.43
150	10	HASL - 558	36.77
150	12	HASL - 532	36.77
150	16	HASL - 533	36.77
185	10	HASL - 511	48.16
185	12	HASL - 534	48.16
185	16	HASL - 535	48.16
225	12	HASL - 620	65.75
240	12	HASL - 536	80.80
240	16	HASL - 537	80.80
300	16	HASL - 500	108.61
300	20	HASL - 559	108.61
400	20	HASL - 560	177.36
500	20	HASL - 596	240.93
630	20	HASL - 561	306.62
800	-	HASL - 618	476.96
1000	-	HASL - 619	738.48



BRASS CABLE GLANDS & ACCESSORIES



HEX CRIMPING TYPE ALUMINIUM IN - LINE CONNECTORS



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
2.5	-	HAI - 145	1.20
2.5	-	HAI - 06	1.10
4	-	HAI - 05	1.09
6	-	HAI - 13	1.00
10	-	HAI - 146	1.39
10	-	HAI - 14	1.77
16	-	HAI - 04	2.55
25	-	HAI - 03	3.92
35	-	HAI - 02	4.82
50	-	HAI - 12	7.35
70	-	HAI - 01	13.91
95	-	HAI - 15	15.06
120	-	HAI - 09	19.96
150	-	HAI - 10	24.57
185	-	HAI - 11	33.23
225	-	HAI - 147	56.08
240	-	HAI - 16	55.56
300	-	HAI - 17	79.69
400	-	HAI - 18	124.34
500	-	HAI - 19	166.67
625	-	HAI - 20	218.65
800	-	HAI - 148	445.66
1000	-	HAI - 149	533.12

HEX LONG BARREL ALUMINIUM TERMINAL ENDS (HEAVY DUTY FOR XLPE CABLE)



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
25	8.2	HAC - 25	6.79
35	8.2	HAC - 35	9.80
50	10.2	HAC - 50	14.03
70	10.2	HAC - 70	22.81
95	12.7	HAC - 95	30.85
120	12.7	HAC - 120	43.57
150	12.7	HAC - 150	61.23
185	12.7	HAC - 185	79.83
225	12.7	HAC - 225	66.57
240	12.7	HAC - 240	113.18
300	20.3	HAC - 300	141.28
400	20.3	HAC - 400	260.05
500	20.3	HAC - 500	315.74
630	20.3	HAC - 625	446.96
800	20.3	HAC - 800	609.71
1000	20.3	HAC - 1000	858.50

HEX LONG BARREL ALUMINIUM IN - LINE CONNECTORS (HEAVY DUTY FOR XLPE CABLE)



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
25	-	HAXL - 25	9.88
35	-	HAXL - 35	11.61
50	-	HAXL - 50	17.50
70	-	HAXL - 70	24.58
95	-	HAXL - 95	32.16
120	-	HAXL - 120	42.69
150	-	HAXL - 150	53.75
185	-	HAXL - 185	79.34
225	-	HAXL - 225	99.49
240	-	HAXL - 240	107.35
300	-	HAXL - 300	142.56
400	-	HAXL - 400	212.98
500	-	HAXL - 500	272.66
630	-	HAXL - 630	407.62
800	-	HAXL - 800	525.47
1000	-	HAXL - 1000	666.91



HEX CRIMPING TYPE ALUMINIUM REDUCER TYPE TERMINAL ENDS



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
2.5	-	HPA - 01	6.84
2.5	-	HPA - 07	6.69
4	-	HPA - 15	6.86
4	-	HPA - 16	6.64
6	-	HPA - 17	6.69
6	-	HPA - 18	6.66
10	-	HPA - 19	7.44
10	-	HPA - 20	7.46
10	-	HPA - 21	7.38
10	-	HPA - 22	7.49
16	-	HPA - 23	9.09
16	-	HPA - 24	9.60
16	-	HPA - 02	8.37
25	-	HPA - 25	11.31
25	-	HPA - 03	12.51
35	-	HPA - 04	13.42
50	-	HPA - 26	18.99
50	-	HPA - 05	26.69
70	-	HPA - 27	29.13
70	-	HPA - 06	33.51
70	-	HPA - 28	36.24
95	-	HPA - 29	40.16
95	-	HPA - 08	45.31
95	-	HPA - 31	36.72
95	-	HPA - 32	44.22
120	-	HPA - 33	56.74
120	-	HPA - 34	52.63
120	-	HPA - 35	59.86
120	-	HPA - 36	64.99
150	-	HPA - 10	76.04
150	-	HPA - 37	70.54
185	-	HPA - 30	88.62
185	-	HPA - 38	85.29
225	-	HPA - 39	114.53
225	-	HPA - 46	85.84
225	-	HPA - 42	85.84
240	-	HPA - 44	134.16
240	-	HPA - 43	123.02
300	-	HPA - 45	157.37
300	-	HPA - 47	144.46



HEX CRIMPING TOOLS



**HEX COPPER TUBULAR
CRIMPING SOCKETS**
RAILWAY SERIES (MCF-EDTS 200)



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
16	M 6	HTIR 16-6	22.73
16	M 8	HTIR 16-8	28.67
16	M 10	HTIR 16-10	23.90
25	M 8	HTIR 25-8	56.64
25	M 10	HTIR 25-10	62.18
35	M 10	HTIR 35-10	69.00
50	M 8	HTIR 50-8	127.70
50	M 10	HTIR 50-10	124.12
50	M 12	HTIR 50-12	118.91
50	M 16	HTIR 50-16	118.91
70	M 10	HTIR 70-10	159.58
70	M 12	HTIR 70-12	151.61
70	M 16	HTIR 70-16	151.61
95	M 8	HTIR 95-8	223.81
95	M 10	HTIR 95-10	220.24
95	M 12	HTIR 95-12	212.91
95	M 16	HTIR 95-16	212.91
120	M 12	HTIR 120-12	331.66
120	M 16	HTIR 120-16	314.20
150	M 12	HTIR 150-12	467.77
150	M 16	HTIR 150-16	454.64
185	M 16	HTIR 185-16	542.73

**HEX COPPER RING TONGUE
TYPE CRIMPING SOCKETS**
RAILWAY SERIES (MCF-EDTS 201)



CABLE MM ²	STUD HOLE	PROD. CODE	RATE / PCS.
1.5	5	HRIR 1.5-5	14.30
2.5	6	HRIR 2.5-6	25.00
4-6	3	HRIR 4-3	18.34
4-6	6	HRIR 4-6	17.47
4-6	8	HRIR 4-8	18.77
4-6	5	HRIR 6-5	31.62
4-6	6	HRIR 6-6	37.72
4-6	8	HRIR 6-8	51.22
4-6	13	HRIR 6-13	49.48
10-5	5	HRIR 10-5	55.78
10-6	6	HRIR 10-6	53.53
10-8	8	HRIR 10-8	52.35
10-10	10	HRIR 10-10	102.88

SOME OF OUR ESTEEMED CUSTOMERS



APPROVALS




VALUABLE CLIENTS





CABLE TERMINAL ENDS & CONNECTORS



EARTHING & LIGHTNING PROTECTION



BRASS CABLE GLAND KITS & ACCESSORIES



CONDUIT ACCESSORIES, CHANNELS & PIPE CLAMPS



CONTROL PANEL / SWITCHBOARD ACCESSORIES



CRIMPING TOOLS



CABLE JOINTING & TERMINATION KIT COMPONENTS



STAINLESS STEEL CABLE TIES & MARKERS

PRODUCT RANGE



BRASS COPPER & ALLOY (I) LTD.

Dealer / Distributor

