


# SUPER COOL, SUPER QUIET



AIR COOLERS 2019





# Presenting Orient Air Coolers

The coolest solution for the summer

### Why air coolers?

Every year, the average temperature during the Indian summer goes up, making fans a must for every home. But while fans are good for circulating air, they are of little use when the May sun is at its harshest. This is where air coolers come in. They bring down the temperature of the room by first passing the air through water, and then circulating it through the room. Thus, what you get is a room with cool, fresh air, and a much lesser electricity bill than you'd get with an air conditioner.

### Why Orient Electric Air Coolers?

Orient Electric Air Coolers come with AeroFan and DenseNest® Technologies that ensure better cooling, more water retention and powerful air throw. Orient Electric is also the first air cooler brand in India to introduce a range of metal coolers, which come with the new LockMatic™ Technology that keeps the tank leak-proof, rust-free and cool. And thanks to the quality of materials used and stringent quality checks, they require very low maintenance and are eco-friendly. With our widest range of air coolers, there's one for everyone.

### New-age IoT Technology

Orient Electric Air Coolers come equipped with the futuristic IoT technology, which gives you the power to operate them from anywhere, anytime. You can even get weather updates or set a timer for when you want to turn them on. So, even before you enter your home, it is cool and ready to welcome you.



Download the Orient Smart app



With unique features and new-age technologies, Orient Electric Air Coolers are the new benchmark in air cooling. Their high air delivery ensures that cool air reaches every corner of your home. And unlike regular air coolers, they do it quietly. Plus, with IoT Technology, you can operate them from your phone.

# ALL YOUR NEEDS UNDER ONE ROOF

Orient Electric Air Coolers come in different sizes, shapes, capacities and materials, to suit various needs. This diverse range is the epitome of cutting-edge technology, and aims to deliver an unmatched cooling experience, while being silent.

## TOWER



**ULTIMO TOWER**  
26, 40, 55 Lts.

**ARISTA**  
26, 54 Lts.

## WINDOW



**MAGICOOL DX**  
50 Lts.

**MAGICOOL NEO**  
50 Lts.

## OUTDOOR



**DESERTSTORM**  
70, 90 Lts.

**MINI MAGIC**  
8 Lts.

**AEROQUID**  
17 Lts.

## PERSONAL



**SUPERCOOL TRENDY**  
30, 52 Lts.

## DESERT



**SMARTCOOL DX**  
16, 20, 35 Lts.

**SNOWBREEZE SUPER**  
50 Lts.

**SNOWBREEZE SLIM**  
55 Lts.

**ULTIMO**  
50, 65 Lts.

**KNIGHT**  
70 Lts.

**OCEAN AIR**  
70 Lts.

**SNOWBREEZE MAGNUS**  
85 Lts.

# DESERT COOLERS

The perfect answer to the dry, long Indian summer that breaks records every year. With a large tank capacity and a super powerful fan-motor combination, these sturdy air coolers will keep going strong for as long as you want. And with their superior air delivery, air throw, cooling efficiency, coupled with low noise and easy manoeuvrability, they're simply the best in their segment.



## IDEAL FOR

-   
Living Room
-   
Party Hall
-   
Shop
-   
Gym
-   
Restaurant
-   
Closed Outdoor

Cools Up to : 37 sqmts (400 sqft)\*

\*Estimated area based on 3mts (10ft) ceiling height and all sides covered room.



**Knight 70**  
CD7002HR, CD7005HI

-  **iOT-enabled**  
(Optional)
-  **Remote Control**  
With Timer



**Knight 70**  
CD7003H

**NEW**



-  **Aerofan Technology**  
For longest air throw
-  **Air Delivery**  
3650m<sup>3</sup>/hr with 3-speed motor
-  **Prevents Mosquito Breeding**
-  **Fully Collapsible Louvres**
-  **Slidable-Dust Filter**
-  **Anti-Bacterial Filter**
-  **4-Way Cooling**  
Motorised vertical louvres
-  **Cord Winder**
-  **Ice Chamber**  
For quick cooling
-  **Inverter-Compatible**  
Uninterrupted cooling during power cuts

**NEW**



- iOT-enabled** (Optional)
- Remote Control** With Timer



**Ultimo 50**  
CD5003H

Also available in



- Remote Control** With Timer

**Ocean Air Trendy 70**  
CD7004HR



**Ocean Air 70**  
CD7001H

Also available in

**ULTIMO 65**  
CD6501H, CD6503HI, CD6502HR

**SENSENER® HONEYCOMB PADS**

25% more cooling.  
45% more water retention.

- Aerofan Technology**  
For longest air throw
- Cord Winder**

- Air Delivery**  
3650m<sup>3</sup>/hr with 3-speed motor
- Auto-Fill**  
Hassle-free, uninterrupted cooling

- Prevents Mosquito Breeding**
- Ice Chamber**  
For quick cooling

- Fully Collapsible Louvres**
- Inverter-Compatible**  
Uninterrupted cooling during power cuts

- Anti-Bacterial Filter**

**SENSENER® HONEYCOMB PADS**

25% more cooling.  
45% more water retention.

- Air Delivery**  
3600m<sup>3</sup>/hr with 3-speed motor
- Inverter-Compatible**  
Uninterrupted cooling during power cuts

- Large Tank Capacity**  
Uninterrupted cooling for entire night

- High-Gloss Durable Body**

- 4-Way Cooling**  
Motorised vertical louvres

- Auto-Fill**  
Hassle-free, uninterrupted cooling

# PERSONAL COOLERS

These compact air coolers fit in the tightest of spaces and come with easy-lift handles and caster wheels, so you can carry them around effortlessly. Equipped with a powerful blower that packs a punch when it comes to air delivery, these air coolers also come in a multitude of shapes, designs and sizes. As they say, to each his/her own.



**Air Delivery**  
3500m<sup>3</sup>/hr  
with 3-speed motor

**Snowbreeze Magnus 85**  
CD8501H



**Air Delivery**  
3000m<sup>3</sup>/hr  
with 3-speed motor

**Snowbreeze Slim 55**  
CD5501H



**Air Delivery**  
3500m<sup>3</sup>/hr  
with 3-speed motor

**Wood Wool Cooling Pads**

**Snowbreeze Super 50**  
CD5002B



## IDEAL FOR

- Bedroom
- Study Room
- Kids' Room
- Dining Area
- Small Office
- Small Shop

Cools Up to : 5.4 sqmts (58 sqft)\*

\*Estimated area based on 3mts (10ft) ceiling height and all sides covered room.



**High-Gloss Durable Body**

**4-Way Cooling**  
Motorised vertical louvres

**Auto-Fill**  
Hassle-free, uninterrupted cooling

**Ice Chamber**  
For quick cooling

**Inverter-Compatible**  
Uninterrupted cooling during power cuts



**Air Delivery**  
500m<sup>3</sup>/hr  
with 3-speed motor



**Mini Magic 08**  
CP0801H



**Air Delivery**  
1300 cmh  
with 3-speed motor

**Dust Filter**

**Ice Chamber**  
For quick cooling



**Aeroquid 17**  
CP1701H



**Remote Control**  
With Timer (Optional)

**Prevents Mosquito Breeding**

**4-Way Cooling**  
Motorised horizontal and vertical louvres

**Anti-Bacterial Filter**

**Supercool Trendy 30 & 52**  
CP3002H, CP5202H, CP3001H (MANUAL MODEL)



**Remote Control**  
With Timer (Optional)

**Ice Chamber**  
For quick cooling

**Smartcool DX 16, 20 & 35**  
CP1601H, CP2002H, CP2003H, CP3501H

**High-Gloss Durable Body**

**4-Way Cooling**  
Motorised vertical louvres

**Inverter-Compatible**  
Uninterrupted cooling during power cuts



**Air Delivery**  
1300m<sup>3</sup>/hr  
with 3-speed motor

**Dust Filter**

**High-Gloss Durable Body**

**Inverter-Compatible**  
Uninterrupted cooling during power cuts

# OUTDOOR COOLERS

NEW



Our most powerful and silent outdoor air coolers, that are made with powder-coated GPSP sheets and can withstand the toughest weather, while the new LockMatic™ Technology keeps the tank leak proof, rust-free and cool. The super-effective aerofan technology combo makes it ideal for large and open spaces, where you can easily wheel them around on a trolley. This first branded modular outdoor cooler in India comes with an extended warranty of 3 years (on registration at Orient helpline number).



## IDEAL FOR



Cools Up to : 54 sqmts (588 sqft)\*\*, 76 sqmts (824 sqft)\*

\*Estimated area based on 3mts (10ft) ceiling height and all sides covered room.



**Motor & Anti-Rust Warranty**  
1+2\* year warranty on the motor & Anti-Rust

\*2 Years additional warranty on customer registration at Orient Helpline no. 1800 103 7574 (Toll Free).



Assembled



**iOT-enabled**  
(Optional)



**Remote Control**  
With Timer (Optional)

## Desertstorm 70 & 90

OD7004H, OD7004B, OD7005H, OD7005B, OD7006HI  
OD9004H, OD9004B, OD9005H, OD9005B, OD9006HI



25% more cooling,  
45% more water retention.



**Aerofan Technology**  
For longest air throw



**4-Way Cooling**  
Motorised vertical louvres



**Air Delivery**  
5000-7000m<sup>3</sup>/hr with 3-speed motor



**Eco Mode**  
Power & water-saving



**LockMatic™ Technology**  
Keeps the tank cool and leak-proof



**Powder-Coated Metal Body**



**Prevents Mosquito Breeding**



**Wood Wool Cooling Pad**  
(Optional)



**Auto-Fill**  
Hassle-free, uninterrupted cooling



Modular



**Remote Control**  
With Timer

## Desertstorm 70 & 90

OD7001H, OD7002HR, OD7003H,  
OD9001H, OD9002HR, OD9003H,

# WINDOW COOLERS

These small air coolers will perch perfectly on a window sill or trolley and cool your room evenly with a 4-way air deflection system. Equipped with a large water tank that lasts for hours, these air coolers provide maximum air delivery while consuming minimum energy. Their special Humidity Control feature turns humid air into a cool and pleasant breeze, and the Fragrance Chamber keeps it fresh, always.



**Magicool DX 50**  
CW5002B

- Humidity Control
- Fragrance Chamber



**Magicool Neo 50**  
CW5003B

- Air Delivery**  
2000 cmh with 3-speed motor
- Auto-Fill**  
Hassle-free, uninterrupted cooling
- Wood Wool Cooling Pads**
- High-Gloss Durable Body**
- 4-Way Cooling**  
Motorised vertical louvres
- Inverter-Compatible**  
Uninterrupted cooling during power cuts

### IDEAL FOR

- Living Room
- Bedroom
- Study Room
- Kids' Room
- Dining Area
- Small Shop
- Office

Cools Up to : 22 sqmts (235 sqft)\*

\*Estimated area based on 3mts (10ft) ceiling height and all sides covered room.

**NEW**



# TOWER COOLERS

The world is getting smaller, and so is the carpet area. This is where these sleek and tall, state-of-the-art air coolers come in handy. They take up the smallest area possible while ensuring that the powerful gust reaches every nook and corner, especially at the bed level. With cutting-edge features and the looks to match them, these air coolers will certainly glam up your home.

### IDEAL FOR

- Living Room
- Bedroom
- Study Room
- Kids' Room
- Dining Area
- Small Shop
- Office

Cools Up to : 7.5 sqmts (80 sqft)\*\*

\*\*Estimated area based on 3mts (10ft) ceiling height and all side covered room.

NEW



- iOT-enabled** (Optional)
- Remote Control** With Timer (Optional)

**Ultimo Tower 55**  
CT5503HI, CT5502HR, CT5501H,



- iOT-enabled** (Optional)
- Remote Control** With Timer (Optional)

**Ultimo Tower 40**  
CT4003HI, CT4002HR, CT4001H



- iOT-enabled** (Optional)
- Remote Control** With Timer (Optional)

**Ultimo Tower 26**  
CT2605HI, CT2604HR, CT2603H



- Remote Control** With Timer

**Arista 54**  
CT5402HR



- Remote Control** With Timer (Optional)

**Arista 26**  
CT2602HR, CT2601H



25% more cooling.  
45% more water retention.

- Air Delivery** 1500 cmh with 3-speed motor
- Prevents Mosquito Breeding**
- Fully Collapsible Louvres**
- Slidable Dust Filter**
- Cord Winder**
- High-Gloss Durable Body**
- 4-Way Cooling** Motorised vertical louvres
- Auto-Fill** Hassle-free, uninterrupted cooling
- Removable Ice Tray**
- Inverter-Compatible** Uninterrupted cooling during power cuts



25% more cooling.  
45% more water retention.

- Air Delivery** 1100m<sup>3</sup>/hr with 3-speed motor
- Prevents Mosquito Breeding**
- High-Gloss Durable Body**
- Dust Filter**
- Carbon Tuls Filter**
- Ice Chamber** For quick cooling
- Inverter-Compatible** Uninterrupted cooling during power cuts

## DESERT



Model Number	CD7005HI/CD7002HR	CD7003H	CD6503HI/CD6502HR	CD6501H	CD5003H
<b>Model Name</b>	KNIGHT	KNIGHT	ULTIMO	ULTIMO	ULTIMO
<b>Mode of Operation</b>	iOT/Remote	Manual	iOT/Remote	Manual	Manual
<b>Cooling Medium</b>	DenseNest® Honeycomb				
<b>Water Tank Capacity</b> (Litres upto brim)	70 L	70 L	65 L	65 L	50 L
<b>Power Consumption</b> (Wattage)	190 W				
<b>Air Delivery</b> (m³/hr)	3650	3650	3650	3650	3650
<b>Air Throw Distance</b> (Feet/Meters)	60 ft./18.3 m.				
<b>Auto-Fill</b>	Yes	Yes	Yes	Yes	Yes
<b>Water Level Indicator</b>	Yes	Yes	Yes	Yes	Yes
<b>3-Speed Control</b>	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L
<b>Blower/Fan Type</b>	Fan/16 inch				
<b>Castor/Trolley</b>	5 Castor Wheels				
<b>Prevents Mosquito Breeding</b>	Yes	Yes	Yes	Yes	Yes
<b>Anti-Bacterial Filter</b>	Yes	Yes	Yes	Yes	Yes
<b>Dust Filter</b>	Yes	Yes	No	No	No
<b>Ice Chamber</b>	Yes	Yes	Yes	Yes	Yes
<b>Vertical Louvre Movement</b>	Motorised	Motorised	Motorised	Motorised	Motorised
<b>Horizontal Louvre Movement</b>	Manual	Manual	Manual	Manual	Manual
<b>Dimensions Without Packing</b> (cm)	<b>L</b>	61.2	61.2	65.0	65.0
	<b>W</b>	43.0	43.0	42.6	42.6
	<b>H</b>	124.8	124.8	121.0	121.0
<b>Net Weight</b> (kg)	19.7	19.7	17.0	17.0	16.5
<b>Gross Weight</b> (kg)	24.0	24.0	20.5	20.5	19.5
<b>Product Warranty</b> #	12 Months				

Specification of DenseNest® honeycomb may vary from product to product. Estimated area based on 3 mtrs (10ft) ceiling height and all sides covered room. As product upgradation is a continuous process, design and specifications are subject to change without prior notice.  
\*Warranty is applicable in India only.

## DESERT



Model Number	CD7004HR	CD7001H	CD8501H	CD5501H	CD5002B	
<b>Model Name</b>	OCEAN AIR TRENDY	OCEAN AIR	SNOWBREEZE MAGNUS	SNOWBREEZE SLIM	SNOWBREEZE SUPER	
<b>Mode of Operation</b>	Remote	Manual	Manual	Manual	Manual	
<b>Cooling Medium</b>	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	Wood Wool	
<b>Water Tank Capacity</b> (Litres upto brim)	70 L	70 L	85 L	55 L	50 L	
<b>Power Consumption</b> (Wattage)	190 W	190 W	200 W	220 W	200 W	
<b>Air Delivery</b> (m³/hr)	3600	3600	3500	3000	3500	
<b>Air Throw Distance</b> (Feet/Meters)	60 ft./18.3 m.	60 ft./18.3 m.	53 ft./16.2 m.	50 ft./16 m.	53 ft./16.2 m.	
<b>Auto-Fill</b>	Yes	Yes	Yes	Yes	Yes	
<b>Water Level Indicator</b>	Yes	Yes	Yes	Yes	Yes	
<b>3-Speed Control</b>	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	
<b>Blower/Fan Type</b>	Fan/16 inch	Fan/16 inch	Fan/16 inch	Fan/16 inch	Fan/16 inch	
<b>Castor/Trolley</b>	4 Castor Wheels	4 Castor Wheels	5 Castor Wheels	4 Castor Wheels	4 Castor Wheels	
<b>Prevents Mosquito Breeding</b>	No	No	No	No	No	
<b>Anti-Bacterial Filter</b>	No	No	No	No	No	
<b>Dust Filter</b>	No	No	No	No	No	
<b>Ice Chamber</b>	No	No	Yes	Yes	Yes	
<b>Vertical Louvre Movement</b>	Motorised	Motorised	Motorised	Motorised	Motorised	
<b>Horizontal Louvre Movement</b>	Manual	Manual	Manual	Manual	Manual	
<b>Dimensions Without Packing</b> (cm)	<b>L</b>	65.0	65.0	62.0	62.0	
	<b>W</b>	38.0	38.0	49.5	39.5	50.0
	<b>H</b>	124.5	124.5	111.0	117.0	101.5
<b>Net Weight</b> (kg)	15.3	15.3	16.0	13.4	15.5	
<b>Gross Weight</b> (kg)	18.3	18.3	20.3	16.9	19.2	
<b>Product Warranty</b> #	12 Months	12 Months	12 Months	12 Months	12 Months	

Specification of DenseNest® honeycomb may vary from product to product. Estimated area based on 3 mtrs (10ft) ceiling height and all sides covered room. As product upgradation is a continuous process, design and specifications are subject to change without prior notice.  
\*Warranty is applicable in India only.

PERSONAL



Model Number	CP0801H	CP1701H	CP1601H	CP2003H/CP2002H	CP3501H	CP3002H/CP3001H	
<b>Model Name</b>	MINI MAGIC	AEROQUID	SMARTCOOL DX	SMARTCOOL DX	SMARTCOOL DX	SUPERCOOL TRENDY/SUPERCOOL	
<b>Mode of Operation</b>	Manual	Manual	Manual	Remote/Manual	Manual	Remote/Manual	
<b>Cooling Medium</b>	DenseNest® Honeycomb						
<b>Water Tank Capacity</b> (Litres upto brim)	8 L	17 L	16 L	20 L	35 L	30 L	
<b>Power Consumption</b> (Wattage)	90 W	140 W	140 W	140 W	140 W	140 W	
<b>Air Delivery</b> (m³/hr)	500	1300	1300	1300	1300	1300	
<b>Air Throw Distance</b> (Feet/Meters)	15 ft./5 m.	30 ft./9.1 m.	25 ft./7.6 m.	25 ft./7.6 m.	25 ft./7.6 m.	25 ft./7.6 m.	
<b>Auto-Fill</b>	No	No	No	No	No	No	
<b>Water Level Indicator</b>	Yes	Yes	Yes	Yes	Yes	Yes	
<b>3-Speed Control</b>	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	
<b>Blower/Fan Type</b>	Blower	Blower	Blower	Blower	Blower	Blower	
<b>Castor/Trolley</b>	No	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	2 Trolley Wheels & 2 Castor Wheels	
<b>Prevents Mosquito Breeding</b>	No	No	No	No	No	Yes/No	
<b>Anti-Bacterial Filter</b>	No	No	No	No	No	Yes/No	
<b>Dust Filter</b>	No	Yes	Yes	Yes	No	Yes	
<b>Ice Chamber</b>	No	Yes	Yes	Yes	Yes	No	
<b>Vertical Louvre Movement</b>	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	
<b>Horizontal Louvre Movement</b>	Manual	Manual	Manual	Manual	Manual	Motorised	
<b>Dimensions Without Packing</b> (cm)	<b>L</b>	27.7	45.0	46.0	46.0	34.5	
	<b>W</b>	26.2	34.3	34.0	34.0	34.0	41.8
	<b>H</b>	41.5	68.2	66.0	70.0	82.5	93.0
<b>Net Weight</b> (kg)	4	9.0	7.5	8.0	8.4	10.3 / 9.8	
<b>Gross Weight</b> (kg)	4.7	11.0	8.7	9.6	11.0	12.8 / 11.8	
<b>Product Warranty #</b>	12 Months						

Specification of DenseNest® honeycomb may vary from product to product. Estimated area based on 3 mtrs (10ft) ceiling height and all sides covered room. As product upgradation is a continuous process, design and specifications are subject to change without prior notice. \*Warranty is applicable in India only.

TOWER



Model Number	CP5202H	CT2605HI/CT2604HR/CT2603H	CT4003HI/CT4002HR/CT4001H	CT5503HI/CT5502HR/CT5501H	CT2602HR/CT2601H	CT5402HR	CW5002B	CW5003B
<b>Model Name</b>	SUPERCOOL TRENDY	ULTIMO TOWER	ULTIMO TOWER	ULTIMO TOWER	ARISTA	ARISTA	MAGICCOOL DX	MAGICCOOL NEO
<b>Mode of Operation</b>	Remote	iOT/Remote/Manual	iOT/Remote/Manual	iOT/Remote/Manual	Remote/Manual	Remote	Manual	Manual
<b>Cooling Medium</b>	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	Wood Wool	Wood Wool
<b>Water Tank Capacity</b> (Litres upto brim)	52 L	26 L	40 L	55 L	26 L	54 L	50 L	50 L
<b>Power Consumption</b> (Wattage)	140 W	160 W	160 W	160 W	150W	150W	220 W	200 W
<b>Air Delivery</b> (m³/hr)	1300	1500	1500	1500	1100	1100	2000	2000
<b>Air Throw Distance</b> (Feet/Meters)	25 ft./7.6 m.	30 ft./9.14m	30 ft./9.14m	30 ft./9.14m	25 ft./7.6 m.	25 ft./7.6 m.	35 ft./10.7 m.	30 ft./10.7 m.
<b>Auto-Fill</b>	Yes	Yes	Yes	Yes	No	No	Yes	Yes
<b>Water Level Indicator</b>	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>3-Speed Control</b>	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L	H,M,L
<b>Blower/Fan Type</b>	Blower	Blower	Blower	Blower	Blower	Blower	Blower	Blower
<b>Castor/Trolley</b>	2 Trolley Wheels & 2 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Castor Wheels	4 Wheels with cover	4 Wheels with cover	Trolley Optional	Trolley Optional
<b>Prevents Mosquito Breeding</b>	Yes	Yes	Yes	Yes	Yes	Yes	No	No
<b>Anti-Bacterial Filter</b>	Yes	No	No	No	No	No	No	No
<b>Dust Filter</b>	Yes	Yes	Yes	Yes	Yes	Yes	No	No
<b>Ice Chamber</b>	No	Yes	Yes	Yes	Yes	Yes	No	No
<b>Vertical Louvre Movement</b>	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised	Motorised
<b>Horizontal Louvre Movement</b>	Motorised	Manual	Manual	Manual	Manual	Manual	Manual	Manual
<b>Dimensions Without Packing</b> (cm)	<b>L</b>	34.5	39	39	39	40.2	68.0	68.0
	<b>W</b>	41.8	34.6	34.6	34.6	41.4	53.5	53.5
	<b>H</b>	108.5	105.3	124.8	138.8	103.0	139.5	55.5
<b>Net Weight</b> (kg)	11.5	9.2	10	10.5	11.3	13.6	12.8	9.5
<b>Gross Weight</b> (kg)	14.2	10.7	11.5	12	13.1	17.2	16.0	12.0
<b>Product Warranty #</b>	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months	12 Months

Specification of DenseNest® honeycomb may vary from product to product. Estimated area based on 3 mtrs (10ft) ceiling height and all sides covered room. As product upgradation is a continuous process, design and specifications are subject to change without prior notice. \*Warranty is applicable in India only.

## OUTDOOR - MODULAR



Model Number	OD7002HR/OD7001H	OD7003H	OD9002HR/OD9001H	OD9003H
<b>Model Name</b>	DESERTSTORM	DESERTSTORM	DESERTSTORM	DESERTSTORM
<b>Mode of Operation</b>	Remote/Manual	Manual	Remote/Manual	Manual
<b>Cooling Medium</b>	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb	DenseNest® Honeycomb
<b>Water Tank Capacity (Litres upto brim)</b>	70 L	70 L	90 L	90 L
<b>Power Consumption (Wattage)</b>	200 W	350 W	200 W	350 W
<b>Air Delivery (m<sup>3</sup>/hr)</b>	5000	7000	5000	7000
<b>Air Throw Distance (Feet / Meters)</b>	45 ft./13.7 m.	56 ft./17 m.	45 ft./13.7 m.	56 ft./17 m.
<b>Auto-Fill</b>	Yes	Yes	Yes	Yes
<b>Speed Control</b>	H,M,L	H,M,L	H,M,L	H,M,L
<b>Fan Type</b>	Aerofan/16 inch	Aerofan High Speed/18 inch	Aerofan/16 inch	Aerofan High Speed/18 inch
<b>Motor with Copper Winding</b>	No	Yes	No	Yes
<b>Trolley</b>	Optional	Optional	Optional	Optional
<b>Prevents Mosquito Breeding</b>	No	No	No	No
<b>Lockmatic™ Technology</b>	Yes	Yes	Yes	Yes
<b>Vertical Louvre Movement</b>	Motorised	Motorised	Motorised	Motorised
<b>Horizontal Louvre Movement</b>	Manual	Manual	Manual	Manual
<b>Dimensions Without Packaging (cm)</b>	<b>L</b>	67.5	67.5	67.5
	<b>W</b>	62.6	62.6	62.6
	<b>H</b>	94.8	94.8	102.3
<b>Dimensions With Packaging (cm) LxWxH</b>	<b>Box A</b>	76.0 x 73.0 x 47.5	76.0 x 73.0 x 47.5	76.0 x 73.0 x 56.0
	<b>Box B</b>	72.6 x 35.5 x 57.5	72.6 x 35.5 x 57.5	72.6 x 35.5 x 57.5
<b>Net Weight of the Product (kg)</b>	<b>Box A</b>	17.50	19.25	19.65
	<b>Box B</b>	9.95	9.95	9.95
<b>Gross Weight of the Box/es (kg)</b>	<b>Box A</b>	21.30	22.85	23.70
	<b>Box B</b>	12.10	12.10	12.10
<b>Anti-Rust Warranty#</b>	1 + 2* Year	1 + 2* Year	1 + 2* Year	1 + 2* Year
<b>Motor Warranty#</b>	1 + 2* Year	1 + 2* Year	1 + 2* Year	1 + 2* Year
<b>Product Warranty#</b>	1 Year	1 Year	1 Year	1 Year

\*2 Years additional warranty on customer registration at Orient Helpline no. 1800 103 7574 (Toll Free). Specification of DenseNest® honeycomb may vary from product to product. Supply Voltage 230V~, 50 Hz. As product upgradation is a continuous process, design and specifications are subject to change without prior notice. #Warranty is applicable in India only.

## OUTDOOR - ASSEMBLED





Model Number	OD7004H/OD7004B	OD7006HI/OD7005H/OD7005B	OD9004H/OD9004B	OD9006HI/OD9005H/OD9005B
<b>Mode of Operation</b>	Manual	iOT/Manual	Manual	iOT/Manual
<b>Cooling Medium</b>	DenseNest® Honeycomb/Wood Wool	DenseNest® Honeycomb/Wood Wool	DenseNest® Honeycomb/Wood Wool	DenseNest® Honeycomb/Wood Wool
<b>Water Tank Capacity (Litres upto brim)</b>	70 L	70 L	90 L	90 L
<b>Power Consumption (Wattage)</b>	200 W	350 W	200 W	350 W
<b>Air Delivery (m<sup>3</sup>/hr)</b>	5000	7000	5000	7000
<b>Air Throw Distance (Feet/Meters)</b>	45 ft./13.7 m.	56 ft./17 m.	45 ft./13.7 m.	56 ft./17 m.
<b>Auto-Fill</b>	Yes	Yes	Yes	Yes
<b>Speed Control</b>	H,M,L	H,M,L	H,M,L	H,M,L
<b>Fan Type</b>	Aerofan/16 inch	Aerofan High Speed/18 inch	Aerofan/16 inch	Aerofan High Speed/18 inch
<b>Motor with Copper Winding</b>	No	Yes	No	Yes
<b>Trolley</b>	Optional	Optional	Optional	Optional
<b>Lockmatic™ Technology</b>	Yes	Yes	Yes	Yes
<b>Vertical Louvre Movement</b>	Motorised	Motorised	Motorised	Motorised
<b>Horizontal Louvre Movement</b>	Manual	Manual	Manual	Manual
<b>Dimensions Without Packaging (cm)</b>	<b>L</b>	67.8	67.8	67.8
	<b>W</b>	61.4	61.4	61.4
	<b>H</b>	93.6	93.6	102.3
<b>Net Weight of the Product (kg)</b>	28.10	30.60	29.35	31.85
<b>Gross Weight of the Box (kg)</b>	33.10	35.60	34.10	37.00
<b>Anti-Rust Body Warranty#</b>	1 + 2* Year			
<b>Motor Warranty#</b>	1 + 2* Year			
<b>Product Warranty#</b>	1 Year	1 Year	1 Year	1 Year

\*2 Years additional warranty on customer registration at Orient Helpline no. 1800 103 7574 (Toll Free). Specification of DenseNest® honeycomb may vary from product to product. Supply Voltage 230V~, 50 Hz. As product upgradation is a continuous process, design and specifications are subject to change without prior notice. #Warranty is applicable in India only.





Average human height 173 cm


DESERT




PERSONAL



WINDOW



Average human height 173 cm



# BRANCH OFFICES

## NORTH REGION

**Delhi:** 62, Okhla Industrial Estate, Phase-III, New Delhi 110020

**Chandigarh:** 840, 1<sup>st</sup> Floor, PAC Manimajara, UT Chandigarh 160101

**Rajasthan:** C-179, Road No. 9, VKIA, Jaipur 302014

**Uttar Pradesh:** 602, 6<sup>th</sup> Floor, Ratan Square, 20-A Vidhan Sabha Marg, Lucknow 226001

**Noida:** C-130, Sector 63, Noida 201301

## EAST REGION

**Assam:** Saraf Building, 1<sup>st</sup> Floor, A.T. Road, Guwahati 781001

**Bihar:** 24, I A S Colony, Kidwaiपुरi, Patna 800001

**Jharkhand:** Unit No. 103, Paras Apartment, Kutchery Road, Ranchi 834001

**Odisha:** Plot No. 263, Annapurna Complex, 1<sup>st</sup> Floor, Bapujinagar, Cuttack, Bhubaneswar 751009

**Ranchi:** Modi Heights, Phase-1, 4<sup>th</sup> Floor, Office No. 401, Ratu Road, Near Durga Mandir, Ranchi 834001

**West Bengal:** 6, Ghore Bibi Lane, Behind Swabhumi, Kolkata 700054

## WEST REGION

**Chhattisgarh:** Harshit Corporate, 5<sup>th</sup> Floor, Office No. 512, Beside Amanaka Flyover, Amanaka, Raipur 492001

**Gujarat:** 201, Arth Complex, B/h. L.G. Showroom, Mithakhali Six Road, Navrangpura, Ahmedabad 380009

**Madhya Pradesh:** Unit No. 212 & 214, 2<sup>nd</sup> Floor, Dhan Trident, Block No. 3, Scheme No. 54, PU-4, Vijay Nagar, Indore 452010

**Maharashtra:** 604, 6<sup>th</sup> Floor, Dev Corpora, Cadbury Junction, Eastern Express Highway, Thane (West), Mumbai 400601

Karan Vitoria, No. 201-A & 201 B-1, 3<sup>rd</sup> Floor, Goodluck Chowk, Behind Café Goodluck, Deccan Gymkhana, Pune 411004

402, 4<sup>th</sup> Floor, Shriyash Heights, Plot No. 95, Lendra West Precinct, Ramdas Peth, Nagpur 440010

## SOUTH REGION

**Andhra Pradesh:** Unit No. 5 & 6, 2<sup>nd</sup> Floor, Maitri Arcade, Ranigunj, Secunderabad 500003

**Chennai:** No. 53, Commander in Chief Road, Ethiraj Salai, 2<sup>nd</sup> Floor, Unit No. 12, Wellington Estate, Egmore, Chennai 600008

**Cochin:** Kollamkuzhi Business Square, 5<sup>th</sup> Floor, NH Bypass, Vyttila, Cochin 682019

**Karnataka:** 309-310, 3<sup>rd</sup> Floor, Mota Chamber, Miller Road, Bangalore 560052

**Kerala:** VI/610-K, Solomon Tower, 2<sup>nd</sup> Floor, Maradu, Cochin 682304



*switch to smart*

Fans • Home Appliances • Lighting • Switchgear

### Orient Electric Limited

(a CK Birla Group company)

240, Okhla Industrial Estate, Phase-III,  
New Delhi-110020

**Orient Helpline No.:** 1800 103 7574 (Toll-Free)

**Email:** [customer.connect@orientelectric.com](mailto:customer.connect@orientelectric.com)

**Website:** [www.orientelectric.com](http://www.orientelectric.com)

Follow us on:     



**1800 103 7574**

Authorized Service Center