




PHILIPS

Lighting

Philips Lighting
India Trade Catalogue
2018





Contents

05-11 | **LED Lamps**

12-19 | **LED MSBs**

20-30 | **Home**

31-37 | **CFL & GLS**

38-42 | **TL**

43-45 | **Modular
Switches**

46-48 | **MCB, RCB
& Isolators**

49-51 | **Lighting
Accessories**

52-57 | **Indoor**

58-60 | **Outdoor**

61-64 | **Professional
LED lamps**

65-66 | **Lamp
Drivers**



LED Lamp





Ace Saver

2.7W & 4W

Specifications & Features

- 2.7W: 230lm, 4W: 350lm
- Available in CDL & WW; B22 & E27
- Replaces 5W and 8W CFLi

MRP: ₹ 150/- | ₹ 155/-

HSN Code: 85395000

Ace Saver

7W & 9W, 10.5W

Specifications & Features

- 7W: 625lm, 9W: 825lm, 10.5W: 1050lm
- 10K life hours
- Available in CDL; B22 & E27

MRP: ₹ 160/-, ₹ 180/-

HSN Code: 85395000



Stellar Bright High Wattage

7W, 9W, 12W, 14W, 17W, 20W, 23W

Specifications & Features

- 7W: 700lm; 9W: 900lm; 12W: 1200lm; 14W: 1400lm; 17W: 1700lm; 20W: 2000lm; 23W: 2300lm
- 15K life hours
- Available in CDL & WW; E27 & B22
- Replaces 18W, 23W, 27W & 32W CFLi

MRP: ₹ 350/-, ₹ 380/-, ₹ 430/-, ₹ 450/- ₹ 480

HSN Code: 85395000





Frosted Candle

2.7W

Specifications & Features

- 2.7W: 250lm
- 10K life hours
- Available in CDL & WW
- Available in E14

MRP: ₹ 160/-

HSN Code: 85395000

www.philips.co.in

1 Lamp. 2 Modes.



Presenting Philips

Stellar Bright 2 in 1

A 2 in 1 LED Lamp that can be switched to normal or night mode with just one click.



9w

0.5w



Built-in memory
Memory that remembers your last setting



On/Off switch
Use wall switch to change light modes



Stellar Bright 2-in-1

Normal mode of 9W & Night mode of 0.5W

Specifications & Features

- 1 Lamp with 2 Applications, use as regular lamp and as night bulb
- Built in memory feature that remembers your last mode
- Single wall switch for light modes

MRP: ₹ 250/-

HSN Code: 85395000



Stellar Bright Super High Wattage

27W, 40W, 50W

Specifications & Features

- 27W: 2700lm, 40W: 4000lm, 50W: 5000lm
- 15K life hours
- Available in CDL; B22
- Replaces 45W, 65W & 80W CFL

MRP: ₹ 750/-, ₹ 1,050/-, ₹ 1,370/-

HSN Code: 85395000

PHILIPS

Why buy an ordinary bulb?

Get the super bright **Mini Tubelight** for wider light spread.

Innovation + you



Wider
Light
Spread



NO ELECTRICIAN REQUIRED
FITS INTO EXISTING HOLDER



T Bulb

8W: 800lm, 10W: 1000lm, 14W: 1400lm

Specifications & Features

- New innovative design provides better spread of light
- Better light spread = brighter room
- Swivel body action for better focus
- Available in B22 base cap

MRP: ₹ 299/- ₹ 299/- ₹ 380/-

HSN Code: 85395000



Deco Mini

0.5W

Specifications & Features

- 0.5W
- 10K life hours
- Available in red, yellow, white, green, pink, orange, blue

MRP: ₹ 70/-

HSN Code: 85395000

DecoRing Bulb

10W

Model Number: 12NC 929001910913

Specifications & Features

- Powerful 10W Lamp
- 950 Lumen output, design to give maximum GLOW
- Available in B22 base cap
- Color temp 6500K
- Metallic Finish Body
- Plug n Play, No rewiring or electrician required

MRP: ₹ 350/-

HSN Code: 85395000



Clear Candle

4.5W

Specifications & Features

- 4.5W: 350lm
- Available in WW
- Available in E14, B22 and E27

MRP: ₹ 235/-, ₹ 310/-

HSN Code: 85395000



LED MSBs





Astra Sleek

20W: 2000lm (Available in CDL, WW, NW)

Specifications & Features

- Integrated glass TLED with unique design and bright LED light source with uniform light output (Registered design and applied for patent)
- Surge protection of 2 KV with wide voltage protection 160-360V
- Case size: 15

MRP: ₹ 550/-

HSN Code: 94051090

Slimline NEXT

20W: 1900lm

Specifications & Features

- Long life of 25,000 hrs
- Modern Design; Low glare and No flicker
- High Performance Diffuser for Uniform Lighting
- Resistant to Yellowing and chipping
- High Voltage Protection
- Easy installation clips for user friendly installation
- Pack Size: 20 nos.

MRP: ₹ 450/-

HSN Code: 94051090



Astra Line

20W: 2000lm, 9W: 900lm, 5W: 450lm
(Available in CDL, WW, NW)

Specifications & Features

- Bright LED light source with uniform light output
- Surge protection of 2 KV with wide voltage protection 160-360V
- Case size: 20 pcs

MRP: 4ft: ₹ 600/-, 2ft: ₹ 400/-, 1ft: ₹ 350/-

HSN Code: 94051090





Tarang Bright

20W: 1900 Lumens
Available in 4ft

Specifications & Features

- Metal body, wider lighting area, sleek design
- Bright LED source with uniform output
- Case Size: 20 pcs

MRP: ₹ 450/-

HSN Code: 94051090

Astra Line Plus

24W: 2500lm (Available in CDL, WW, NW)

Specifications & Features

- Bright LED Light Source with Uniform Light Output
- Surge protection of 2KV with wide voltage protection 160V-360V
- Case Size: 20 pcs

MRP: 4ft - ₹ 700/-

HSN Code: 94051090



Astra Line Scene Switch

Dimmable light with option of choosing between 2000 lumens/20W or 1000 lumens/10W or 275 lumens/3W

Specifications & Features

- 3 different modes in 1 batten. 2000 lumens, 1000 lumens, 275 lumens and power consumption as per the mode in which it is being used
- Bright LED light source with uniform output
- Case Size: 20 pcs

MRP: ₹ 780/-

HSN Code: 94051090






Your kind
of light for
your kind
of mood!

Presenting
Philips Astraline
SceneSwitch

An adaptable LED batten with three modes for three different intensities. Choose the ambience you prefer and save with every mode.



www.philips.co.in



PHILIPS



Astra Line Scene Switch Plus

Tunable light with option of choosing between Cool Day Light, Warm White and Natural White. (Available in 20W 2000 lumens)

Specifications & Features

- 3 different modes in 1 batten. Switch between WW/CDL/ NW by just toggling the switch
- Bright LED Light Source with uniform output
- Case Size: 20 pcs

MRP: ₹ 900/-

HSN Code: 94051090

Linea Plus

23W: 2400lm (Available in CDL, WW, NW)

Specifications & Features

- Elegant Die Cast Aluminum batten for Designer Homes
- Bright LED light source with uniform light output
- Surge protection of 2KV with wide voltage protection 160-360V
- Case size: 10 pcs

MRP: 4ft: ₹ 1,300/-

HSN Code: 94051090



Stellar Bright TLED


20W
Stellar Bright TLED 6500K tube

Specifications & Features

- 20W: 2100lm
- Long life of 15K+ hours
- Ideal for replacement of conventional tube

MRP: ₹ 350/-

HSN Code: 85395000



PHILIPS

Switch to LED with Philips **Stellar Bright**

With wider batten get no marks on walls, only bright light!

innovation + you



*Saves 50% more energy than 40 W Fluorescent tubelight.



20 W
LED Batten





Stellar Bright TLED

20W & 24W

Stellar Bright TLED 6500K with Batten

Specifications & Features

- 20W: 2100lm; 24W: 2400lm
- Long life of 15K+ hours
- Ideal for replacement of conventional tube and batten

MRP: ₹ 499/-

HSN Code: 85395000

Tarang Sleek

36W: 2650lm

Specifications & Features

- Elegant slim design
- Robust metal body
- Wide voltage operation (140-270V) and highest surge protection of 2KV in the category
- Case size: 30 pcs

MRP: ₹ 380/-

HSN Code: 94051090



Tarang Electronic

with T8 Lifemax 36W tube

36W: 2450lm

Specifications & Features

- Elegant design
- Robust metal body
- Wide voltage operation (140-270V) and high surge protection
- Case size: 15 pcs


MRP: ₹ 400/-

HSN Code: 94051090





HOME





Astra Prime

Wattage	Cut Out	Pack Size (pcs)	Color	Shape	MRP (Rs)
3W	43 mm	30	WW/NW/CW	R(JB:Junction Box fitting)	380/-
3W	43 mm	30	RGB	R(JB:Junction Box fitting)	390/-
5W	75 mm	24	WW/NW/CW	R (JB), Sq	640/-
10W	110 mm	24	WW/NW/CW	R, Sq	805/-
15W	140 mm	24	WW/NW/CW	R, Sq	975/-
22W	188 mm	12	WW/NW/CW	R, Sq	1650/-

Specifications & Features

- Low glare to prevent eye strain
- Surge protection of 2kv/BIS Certified
- Wide Voltage Protection 160V-360V
- Junction box fitting: 3W (2 inch), 5W (3 inch)

HSN Code: 94051090

Astra Max Metal Panel

Wattage	Cut Out	Pack Size (pcs)	Color	Shape	MRP (Rs)
5W	80mm (JB)/110 mm (Non JB)	12	WW, NW, CW	R (JB: Junction Box fitting), Sq	700/-
10W	136 mm	12	WW, NW, CW	R, Sq	900/-
15W	159 mm	12	WW, NW, CW	R, Sq	1100/-
18W	178 mm	12	WW, NW, CW	R, Sq	1500/-

Specifications & Features

- Premium Aluminum material for endurance
- Life Class: 25000 burning hours
- Surge protection of 2kv/BIS Certified
- Wide Voltage Protection 160V-360V
- Junction box fitting available: 5W

HSN Code: 94051090



Astra Prime Scene Switch Downlighter

Dimmable LED Downlighter (Step Dimming)

Wattage	Cut Out	Pack Size (pcs)	Color	Shape	MRP (Rs)
7W	122 mm	12	WW, NW, CW	R, Sq	700/-
12W	153 mm	12	WW, NW, CW	R, Sq	1000/-

Specifications & Features

- 3 Energy Saving Modes at toggle of Switch
- 3 Light Moments
- Read Mode: 100% Mode / Relax Mode: 50% Mode
- Night Mode: 12.5% Mode
- Surge protection of 2kv / BIS Certified
- Wide Voltage Protection 160V-360V

HSN Code: 94051090





Perfect for Reading, Relaxing & Watching

Philips Astra Prime SceneSwitch Downlighter

READ MODE



RELAX MODE



NIGHT MODE



www.philips.co.in



PHILIPS



Ultrastim+

Wattage	Cut Out (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
3W	75	12	WW, NW, CW	R, Sq	600/-
7W	R: 104/S: 94	12	WW, NW, CW	R, Sq	895/-
12W	R: 145/S: 120	12	WW, NW, CW	R, Sq	1,120/-
15W	R: 165/S: 150	12	WW, NW, CW	R, Sq	1,435/-
18W	R: 185/S: 160	12	WW, NW, CW	R, Sq	1,800/-
22W	208	12	WW, NW, CW	R, Sq	2,260/-

Specifications & Features

- Ultra Slim unique design with premium aluminum material
- Life Class: 35000 burning hours
- Surge protection of 2kv / BIS Certified
- Wide Voltage Protection 160V-360V

HSN Code: 94051090

Astra Surface Surface Mount Ceiling Light

Wattage	Dimension (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
18W	197x197x43	12	WW, NW, CW	R, Sq	1,600/-

Specifications & Features

- Low glare to prevent eye strain
- Surge protection of 2kv / BIS Certified
- Wide Voltage Protection 160V-360V

HSN Code: 94051090



Star Surface Low Profile Surface Mount Ceiling Lights

Wattage	Dimension (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
7W	146x146x25	12	WW, NW, CW	R, Sq	800/-
12W	178x178x25	12	WW, NW, CW	R, Sq	1,100/-

Specifications & Features

- Slim, sleek profile: 25mm thickness
- Low glare to prevent eye strain
- Surge protection of 2kv / BIS Certified
- Wide Voltage Protection 160V-360V

HSN Code: 94051090



Star Core Downlighter

Wattage	Cut Out (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
3W	80	24	WW, NW, CW	R (JB: Junction Box Fit), Sq (JB: Junction Box Fit)	300/
7W	110	24	WW, NW, CW	R, Sq	580/
10W	136	24	WW, NW, CW	R, Sq	700/

Specifications & Features

- Unique dome design to reduce ceiling glare
- Surge protection of 2kv / BIS Certified
- Wide Voltage Protection 160V-360V

HSN Code: 94051090

Astra Spot COB 3W Focused Spot Light

Wattage	Cutout (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
3W	52	30	WW, CW	R	465/

Specifications & Features

- Strong Focused Beam (36° beam)
- White Metal housing
- Metal Heat Sink for Durable Performance

HSN Code: 94051090



Astra Spot COB 3W TILT Adjustable Focused Spot Light (Tilt Option)

Wattage	Cutout (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
3W TILT	64	24	WW, NW, CW	R	500/

Specifications & Features

- Strong Focused Beam (36° beam)
- Tilt Angle of 25°
- Metal Heat Sink for Durable Performance

HSN Code: 94051090



Astra Spot 2W

2W Focused Spot Light

Wattage	Cutout (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
2W	35	30	WW, CW	R	200/-

Specifications & Features

- Strong Focused Beam (36° beam)
- White Synthetic housing
- Long life LEDs for durable performance

HSN Code: 94051090

Astra Spot 2W Color

R, G, B 2W Focused Spot Light

Wattage	Cutout (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
2W	35	30	Red, Green, Blue	R	235/-

Specifications & Features

- Strong Focused Beam (36° beam)
- White Synthetic housing
- Long life LEDs for durable performance

HSN Code: 94051090



2W Spot Plus

2W Focused Spot light (Silver body)

Wattage	Cutout (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
2W	35	30	WW, CW	R	290/-

Specifications & Features

- Strong Focused Beam (36° beam)
- Material: Aluminum (Silver Body)
- Long life LEDs for durable performance

HSN Code: 94051090





Astra Spot COB Series

Focused Spot Lights

Wattage	Cut Out (mm)	Pack Size (pcs)	Color	Shape	MRP (Rs)
7W	77	12	WW, NW, CW	R	1,050/-
12W	92	12	WW, NW, CW	R	1,400/-
20W	110	12	WW, NW	R	2,550/-

Specifications & Features

- Strong Focused Beam (36° beam)
- Adjustable/ Tiltable Head (25°)
- Metal Heat Sink for durable performance
- Long life LEDs for durable performance

HSN Code: 94051090

Linea Plus (31308)

LED Strip with driver

Wattage	Lumens/ meter	Length (per pc)	Pack Size (pcs)	Color	No. of LED per meter	MRP
28W	480lm/ mtr	5m with driver	20	WW, NW, CW	60	2,000/-

Specifications & Features

- LED Cove Lighting
- 28w with driver for 5M (Driver Included)
- 2400 lumens for 5M

HSN Code: 94051090



Cove Glow

LED Strip without driver

Wattage	Lumens/ meter	Length (per pc)	Pack Size (pcs)	Color	No. of LED per meter	MRP
24W	360lm/ mtr	5m without driver	20	WW, NW, CW	48	800/-

Specifications & Features

- Uniform Light Spread for Perfect Ambience
- Superior Adhesive for easy installation
- 1800 lumens for 5 mtr.

HSN Code: 94051090





Ultron

17W

Model Number: 48027 Slim LED Wall

Specifications & Features

- 17W: 1350lm
- Sleek and modern design
- Super bright light
- Premium material and finish
- CCT: 6500K/3000K

MRP: ₹1,350 /-

HSN Code: 94051020

Coral LED Wall Light

10W LED

Model Number: 48029

Specifications & Features

- 10W: 500lm
- Sleek & modern design
- Bright light
- Premium material & finish
- Long life LED light source
- Case size: 6 pcs
- CCT : 6000K/3000K

MRP: ₹1200/-

HSN Code: 94051020



Ledvantez Desk light

3.2W (0.2LED X 16W) with panel diffuser

Specifications & Features

- Synthetic material
- Finish, color: matte, gold and silver
- H: 425 mm X L: 180 mm X W: 488 mm
- Bright diffused beam – LED light with specialized optics
- Easy to adjust – flexible gooseneck
- Convenient – switch on shade

MRP: ₹1,600/-

HSN Code: 94052010





Cap LED Desklight

5W, 10W, 15W

Model Number: 70023

Specifications & Features

- No visible flickering, no UV/IR and low glare to prevent eye strain
- 250 Lumen/ 5W CDL
- Foldable Design
- Available in black colour

MRP: ₹ 1,999/-

HSN Code: 94052010

Air Desklight

4.5W

Model Number: 61013

Specifications & Features

- No visible flickering, no UV/IR and low glare to prevent eye strain
- CRI>80
- Flexible gooseneck
- Optimal heat management to prevent damage to LED light source

MRP: ₹ 1,200/-

HSN Code: 94052010



Ujjwal Plus Rechargeable Emergency Light

Model Number: 91126

32 LED: 250 Lumens, Color: Dark Blue

Specifications & Features

- Long life lithium ion battery
- 360° Bright light: 250 Lumens
- Backup time: 4hrs
- Charging time: 10 hrs

MRP: ₹ 1,350/-

HSN Code: 85131090





Ojas Rechargeable Led Lantern

Model Number: 33381

Specifications & Features

- Lithium Ion Battery
- Overcharge and deep discharge protection
- Charging Time: 8 hours

MRP: ₹ 1,450/-

HSN Code: 85131090

Ujjwal Mini Rechargeable Emergency Light

Model Number: 91126/16
LED: 100 Lumens **Color:** Dark Blue

Specifications & Features

- Long Life Lithium Ion Battery
- Bright light with 100 Lumens
- Usage time: 4hrs
- Charging time: 4hrs

MRP: ₹ 850/-

HSN Code: 85131090



Slimray Rechargeable Emergency Light

2W, 4W

Model Number: 48010/31/86, 48009/31/86

Specifications & Features

- 12W: 60 Lumen/ 4W: 300 Lumen
- Lithium Ion Battery
- Overcharge and deep discharge protection
- Charging time: 12 hours/ 7 hours

MRP: 2W: ₹ 1,250/-, 4W: ₹ 1,750/-

HSN Code: 85131090



CFL & GLS







Essential CFLi

8W: 415lm, 14W: 720lm, 18W: 1010lm,
23W: 1300lm, 27W: 1550lm

Specifications & Features

- Lamp Type: 2U (8W & 14W), 3U (18W, 23W & 27W)
- Available in: BC22 (8W & 14W), E27/BC22 (18W, 23W & 27W)
- Available in: CDL/WW (27W-Only CDL)
- Case size: 12 pcs

MRP: ₹ 155/-, ₹ 170/-, ₹ 215/-, ₹ 250/-, ₹ 285/-

HSN Code: 85393110

Genie CFLi

5W: 220lm, 8W: 400lm, 11W: 570lm, 14W: 720lm

Specifications & Features

- Lamp Type: 2U (5W) 3U (8W, 11W & 14W)
- Available in: E27/BC22/E14, 14W is not available in E14
- Available in: CDL/WW
- Case size: 12 pcs

MRP: ₹ 150/-, ₹ 165/-, ₹ 180/-, ₹ 190/-

HSN Code: 85393110



Tornado

15W: 900lm, 20W: 1200lm, 23W: 1450lm

Specifications & Features

- Lamp type: spiral
- Available in: ES/BC, ES/BC (15W, 20W, 23W)
- Available in: CDL/WW
- Case size: 12 pcs

MRP: ₹ 265/-, ₹ 285/-, ₹ 305/-

HSN Code: 85393110



Tornado High Wattage

27W: 1760lm, 32W: 2150lm, 45W: 2735lm,
65W: 4000lm, 80W: 5100lm

Specifications & Features

- Lamp type: spiral
- Available in: ES/BC
- Available in: CDL
- Case size: 12 pcs

MRP: ₹ 310/-, ₹ 390/-, ₹ 610/-, ₹ 800/-, ₹ 940/-

HSN Code: 85393110

Softone

40W, 60W, 100W

Specifications & Features

- Softer, frosted glow
- Case size: 100 pcs

MRP: 40W/60W: ₹ 20/-, 100W: ₹ 22/-

HSN Code: 85392910



Lustre Lamp

27W: 1760lm, 32W: 2150lm, 45W: 2735lm,
65W: 4000lm, 80W: 5100lm

Specifications & Features

- Lamp type: spiral
- Available in: E5
- Available in: CDL
- Case size: 100 pcs

MRP: Clear: ₹ 22/-, Soft White: ₹ 25/-

HSN Code: 85392910





Candle

25W, 40W

Specifications & Features

- 25W Candle clear
- 25W Pearl Candle
- 40W Candle CLR - E14
- 40W Pearl Candle - E14
- Case size: 50 pcs

MRP: 25W clear: ₹ 20/-, 25W/40W Pearl & CLR: ₹ 22/-

HSN Code: 85392910

Standard Incandescent

25W, 40W, 60W, 100W, 200W

Specifications & Features

- 25W/40W/60W/100W/200W
- Case size: 25W/40W/60W/100W: 150pcs
200W: 50 pcs

MRP: 25W/40W/60W: ₹ 15/-, 100W: ₹ 16/-, 200W: ₹ 31/-

HSN Code: 85392910



Decoration Coloured Lamp

15W (Red, green, yellow, blue, orange and soft white)

Specifications & Features

- Coloured decoration lamp
- Application: Festive lighting, Pooja room, night lamp
- Available in red, green, yellow, blue, orange and soft white

MRP: ₹ 20/-

HSN Code: 85392910





Double-ended Halogen

500W & 1000W

Specifications & Features

- Case size: 10 pcs

MRP: ₹ 86/-, ₹ 96/-

HSN Code: 85392190





CFL-NI PL-S Lamps

9W & 11W

Model Number: PL-S

Specifications & Features

- Available in 2 pin and 4 pin
- 2 color temperatures 2700 and 6500

MRP: 9W: ₹ 100/-, 11W: ₹ 105/-

HSN Code: 85393110

CFL-NI PL-C Lamps

10W, 13W, 18W, 26W

Model Number: PL-C

Specifications & Features

- Choice in 3 color temperatures 2700K, 4000K and 6500K
- Available in 4 wattages 10W, 13W, 18W, 26W
- Available in 2 pin and 4 pin

MRP: 10W, 13W: ₹ 125/-, 18W: ₹ 135/-, 26W: ₹ 175/-

HSN Code: 85393110



CFL-NI PL-L Lamps

18W & 36W

Model Number: PL-L

Specifications & Features

- Choice in 3 color temperatures 2700k, 4000k and 6500k
- Available in 2 wattages 18W & 36W
- Available in 4 pin Only

MRP: Clear: 18W, 36W: ₹ 145 /-

HSN Code: 85393110



TL





T5 Essential

14W & 28W

Specifications & Features

- Lumen: 1220lm/2600lm
- Life: 15,000 hrs.
- 830/840/865 colours available
- Case size: 40 pcs

MRP: 2ft: ₹ 114/-, 4ft: ₹ 116/-

HSN Code: 85393190

T5 HO Essential

54W

Specifications & Features

- Lumen: 5000lm
- Life: 20,000 hrs.
- 830/840/865 colours available
- Case size: 40 pcs

MRP: ₹ 210/-

HSN Code: 85393190



T8 Trulite

18W & 36W

Specifications & Features

- Lumen: 1350lm/3250lm
- Life: 15,000 hrs.
- 827/840/865 colours available
- Case size: 25 pcs

MRP: ₹ 2ft: 92/-, 4ft: ₹ 102/-

HSN Code: 85393190





T8 Lifemax Plus

36W

Specifications & Features

- Lumen: 2650lm
- Life: 21,000 hrs
- Case size: 30 pcs

MRP: ₹ 54/-

HSN Code: 85393190





T8 Champion Maxbright with twin glow technology

36W

Specifications & Features

- Life: 15,000 hrs
- Case size: 30 pcs

MRP: ₹ 58/-

HSN Code: 85393190

T8 Lifemax

18W & 36W

Specifications & Features

- Lumen: 1015lm/2450lm
- Life: 15,000 hrs.
- Case size: 18W: 25 pcs
36W: 36 pcs

MRP: ₹ 2ft: 46/-, 4ft: ₹ 47/-

HSN Code: 85393190



T12 Champion 3-in-1

20W & 40W

Specifications & Features


- Lumen: 940lm/2450lm
- Life: 15,000 hrs.
- Case size: 30 pcs

MRP: 20W: ₹ 46/-, 40W: ₹ 49/-

HSN Code: 85393190



MODULAR Switches





Mirror Glaze

Model Number: 12NC: 913713947101
12NC: 913713946501

Specifications & Features

- Multiple color/sparkle option for superior look
- Light weight/ultra-durability
- Easy to clean
- Great strength due to honeycomb ribs construction

MRP: 3M Mirror Glaze Black ₹ 660/-

HSN Code: 85381090

Smart+

Model Number: 12NC: 913713638801
12NC: 913713642401

Specifications & Features

- Mix blend of glossy & matt finish makes it premium
- Light weight/ultra-durability
- Great strength due to honeycomb ribs construction

MRP: Switch 1M-1W/10AX Smart+ Matt Black: ₹ 107/-
Grid & Cover-3M Smart+ Matt Black: ₹ 750/-

HSN Code: 85365020



Smart Range

Model Number: 12NC: 913713646301
12NC: 913713914649


Specifications & Features

- Premium glossy finish - easy to clean
- UV stabilized
- Triple protection technology
- Great strength due to honeycomb ribs construction

MRP: Switch 1M-1W/10AX Smart - White: ₹ 105/-
Grid & Cover 3M Smart - White: ₹ 115/-

HSN Code: 85365020





Ultra




Model Number: 12NC: 913713660401
12NC: 913713663001

Specifications & Features

- Special insert size
- More switch point in same space
- Low insert height for more space for wiring
- Glossy finish for easy cleaning

MRP: Switch 1M 1 way 10AX Ultra: ₹ 95/-
Grid & Cover 6M Ultra: ₹ 175/-

HSN Code: 85365020



MCB, RCCB & Isolators





MCB

Model Number : 12NC: 913713920249
12NC: 913713929249

Specifications & Features

- RoHS compliance (TDS)
- ISI certified (BIS Licence)
- IP 20 protected (TDS)
- Energy efficient

MRP: MCB 1 POLE Curve B 16A: ₹ 200/-
MCB 2 POLE Curve C 16A: ₹ 610/-

HSN Code: 85362030

MCB

Model Number: 12NC: 913713920049
12NC: 913713930549

Specifications & Features

- Conforms to IEC 60898 & IS : 8828 standards
- Energy limiting class 3
- Trip free mechanism
- Designed with increased air circulation enhancing efficiency and life
- Combination head captive screws
- High terminal capacity
- Available in B and C curve

MRP: MCB 1 Pole Curve B 06A: ₹ 200/-
MCB 3 Pole Curve C 06A: ₹ 950/-

HSN Code: 85362030



RCCB

Model Number: 12NC: 913713936549
12NC: 913713938049

Specifications & Features

- Confirms to IEC 61000 & IS: 12460-1 Standards
- High shock resistance
- Combination head captive screws
- IP 20 protection with finger proof terminals
- High terminal capacity to accommodate a 35 sq. mm cable
- Wide residual current Range from 30mA to 300mA

MRP: Clear: RCCB two pole 25A/30mA: ₹ 2,520/-
RCCB four pole 25A/30mA: ₹ 3,260/-

HSN Code: 85362040





Isolator

Model Number: 12NC: 913713934549
12NC: 913713935149

Specifications & Features

- Conforms to IEC 60947-3 standards
- Resistance to shock - 40mm free fall
- Combination head captive screws
- IP 20 protection with finger proof terminals
- High terminal capacity to accommodate a 35 sq. mm cable
- Energy efficient

MRP: Isolator 1 Pole 40 A: ₹ 260/-
Isolator 2 Pole 63 A: ₹ 490/-

HSN Code: 85365010

Trip Starter

Model Number:
12NC: Trip starter-6A-Smart Range-913713663701
12NC: Trip starter-10A-Smart Range-913713663801

Specifications & Features

- Short circuit breaking capacity- 3 KA with IP 20 protection
- Compatible with all ranges of Philips modular switches
- Glossy finish; easy to clean
- Available in 6A, 10A, 16A, 20A, 25A, 32A power rating

MRP: Trip Starter 6A & Trip Starter 32A: ₹ 199/-

HSN Code: 85362030



Distribution Box

Model Number: 12NC: 913713944601
12NC: 913713944801

Specifications & Features

- Premium quality powder coating applied to avoid rusting
- Level marking for easy flush mounting
- Masking sheet provision to avoid cement spillage
- Optional wire entry on side walls

MRP: SPN Single Door 4 Way: ₹ 830/-
SPN Double Door 4 Way: ₹ 1300/-

HSN Code: 85371000



LIGHTING

Accessories





Lamp Holder

Model Number: 12NC: 913713666501
12NC: 913713666701

Specifications & Features

- Heat vents on the collar to allow dissipation of heat
- Ring gripper for robust and tight grip of lamp
- Heat resistant plastics

MRP: Straight Lamp Holder: ₹ 25/-
Angular Lamp Holder: ₹ 25/-

HSN Code: 85366110

Plug Tops

Model Number: 12NC: 913713678501
12NC: 913713678601

Specifications & Features

- Fixed pins to provide more durability & strength during usage
- Convenient gripping
- Easy wire routing

MRP: 3 Pin Plug Top 6A: ₹ 60/-
3 Pin Plug Top 16A: ₹ 99/-

HSN Code: 85366910



Jumbo Lamp Holder

Model Number: 12NC: 913713684301

Specifications & Features

- High grade heat resistant poly carbonate material
- Heat vents for proper dissemination of heat
- Gloss finish for easy maintenance
- Adjustable mounting with oval and circular screw holes

MRP: Jumbo Lamp Holder: ₹ 45/-

HSN Code: 85366110



Ecolink Extension Reel

Model Number: 12NC: 913713666601

Specifications & Features

- 4M extra long cable for extended reach
- Universal sockets compatible for different country plug
- 360 degree smooth rotation
- Master switch with led indicator

MRP: ₹ 299/-

HSN Code: 85371000

4 Way Spike and Surge Guard

Wattage available: 6W, 12W, 15W, 18W

Model Number: SM250 & SM251 (Circular)
SM260 & SM261 (Square)

Specifications & Features

- Takes heavy load upto 1.5KW
- Compatible with multiple country plug
- Protects appliances against voltage fluctuations

MRP: ₹ 450/-

HSN Code: 94051090


ecolink

4 WAY SPIKE AND SURGE GUARD





INDOOR



Smartbrite Extra Batten

Wattage available: 22W

Model Number: BN 021 LED25S 6500 PSU GR S1
BN 021 LED25S 4000 PSU GR S1

Specifications & Features

- Higher Lumen (2500LM output), more energy saving (110LM/W, 22W)
- Extruded aluminum housing (enhances safety) with high quality Polycarbonate diffuser
- Reliable (25000 hour life class)
- Wide voltage protection range 140-270V
- Available in NW (4000K) & CW (6500K)

MRP: 22W (NW/CW): ₹ 950/-

HSN Code: 94051090



Smartbrite Batten

Wattage available: 21W & 10W

Model Number: BN 021C LED20S PSU CDL/NW GR
BN 021 LED10S- 6500/4000 PSU GR S1

Specifications & Features

- Extruded aluminum housing (enhances safety) with high quality Polycarbonate diffuser
- Available in 4ft (21W: 2000lm) and 2ft (10W: 1150lm)
- Reliable (25000 hour life class) and easy to install
- Wide voltage protection range 140-270V
- Available in NW (4000K) & CDL (6500K)

MRP: 21W (NW & CDL): ₹ 850/-
10W (NW & CDL): ₹ 570/-

HSN Code: 94051090



Smartbrite Surface

Wattage available: 32W

Model Number: SM270C LED 30S 6500 PSU WH
SM270C LED 30S 4000 PSU WH

Specifications & Features

- 32W Surface mounted 4'X1' LED light to replace 2X36W TLD & 2X28W TLS 4'X1' light
- Available in 32W-2900 lumen
- Higher life class - 50000 burning hour and CRI > 80
- Mounting options: surface / conduit / suspended
- Available in 6500K (CW) & 4000K (NW)

MRP: 32W(6500K/4000K): ₹ 5,500/-

HSN Code: 94051090





Smartbright Waterproof Dust and waterproof Luminaire

Wattage available: 20W, 40W

Model Number:

WT200C LED40S 6500 PSU L120/4000 PSU L120
WT200C LED20S-6500 / 4000 PSU L60

Specifications & Features

- IP65, Dust and waterproof Led luminaire with polycarbonate housing and SS hardware
- Available in 2ft - 2000lm/20W & 4ft - 4000lm/40W
- Long useful life of 25000 burning hour
- Suitable for both wall and suspended mounting with relevant mounting accessories

MRP: 20W (NW/CW): ₹ 2,600/- 40W (NW/CW): ₹ 3,800/-

HSN Code: 94051090

Sleek Surface

Wattage available: 6W, 12W, 15W, 18W

Model Number: SM250 & SM251 (Circular)
SM260 & SM261 (Square)

Specifications & Features

- Surface/Wall mounted LED downlight for multipurpose utility
- Available in Round and Square with all color temperature (CW, NW, WW)
- Longer Life-30,000 burning hour
- Available in 750lm, 1200lm, 1600lm & 2000lm
- Surge protection of 2.5 KV with wide voltage protection range 140-270V

MRP: 18W (CW, NW & WW): ₹ 1,950/-
15W (CW, NW & WW): ₹ 1,750/-
12W (CW, NW & WW): ₹ 1,200/-
6W (CW, NW & WW): ₹ 1,100/-

HSN Code: 94051090



Cirrus Mini Pro

Wattage available: 20W & 12W

Model Number:

SM200C LED16S 6500/4000 PSU OD WH
SM200C LED11S 6500/4000 PSU OD WH

Specifications & Features

- Surface mounted (312mmX312X45mm) LED light to replace 2X18W & 2X26W CFL surface mounted downlights
- Available in 12W: 1100 lumen and 20W: 1600 lumen
- Surge protection of 3 KV with wide voltage protection range 140-270V
- Higher life class - 50000 burning hour
- Available in 6500K (CW) & 4000K (NW)

MRP: 20W (6500K/4000K): ₹ 3,100/-
12W (6500K/4000K): ₹ 2,550/-

HSN Code: 94051090





Vista Glow

Wattage available: 6.5W

Model Number: WT140W LED7S CW PSU S1 PC
WT140W LED7S NW PSU S1 PC

Specifications & Features

- Pressure die cast housing
- High Life class: 25K burning hour
- IP65-Protection against Dust & Water with Ik08 (Vandal Proof)
- >105 Lumen/Watt (700 lumen/6.5W)

MRP: 6.5W (NW & CW): ₹ 999/-

HSN Code: 94051090

Endura LED Bulkhead

Wattage available: 9W

Model Number: WT202W LED6S NW PSU S2 PC
WT202W LED6S CW PSU S2 PC

Specifications & Features

- Surface mounted LED bulkhead to replace 1X60W GLS & 1X11W CFL bulkhead
- Pressure die cast aluminum housing with unbreakable polycarbonate diffuser
- Fit and forget, designed for 50000 burning hours
- Low power consumption (9W, 600lm), available in NW & CW
- Ip66 (waterproof) with IK09 impact resistance (Durable)

MRP: 9W (NW & CW): ₹ 1,600/-

HSN Code: 94051090



Coreline Panel

Wattage available: 37W

Model Number:

RC375B LED30S/865 PSU W60 L60 S1 WH
RC375B LED30S/840 PSU W60 L60 S1 WH

Specifications & Features

- 37W fully diffused recessed mounted LED luminaire (595X595mm) to replace 4X14W or 2X36W CFL conventional light
- Extruded aluminum housing, 11.5mm depth only
- Edge lit LED panel with light output of 3000 lumen
- Reliable (25000 hour life class) and easy to install
- Available in 6500K (CW) & 4000K (NW)

MRP: 36W (6500K/4000K): ₹ 3,800/-

HSN Code: 94051090



Troffer

Wattage available: 24W

Model Number:

RC370B LED30S-6500 G4 L60W60 PSU OD

RC370B LED30S-4000 G4 L60W60 PSU OD

Specifications & Features

- 24W fully diffused recessed mounted LED luminaire (595X595mm) to replace 4X14W or 2X36W CFL conventional light
- Backlit LED luminaire with uniform light distribution & light output of 3000 lumen
- Higher life class - 25000 burning hour
- Available in 6500K (CW) & 4000K (NW)

MRP: 24W (6500K/4000K): ₹ 4,000/-

HSN Code: 94051090

GreenLED Plus

Wattage available: 7.5 W, 12.5W, 15W & 18W

Model Number: DN171B/DN176B LED6S,
DN172B/DN177B LED9S, LED12S & LED15S

Specifications & Features

- Pressure die cast aluminum housing for better heat dissipation, ensuring long life
- Available in Round and Square with all color temperature (CW,NW,WW)
- Longer Life-30000 burning hour & easy to install
- Available in 600lumen,1000lumen,1200lumen & 1500 Lumen
- Surge protection of 2.5 KV with wide voltage protection range 140-270v

MRP: 18W CW, NW & WW: ₹ 1,160/-

15W CW, NW & WW: ₹ 1,060/-

12.5W CW, NW & WW: ₹ 960/-

7.5W CW, NW & WW: ₹ 760/-

HSN Code: 94051090



OUTDOOR





Smart Bright Street

Wattage available: 15W

Model: BRP040 LED 15 CW R1 S1 PSU GR

Specifications & Features

- 15W LED street light to replace conventional street lights upto 40W FTL/CFL
- Efficacy: 100 lumen/watt
- IP65 with 4KV inbuilt surge protection
- Finless design with better street lighting optics
- PDC housing with IK07 protection

MRP: ₹ 1,850/-

HSN Code: 94054090

Smart Bright Street

Wattage available: 35W

Model: BRP050 LED 036 CW R1 MF PC S1 PSU GR

Specifications & Features

- 35W LED street light to replace conventional street lights upto 70W
- Efficacy: 100 lumen/watt
- IP65 with 4KV inbuilt surge protection
- Finless design with better street lighting optics
- PDC Housing

MRP: ₹ 4,400/-

HSN Code: 94054090



Greenline Smart

Wattage available: 25W

Model: BRP020 LED HP/CW 240V 25

Specifications & Features

- 25W LED street light to replace conventional street lights upto 70W
- >90 lumen/watt system efficacy
- IP65 with 4KV inbuilt surge protection
- Sleek design with better street lighting optics
- PDC housing

MRP: ₹ 3,000/-

HSN Code: 94054090





Greenline

Wattage available: 70W

Model: BRP408 LED HP/CW 240V PSU GR 70W

Specifications & Features

- >90 lumen/watt system efficacy
- CCT: 5700K; full Ip65
- Wattage range: 70W
- THD <10%, Surge: 4 KV
- Direct substitute up to 100W conventional lamp

MRP: ₹ 7,000/-

HSN Code: 94054090

Smart Bright Flood

Wattage available: 30W, 50W, 70W

Model: BVP 161 LED 26 NW/CW/WW 30W

BVP 161 LED 43 NW/CW/WW 50W

BVP 161 LED 60 NW/CW/WW 70W

Specifications & Features

- PDC housing with IP65 flood light optics
- Efficient high output LED for direct replacement of conventional flood lights upto 150W
- Available in warm white (WW), Neutral white (NW), Cool White (CW)
- Efficacy: >80 Lumens/watt
- Sleek and robust design for better aesthetics

MRP: 30W: ₹ 2,650/-, 50W: ₹ 5,000/-, 70W: ₹ 7000/-

HSN Code: 94054090



Essential SmartBright Floodlight

Wattage available: 10W & 20W

Model Number: BVP131(10W) & BVP132(20W)

Specifications & Features

- Up to 85% energy saving, compared with Philips Halogen lamps flood light
- Die cast Aluminum Housing: CRI:80
- Anti Glare :Hi quality honeycomb pattern light diffuser
- Robust Driver, Wide operating voltage 100-240V
- Easy to Install and Maintain
- 80lm/w system efficacy / CCT: 3000K, 4000K, 6500K

MRP: 10W: ₹ 900/-, 20W: ₹ 1,200/-

HSN Code: 94054090



PROFESSIONAL LED lamps





LED Spots MR16

Wattage available: 4.5W

Specifications & Features

- 4.5W, 400lm
- 15K life hours
- 3000K/6500K
- Case size: 10 pcs

MRP: ₹ 299/-

HSN Code: 85395000

LED Spots GU10

Wattage available: 4.6W

Specifications & Features

- 4.6W, 400lm
- 15K life hours
- 3000K/6500K
- Case size: 10 pcs

MRP: ₹ 299/-

HSN Code: 85395000



LED PLL

Wattage available: 18W

Specifications & Features

- 18W, 1700lm
- 15K life hours
- 6500K
- Case size: 20 pcs

MRP: ₹ 599/-

HSN Code: 85395000





True Force Highbay

Wattage available: 160W

Specifications & Features

- High lumen output: 20000 lm
- Color 6500K
- Wide Beam and Narrow Beam options
- Case Size: 2
- Suitable for very high ceiling applications in industry and retail

MRP: ₹ 9,999/-

HSN Code: 85395000





True Force Post Tops

Wattage available: 25W & 33W

Specifications & Features

- Color 4000K
- Clear and Frosted Options
- Suitable for Post tops, bollards in parks and walkways

MRP: 25W: ₹ 2,999/-
33W: ₹ 3,499/-

HSN Code: 85395000

LED Tube

Highly Efficient LED PC Tubelights

Wattage available: 18W & 16W

Model: MAS LED tube 1200mm, 18W 865 T8 I
Essential LED tube 16W, 1800lm, 865 T8

Specifications & Features

- Polycarbonate housing in opal finish provides glare free uniform light distribution
- Available in 18W/2100 lumen & 16W/1800 lumen
- Long useful life of 40K burning hour
- Inbuilt aluminium heat sink hence more durable
- Surge Protection- 3KV

MRP: 18W: (NW&CW) / 16W(CW): TBA

HSN Code: 85395000



LED Tube

Highly Efficient LED Glass Tubelight

Wattage available: 20W

Model No.: Essential LED tube 1200mm 20W 865 T8 IND I

Specifications & Features


- Perfect replacement of existing 1200mm T8 fluorescent tubelight fixtures
- Available in 20W/2100 lumen
- Useful life of 20K Burning hour
- Surge Protection- 2.5KV

MRP: 20W (CW): TBA

HSN Code: 85395000



LED Drivers





Sumo LED Drivers

Wattage available: 2W-4W, 5W-7W, 8W-10W, 11-15W, 16W-21W

12NC	Description	MRP (Rs)
929001469106	Sumo LED 2-4W	100/-
929001469206	Sumo LED 5-7W	150/-
929001469306	Sumo LED 8-10W	200/-
929001469406	Sumo LED 11-15W	250/-
929001469506	Sumo LED 16-21W	300/-

Specifications & Features

- Isolated design with 2KV surge protection
- Optimized for Indian conditions
- Instant flicker-free start / Long lasting
- Over voltage protection with wide operating range surviving 320V@48hrs and 350V@2hrs

24W 2A Constant Voltage LED Driver

Wattage available: 24W
Current Available: 2A

12NC	Description	MRP (Rs)
929001417366	LED Transformer 24W 2A12VDC	350/-

Specifications & Features

- High standards of safety
- Reliable, robust and versatile
- Short circuit and over voltage protection
- Compact size
- Class II (no need of earthing)
- Application – with LED Tape/Strips



Sumo Xtreme 136

Wattage available: 36W

12NC	Description	MRP (Rs)
913712910814	Sumo Xtreme 136 TLD	190/-

Specifications & Features

- Robust and reliable performance
- Surge Protection of 2.2 KV – works well in voltage
- Unique end-of-life circuit -2x life
- Auto Cut-off and restart at 300V



