Sturlite ✕ ®

F⊙CUSED
≡ & intelligent
everyday solutions

Sturlite ®

LED LIGHTING

The Power of Light

Light affects how we feel, influences the way we respond to the world around us and has a major impact on our decision-making process.

At Sturlite, we have the breadth of products, the solution controls and the end-to-end services to help you take full advantage of today's advanced LED lighting solution.

This catalogue explains the critical role lighting plays in illuminating settings, creating a mood that makes people feel comfortable from the moment they arrive, meeting the lighting requirements for many different activities and ultimately, delivering an ambience that makes people feel comfortable in their surroundings.

Transform your

SPACES

The
RIGHT LIGHT
for every space

From warm and cozy to cool and invigorating to enhanced clarity, our series of lighting fixtures provide the optimal lighting for the right spaces in your home.

Enhanced Energy

Our Natural, vibrant light provides exceptional color contrast and boldness. Its perfect for energising moments and active spaces. Its optimal for playrooms, home offices, laundry rooms, and even outside.

Enhanced Clarity

Our Cool day lighting filters out dulling yellow light to give you incredible color contrast and whiter whites for exceptional clarity. It's perfect for your kitchen or any other space where clarity matters.

Enhanced Comfort

Our Warm Lighting provides the optimal light for comfortable moments and cozy spaces. It's pefect for bedrooms, family rooms and dining rooms

More Possibilities with

Light

CONTENTS

Sturlite

LED
PANEL LIGHTS

HYPER X Get more

![Sturlite logo](top right)

HYPER X LED PANEL LIGHT

| SMD | AC 220-240V | CCT WH/WW/NW | FORM RD/SQ | IP20 | 120° | Ra 90 | 2 YEARS GUARANTEE |

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
HYPERX-10W	10W	1100	>0.9	Ø70 or 2.75"	Ø93X37	60	780
HYPERX-15W	15W	1650	>0.9	Ø95 or 3.75"	Ø120X37	60	1035
HYPERX-22W	22W	2420	>0.9	Ø142 or 5.6"	Ø170X37	40	1560

1 Modern, Unobtrusive Design

2 Full translucent cover providing homogeneous light effect

3 Driver with Inbuilt Protection

4 High performance LED's with 110 Lm/W

*All sizes are in mm or inches

PONG

Say bye-bye to ceiling damage

Twist & Fit

PONG MODULAR LED DOWNLIGHT

| SMD | AC 220-240V | CCT WH | FORM RD/SQ | IP20 | 120° | Ra 90 | 2 YEARS GUARANTEE |

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
PONG-8W	8W	800	>0.9	Ø108 or 4"	Ø122X43.5	20	540
PONG-15W	15W	1500	>0.9	Ø158 or 6"	Ø172X43.5	20	840
PONG-22W	22W	2200	>0.9	Ø196 or 8"	Ø210X43.5	20	1075

1 Ease of replacement without damaging the false ceiling

2 Flexibility of changing ambience with same housing

3 Industry best lighting at 100 Lm/W

4 High colour rendering with CRI>90

*All sizes are in mm or inches

TIC TAC

Designed to adjust anywhere

ADJUSTABLE
CLIPS

TIC TAC LED PANEL LIGHT

SMD	AC 220-240V	CCT WH/WW	FORM RD/SQ	IP20	120°	Ra 90	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
TICTAC-12W	12W	1320	>0.9	Ø75-100 or 3-4″	Ø120X30	40	835
TICTAC-18W	18W	1980	>0.9	Ø75-150 or 3-6″	Ø170X32	20	1320
TICTAC-24W	24W	2640	>0.9	Ø75-200 or 3-8″	Ø223X32	20	1845

1 Adjustable clips for various false ceiling size

2 Full translucent cover providing homogeneous light effect

3 Build to resist yellowing & chipping

4 High performance LED's with 110 Lm/w

*All sizes are in mm or inches

DEX
Simply great light

DEX RECESS-BACKLIT LED PANEL LIGHT

SMD	AC 220-240V	CCT WH/WW/NW	FORM RD/SQ	IP20	120°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
DEX-PANEL-8W	8W	880	>0.9	Ø110 or 4"	Ø115X36	40	390
DEX-PANEL-15W	15W	1650	>0.9	Ø160 or 6"	Ø166X35	40	655
DEX-PANEL-22W	22W	2420	>0.9	Ø210 or 8"	Ø218X35	20	980

1 High performance LED's with 110 Lm/w

2 High quality poly carbonate body

3 Wide voltage range & surge protection

4 Good color quality with CRI>80

DEX 3 IN 1

All in one lighting for every mood

WHITE

NEUTRAL WHITE

WARM WHITE

DEX RECESS-BACKLIT 3 IN 1 **LED PANEL LIGHT**

SMD	AC 220-240V	3 in 1 CCT WH/WW/NW	FORM RD/SQ	IP20	120°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
DEX-10W-3CCT	10W	1000	>0.9	Ø110 or 4"	Ø115X35	20	490
DEX-15W-3CCT	15W	1500	>0.9	Ø160 or 6"	Ø166X35	20	790

1 High performance LED's with 100 Lm/w

2 High quality poly carbonate body

3 Wide voltage range & surge protection

4 Good color quality with CRI>80

*All sizes are in mm or inches

Create a **Relaxing** Environment

Sturlite panel lights offers a warm, soft white light, perfect for comfortable moments & cosy spaces.
Use our Panel lights in spaces like bedrooms, family rooms & dining rooms.

Benefits
1. Beautiful, soft, balanced light without glare

2. High color quality

3. Reduced maintenance cycles

EVOC
Best in class performance standard

EVOC LED PANEL LIGHT

| SMD | AC 220-240V | CCT WH/WW/NW | FORM RD/SQ | IP20 | 120° | Ra 80 | 3 YEARS GUARANTEE |

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
EVOC-3W	3W	300	>0.5	Ø75 or 3"	Ø93X28	60	325
EVOC-6W	6W	600	>0.5	Ø100 or 4"	Ø118X28	60	435
EVOC-10W	10W	1000	>0.9	Ø125 or 5"	Ø142X28	60	550
EVOC-15W	15W	1500	>0.9	Ø150 or 6"	Ø168X28	40	720
EVOC-20W	20W	2000	>0.9	Ø198 or 8"	Ø220X28	40	1040

1 High grade pc-aluminium housing

2 Brightest edge lit panel with efficacy upto 100 Lm/w

3 Driver with inbuilt protection

4 Good color quality with CRI>80

*All sizes are in mm or inches

ECO LYF
Minimalistic & Efficient

ECO LYF LED PANEL LIGHT

SMD	AC 220-240V	CCT WH/WW/NW	FORM RD/SQ	IP20	120°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
ECOLYF-4W	4W	320	>0.5	Ø75 or 3"	Ø85X20	60	300
ECOLYF-8W	8W	640	>0.5	Ø100 or 4"	Ø120X20	60	430
ECOLYF-12W	12W	960	>0.9	Ø126 or 5"	Ø146X20	40	560
ECOLYF-15W	15W	1200	>0.9	Ø150 or 6"	Ø174X20	40	670
ECOLYF-22W	22W	1760	>0.9	Ø205 or 8"	Ø225X20	20	895
ECOLYF-30W	30W	2250	>0.9	Ø275 or 11"	Ø300X22	10	1900

**1** High quality aviation grade aluminium **2** High performance LED's with 80 Lm/w **3** 2.5KV surge protection **4** Anti light leak design

ECO LYF 3 IN 1
Choose your Moments

ECO LYF 3 IN 1 LED PANEL LIGHT

SMD	AC 220-240V	3 in 1 CCT WH/WW/NW	FORM RD/SQ	IP20	⚠ 120°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
ECOLYF-8W-3CCT	8W	640	>0.9	Ø100 or 4"	Ø120X20	60	565
ECOLYF-15W-3CCT	15W	1200	>0.9	Ø150 or 6"	Ø174X20	40	810

1 High Quality Aviation Grade Aluminium

2 High Performance LED's with 80Lm/W

3 Anti Light Leak Design

4 Bright, Uniform Soft Lighting

*All sizes are in mm or inches

INVERTER PANEL

Be emergency ready

INVERTER RECESS-BACKLIT LED PANEL LIGHT

SMD	AC 220-240V	CCT WH	FORM RD/SQ	IP20	120°	Ra 90	1 YEAR GUARANTEE

PRODUCT CODE	TYPE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
INV-PANEL-10W	RECESS	10W	1100	>0.9	Ø110 or 4"	Ø116X35	20	940
INV-PANEL-15W	RECESS	15W	1650	>0.9	Ø160 or 6"	Ø166X35	20	1385

1 High quality poly carbonate housing

2 High performance LED's with 110 Lm/w

3 Powerful Long Lithium Battery 2200 mAH upto 500 Charging Cycles

4 Wide Voltage Range & Surge Protection

ORIEL

More brightness, More savings

ORIEL SLIM DOWNLIGHT

SMD	AC 220-240V	CCT WH/WW	FORM RD/SQ	IP20	120°	Ra 80	3 YEARS GUARANTEE

| PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
ORIEL-8W	8W	640	>0.9	Ø100 or 4"	Ø120X20	60	365
ORIEL-12W	12W	960	>0.9	Ø126 or 5"	Ø146X20	40	540
ORIEL-15W	15W	1200	>0.9	Ø150 or 6"	Ø174X20	40	590
ORIEL-22W	22W	1760	>0.9	Ø205 or 8"	Ø225X20	20	880

1. Uniform Light Distribution
2. Wide Voltage Range
3. High Surge Protection
4. Unique & slim design

*All sizes are in mm or inches

# KOLORS

Create instant ambience for any occasion

ADJUSTABLE CLIPS

ORANGE   BLUE   PINK   GREEN

KOLORS ADJUSTABLE DOUBLE COLOR PANEL LIGHT

SMD	AC 220-240V	CCT WH	FORM RD	IP20	120°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
KOLORS-6+3W	6+3W	600+300	>0.6	Ø60-100 or 2.4"-4"	Ø110x13	60	600
KOLORS-12+4W	12+4W	1200+400	>0.9	Ø75-160 or 3"-6.3"	Ø170x13	40	1005

1 Adjustable Clips for For Various False Ceiling Size

2 High Performance LED's With 100lm/w

3 High Grade PC-Aluminium Housing

4 Sleek light effect for rich ambience

*All sizes are in mm or inches

SAPPHIRE

Simplicity of style | Colourful frame

![Sturlite logo]

White +
Blue

White +
Green

White +
Pink

White +
PGB

SAPPHIRE DOUBLE COLOR PANEL LIGHT

| SMD	AC 220-240V	FORM RD/SQ	IP20	⚠ 120°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
SAPPHIRE-3+3W	3+3W	240 + 240	>0.9	Ø75 or 3"	Ø85X20	60	375
SAPPHIRE-6+3W	6+3W	480 + 240	>0.9	Ø100 or 4"	Ø120X20	40	645
SAPPHIRE-12+4W	12+4W	960 + 320	>0.9	Ø150 or 5"	Ø174X20	40	895

1 High quality aviation grade aluminium

2 High Performance LED with 80Lm/w

3 2.5KV surge protection

4 Rich light effect for the perfect ambience

*All sizes are in mm or inches

LED
SURFACE LIGHTS &
SQUARE PANELS

S-FIT

The shape you know with the performance you need

S-FIT LED SURFACE LIGHT

| SMD | AC 220-240V | CCT WH/WW/NW | FORM RD/SQ | IP20 | 120° | Ra 80 | 3 YEARS GUARANTEE |

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
SFIT-8W	8W	640	>0.9	Ø95X20	60	550
SFIT-12W	12W	960	>0.9	Ø120X20	60	700
SFIT-15W	15W	1200	>0.9	Ø145X23	50	870
SFIT-22W	22W	1760	>0.9	Ø170X23	40	1105
SFIT-30W	30W	2400	>0.9	Ø225X20	20	1710

1. Aluminium Heat Sink
2. Unique and Slim Design
3. Uniform Light Distribution
4. Wide Voltage Range & Surge Protection

DEX Simply great light

DEX LED SURFACE LIGHT

SMD	AC 220-240V	CCT WH/WW/NW	FORM RD/SQ	IP20	120°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
DEX-SURFACE-8W	8W	880	>0.9	Ø116X35	40	500
DEX-SURFACE-15W	15W	1650	>0.9	Ø166X35	40	795
DEX-SURFACE-22W	22W	2420	>0.9	Ø218X35	20	1230

1 High performance LED's with 110 Lm/w

2 High quality poly carbonate body

3 Wide voltage range & surge protection

4 Good color quality with CRI>80

*All sizes are in mm or inches

S-TWIST

Twist for a bright & efficient lighting experience

S-TWIST LED SURFACE LIGHT

SMD	AC 220-240V	CCT WW/WH/NW	FORM RD	IP20	120°	Ra 80	3 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
STWIST-7W	7W	700	>0.9	Ø85X45	40	465
STWIST-9W	9W	900	>0.9	Ø110X45	40	575
STWIST-15W	15W	1500	>0.9	Ø170X45	40	865
STWIST-20W	20W	2000	>0.9	Ø185X45	40	1230

1 Replacement for angle batten technology

2 High performance LED's with 100 Lm/w

3 Driver with Inbuilt Protection

4 Surge & inrush current protected driver

S-TWIST 3 in 1

Lighting for every mood

White

Neutral White

Warm White

S-TWIST 3 IN 1 LED SURFACE LIGHT

| SMD | AC 220-240V | 3 in 1 CCT WH/WW/NW | FORM RD | IP20 | 120° | Ra 80 | 3 YEARS GUARANTEE |

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
STWIST-15W-3CCT	15W	1500	>0.9	Ø170X45	40	970

1 Replacement for angle batten technology

2 High performance LED's with 100 Lm/w

3 Driver with Inbuilt Protection

4 Surge & inrush current protected driver

*All sizes are in mm or inches

The clear choice of Workspace

The new Sturlite Regal panel range of LED products can be used to replace functional luminaires in general lighting applications. The process of selecting, installing & maintaining is so easy - it's a simple switch.

Benefits

Best in class lighting

Significant reduction in payback cost

Integrated Technology

Sustainable Performance

REGAL

Best in class visual comfort

REGAL SQUARE 2X2 BACKLIT LED PANEL

| SMD | AC 220-240V | CCT WH/WW/NW | FORM SQ | IP20 | 120° | Ra 80 | 2 YEARS GUARANTEE |

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
REGAL-50W	50W	5000	>0.9	Ø600X600	5	3180
REGAL-50W-SPRING	Recess-Spring	–	–	–	–	120

1 Higher light transmission rate

2 Low indirect glare

3 High color rendering with CRI>80

4 Efficacy of >100 Lm/w ensures maximum savings

*All sizes are in mm or inches

LED
DOWNLIGHTS
& MINI FITTINGS

OPAL

The perfect light for every room

OPAL JUNCTION BOX DOWNLIGHT

| SMD | AC 220-240V | CCT WH/WW/NW/ RD/BL/GN/PK | FORM RD | IP20 | 120° | Ra 80 | 2 YEARS GUARANTEE |

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
OPAL-10W	10W	1000	>0.9	Ø75 or 3"	Ø105X55	50	325

1 Compact design for excellent heat dissipation

2 High yellowing polycarbonate diffuser

3 High voltage protection upto 440V & 4KV surge protection

4 Industry best efficacy upto 100 Lm/w

JOYCE

Set your desired ambience at your fingertips

3 in 1

WHITE	WARM WHITE	NEUTRAL WHITE
RED	BLUE	PINK
BLUE	GREEN	SKY BLUE

JOYCE 3 IN 1 JUNCTION BOX DOWNLIGHT

| SMD | AC 220-240V | 3in1 CCT WH/WW/NW RD/BL/PK BL/GN/SB | FORM RD | IP20 | 120° | Ra 80 | 2 YEARS GUARANTEE |

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
JOYCE-7W-3CCT	7W	560	>0.9	Ø72 or 2.9"	Ø108X40	100	295

1 Compact Design   **2** Soft, glare free light   **3** Good heat dissipation   **4** Wide Voltage Range

*All sizes are in mm or inches

LEAF

Energy smart downlights

LEAF JUNCTION BOX DOWNLIGHT

SMD	AC 220-240V	CCT WH/WW/NW/ RD/BL/GN/PK	FORM RD	IP20	120°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
LEAF-7W	7W	560	>0.9	Ø73 or 2.9"	Ø110X35	100	220

1 Compact poly carbonate housing

2 High performance LED's with 80 Lm/w

3 Driver with Inbuilt Protection

4 2.5Kv surge & inrush protection

EYRA

Light for your moments

EYRA LED DOWNLIGHT

SMD	AC 220-240V	CCT WH/WW/ RD/BL/GN/PK	FORM RD	IP20	120°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
EYRA-7W	7W	630	>0.9	Ø75 or 3"	Ø105X45	100	255

1 Full transparent cover providing homogenous light effect

2 High performance LED's with 90 Lm/w

3 2.5Kv surge & inrush protection

4 Bright, uniform soft lighting

*All sizes are in mm or inches

EYRA 3 IN 1

Light for your moments

Available in

Sky Blue | Green | Blue

3 IN 1

White | Neutral White | Warm White

EYRA 3 IN 1 LED DOWNLIGHT

| SMD | AC 220-240V | 3in1 CCT WH/WW/NW SB/GN/BL | FORM RD | IP20 | 120° | Ra 80 | 2 YEARS GUARANTEE |

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
EYRA-7W-3CCT	7W	630	>0.9	Ø75 or 3"	Ø105X45	100	340

1 Full transparent cover providing homogenous light effect

2 High performance LED's with 90Lm/w

3 2.5Kv surge & inrush protection

4 Bright, uniform soft lighting

*All sizes are in mm or inches

TWILITE

Turn on your moments

White + Pink

White + Warm white

White + Blue

Blue + White

Green + White

Blue + Warm White

Warm white + White

Green + Warm White

Pink + White

TWILITE 2 IN 1 LED DOWNLIGHT

SMD	COB	AC 220-240V	FORM RD	IP20	120°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
TWILITE-7+3W	7+3W	7W 630LM 3W 270LM	>0.9	Ø75 or 3"	Ø110X35	100	600

1. Change the look instantly at the click of a button
2. High performance LED's with 90 Lm/w
3. 2.5 Kv surge & inrush protection
4. Driver with inbuilt protection

MINI FITTINGS

Elements that invite & impress

REX JUNCTION BOX DOWNLIGHT

SMD	AC 220-240V	CCT WH/WW/NW/ RD/BL/GN/PK	FORM RD	IP20	⚠ 120°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
REX-3W	3W	300	>0.5	Ø55 or 2.05"	Ø80X35	100	155

*All sizes are in mm or inches

RADEON COB SPOTLIGHT

COB	AC 220-240V	CCT WH/WW/ RD/BL/GN/PK	FORM RD	IP20	60°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
RADEON-3W	3W	200	>0.5	Ø55 or 2.05"	Ø70X36	100	250

Available in

White   Warm White   Neutral White

RADEON 3 IN 1 COB SPOTLIGHT

COB	AC 220-240V	3in1CCT WH/WW/NW	FORM RD	IP20	60°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
RADEON-3W-3CCT	3W	200	>0.5	Ø55 or 2.05"	Ø70X36	100	325

PRIUS 3W SPOTLIGHT COB

COB	AC 220-240V	CCT WH/WW/ RD/BL/GN/PK	FORM RD	IP20	35°	Ra 80	1 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
PRIUS-3W	3W	270	>0.5	Ø67 or 1.8"	Ø67X45X32	100	235

ZYRA COB SPOTLIGHT

COB	AC 220-240V	CCT WH/WW/NW RD/BL/GN/PK	FORM RD	IP20	45°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
ZYRA-3W	3W	270	>0.5	Ø30 or 1.18"	Ø40X24	100	205

*All sizes are in mm or inches

EVA 3W COB SPOTLIGHT

COB	AC 220-240V	CCT WH/WW/ RD/BL/GN/PK	FORM RD	IP20	45°	Ra 75	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
EVA-3W	3W	210	>0.5	Ø 36 or 1.4"	Ø42x16	200	150

JASPER COB SPOTLIGHT

COB	AC 220-240V	CCT WH/WW/ RD/BL/GN/PK	FORM RD	IP20	45°	Ra 75	1 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
JASPER-1W	1W	70	>0.5	Ø26 or 1.02"	Ø38x23	200	110

LAURA COB SPOTLIGHT

| COB | AC 220-240V | CCT WH/WW RD/BL/GN/PK | FORM RD | IP20 | 45° | Ra 75 | 1 YEAR GUARANTEE |

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
LAURA-3W	3W	180	>0.5	Ø 32 or 1.25"	Ø 32X45X28.5	200	150

SPRYNGS SURFACE DOWNLIGHT

| SMD | AC 220-240V | CCT WH/WW RD/BL/GN/PK | FORM RD | IP20 | 120° | Ra 80 | 2 YEARS GUARANTEE |

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
SPRYNGS-3W	3W	240	>0.9	Ø 68X88X13.5	100	147

*All sizes are in mm or inches

LED
WALL LIGHTS/
BULKHEAD

ASTER

Sturdy & reliable lighting solution

ASTER LED WALL LIGHT/ BULKHEAD

SMD	AC 220-240V	CCT WH/WW	HOUSING GREY/WHITE	IP65	120°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
ASTER-10W	10W	900	>0.9	Ø170X70X45	50	355
ASTER-20W	20W	1800	>0.9	Ø215X99X55	50	505

1 Visual comfort through diffused natural lighting

2 High voltage protection till 440V

3 4KV Surge Protection

4 Pressure diecast housing with robust polycarbonate cover

DUET

Sturdy & reliable lighting solution

DUET LED WALL LIGHT

| SMD | AC 220-240V | CCT WH/WW | IP65 | ⚠ 180° | Ra 75 | 2 YEARS GUARANTEE |

PRODUCT CODE	PATTERN	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
DUET-18W-4LINE	4 LINE	18W	1440	>0.9	Ø200X160X60	20	1190
DUET-18W-4SQUARE	4 SQUARE	18W	1440	>0.9	Ø200X160X60	20	1190
DUET-18W-2MOON	2 MOON	18W	1440	>0.9	Ø200X160X60	20	1190

1 Bright, soft & uniform light

2 High voltage protection till 380V

3 2.5 Kv surge protection

4 Versatile solution can be mounted on ceiling & wall

*All sizes are in mm or inches

K-TYPE

Bring Imagination to light

WL KTYPE 2X3W WALL LIGHT

COB	AC 220-240V	CCT WW	IP65	120º	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
KTYPE-2X3W-3K	6W (2X3W)	415	>0.9	Ø 145X78X61	40	750

1 High Performance LED with 70 Lm/W

2 Effective thermal management using aluminium casting

3 Wide Voltage Range

4 Glare free light distribution

*All sizes are in mm or inches

IVON

Extending The Home Feel Onto The Street

IVON LED GATELIGHT

| SMD | AC 220-240V | CCT WH/WW | IP65 | 120° | Ra 80 | 1 YEAR GUARANTEE |

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
IVON-20W	20W	2000	>0.9	Ø170X230	18	2430

1 High grade polycarbonate housing

2 Uniform light distribution

3 High Efficiency LED's for optimal output

4 Wide voltage range

*All sizes are in mm or inches

LED
BATTENS, BULBS
& T-BULB

CREATE THE PERFECT SPACE YOU NEED

MIRAI

SONNET

OPUS

ZEV

NURO

LED
BATTENS

100Lm/W | Wide 440V Range | 4KV Surge Protection | CRI>80

| SMD | AC 220-240V | IP20 | 120° | Ra 80 |

CRISA/MIRAI LED BATTEN

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	DLP
CRISA-5W	5W	WW/WH/NW	500	>0.9	Ø285X37	50	260
CRISA-10W	10W	WW/WH/NW	1000	>0.9	Ø600X37	50	305
CRISA-22W	22W	WH	2200	>0.9	Ø1185X37	50	359
CRISA-22W	22W	RD/BL/GN/PK	2200	>0.9	Ø1185X37	50	525
MIRAI-22W	22W	WW/WH/NW	2200	>0.9	Ø1135X37	50	347
MIRAI-22W	22W	RD/BL/GN/PK	2200	>0.9	Ø1135X37	50	525

NEST LED BATTEN

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	DLP
NEST-20W-6K	20W	WH	2200	>0.9	Ø1185X37.4	50	347

AMAZE LED BATTEN

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	DLP
AMAZE-24W-6K	24W	WH	2400	>0.9	Ø1135X37	50	400

OPUS LED BATTEN

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	DLP
OPUS-30W-6K	30W	WH	3000	>0.9	Ø1185X37	50	690

SIRIUS LED BATTEN

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	DLP
SIRIUS-40W-6K	40W	WH	4400	>0.9	Ø1190X37	25	1110

NURO LED BATTEN

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	DLP
NURO-40W	40W	WH/WW	4400	>0.9	Ø1200X38	25	925

EXOS LED BATTEN

1 YEAR GUARANTEE

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	DLP
EXOS-52W-6K	52W	WH	5200	>0.9	Ø1200X42	10	1330

*All sizes are in mm or inches

INVERTER BATTEN

Be emergency ready

INVERTER LED BATTEN

SMD	AC 220-240V	IP20	120°	Ra 80	1 YEAR GUARANTEE

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	DLP
INV-BATTEN-10W	10W	WH	1000	>0.9	Ø600X37	20	1005
INV-BATTEN-20W	20W	WH	2000	>0.9	Ø1186X37	20	1355

CIVIC
3 in 1

CIVIC 3in1 LED BATTEN

SMD	AC 220-240V	3in1 CCT WH/WW/NW	IP20	120°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
CIVIC-20W-3CCT	20W	2000	>0.9	Ø1135X37	25	675

ZEPHYR LED PROFILE LIGHT

A path way to style & performance

ZEPHYR LED PROFILE LIGHT

SMD	AC 220-240V	CCT WH/WW/NW	IP20	120°	Ra 80	1 YEAR GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
ZEPHYR-5W	5W	450	>0.9	Ø300X17X7	25	565
ZEPHYR-10W	10W	900	>0.9	Ø600X17X7	25	935

1 Unique Aesthetic design with Sleek & seamless Profile

2 Easy to mount & simple Plug and Play installation

3 High Grade Aluminium Extrusion for longer service life

4 Even Light Distribution, with Glare free light

*All sizes are in mm or inches

POD CLASSIC

Enhance your decor for a more vibrant space

POD CLASSIC LED BULB

SMD	AC 220-240V	CCT RD/GN/BL/YLW/OR/PK/WH	IP20	240°	Ra 80	1 YEAR GUARANTEE

PRODUCT CODE	POWER	PF	DIMENSION	BOX QTY	DLP
POD-B22-0.5W	0.5W	>0.9	Ø 70X45	120	52

POD
MULTI COLOR LED BULB

POD MULTI COLOR LED BULB

| SMD | AC 220-240V | CCT RD/GN/BL/ YLW/SB/PK/WH | IP20 | 240° | Ra 80 | 1 YEAR GUARANTEE |

PRODUCT CODE	POWER	PF	DIMENSION	BOX QTY	DLP
POD-B22-0.5W-RGB	0.5W	>0.9	Ø 70X45	120	71

POD
PLUG & PLAY LED BULB

POD PLUG & PLAY LED BULB

| SMD | AC 220-240V | CCT RD/GN/BL/ YLW/PK/WH | IP20 | 240° | Ra 80 | 1 YEAR GUARANTEE |

PRODUCT CODE	POWER	PF	DIMENSION	BOX QTY	DLP
POD-PLUG-0.5W	0.5W	>0.9	Ø 70X45	120	100

*All sizes are in mm or inches

POD

MULTI COLOR PLUG & PLAY LED BULB

POD MULTI COLOR PLUG& PLAY LED BULB

| SMD | AC 220-240V | CCT RD/GN/BL/YLW/SB/PK/WH | IP20 | 240° | Ra 80 | 1 YEAR GUARANTEE |

PRODUCT CODE	POWER	PF	DIMENSION	BOX QTY	DLP
POD-PLUG-0.5W-RGB	0.5W	>0.9	Ø 70X45	120	140

POD

MOTION SENSOR PLUG & PLAY LED BULB

with motion sensor

POD MOTION SENSOR LED PLUG & PLAY LED BULB

| SMD | AC 220-240V | CCT WH/BL | IP20 | 240° | Ra 80 | 1 YEAR GUARANTEE |

PRODUCT CODE	POWER	PF	DIMENSION	BOX QTY	DLP
POD-PLUG-MOTION-0.5W	0.5W	>0.9	Ø 70X45	120	130

LIV BULB

Soft, bright light

LIV LED BULB

| SMD | AC 220-240V | IP20 | 240° | Ra 80 | B22 BASE | 1 YEAR GUARANTEE |

PRODUCT CODE	POWER	LUMENS	COLOUR	PF	DIMENSION	BOX QTY	DLP
LIV-3.5-6K	3.5W	370	WH	>0.9	Ø 85X45	100	170
LIV-5W-6K	5W	525	WH	>0.9	Ø 93X50	100	172
LIV-7.5W-6K	7.5W	790	WH	>0.9	Ø 93X50	100	178
LIV-10W-6K	10W	1050	WH	>0.9	Ø110X60	100	180
LIV-12W-6K	12W	1260	WH	>0.9	Ø110X60	100	300
LIV-16W-6K	16W	1680	WH	>0.9	Ø133X70	50	347
LIV-21W-6K	21W	2205	WH	>0.9	Ø152X80	30	441
LIV-24W-6K	24W	2520	WH	>0.9	Ø152X80	30	554

1. High brightness LED of 105Lm/W
2. 240° wide beam angle coverage
3. Aluminium die-cast housing for good heat dissipation
4. Wide voltage range of 440V & 4 KV Surge protection

*All sizes are in mm or inches

INVERTER BULB

Emergency LED Bulb

INVERTER LED BULB

SMD	AC 220-240V	IP20	180°	Ra 80	B22 BASE	1 YEAR GUARANTEE

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BATTERY BACKUP	BOX QTY	DLP
INV-BULB-10W-3HR	10W	WH	1000	>0.9	Ø70X140	3 HOURS	50	625
INV-BULB-10W-4HR	10W	WH	1000	>0.9	Ø70X140	4 HOURS	50	685
INV-BULB-10W-7HR	10W	WH	1000	>0.9	Ø70X140	7 HOURS	50	770
INV-BULB-12W-5HR	12W	WH	1200	>0.9	Ø80X160	5 HOURS	25	890

1. High power backup
2. Powerful lithium battery
3. Long battery life 500+ charging cycle
4. Wide voltage range of 440V & 4KV Surge protection

BLOOM

Feel good | Work better

BLOOM LED HIGH WATTAGE BULB

| SMD | AC 220-240V | IP20 | 240° | Ra 80 | B22 BASE | 1 YEAR GUARANTEE |

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	DLP
BLOOM-30W	30W	WH/WW	3000	>0.9	Ø100X183	10	845
BLOOM-40W	40W	WH/WW	4000	>0.9	Ø120X226	10	1160
BLOOM-50W	50W	WH/WW	5000	>0.9	Ø120X226	10	1215

1 Wide coverage with 240° beam angle

2 High performance LED's with 100 Lm/w

3 Wide voltage range of 440V & 4 KV Surge protection

4 Robust design with aluminium die cast body

*All sizes are in mm or inches

AURORA BULB

Create a cool, energising ambience

AURORA HIGH WATTAGE BULB

SMD	AC 220-240V	IP20	120º	Ra 80	B22 BASE	1 YEAR GUARANTEE

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	DLP
AURORA-20W	20W	WH/WW	2000	>0.9	Ø138X80	20	475
AURORA-30W	30W	WH/WW	3000	>0.9	Ø156X100	10	685
AURORA-40W	40W	WH/WW	4000	>0.9	Ø181X120	10	925
AURORA-50W	50W	WH/WW	5000	>0.9	Ø209X140	10	1195
AURORA-60W	60W	WH/WW	6000	>0.9	Ø209X140	10	1400

1 High brightness LED of 100Lm/W

2 120º wide beam angle coverage

3 Aluminium die-cast housing for good heat dissipation

4 Wide voltage range of 440V & 4 KV Surge protection

REVV

See the right color

REVV LED MIRROR LIGHT

| SMD | AC 220-240V | IP20 | 120° | Ra 80 | 2 YEARS GUARANTEE |

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	DLP
REVV-9W	9W	WH/WW/NW	810	>0.6	Ø316X35X76	20	1290
REVV-9W-3CCT	9W	3in1 CCT	810	>0.6	Ø316X35X76	20	1365
REVV-18W	18W	WH/WW/NW	1620	>0.6	Ø632X35X76	20	1960
REVV-18W-3CCT	18W	3in1 CCT	1620	>0.6	Ø632X35X76	20	2045

1 Bright, soft & uniform light

2 High performance LED with 90 Lm/w

3 60X better than traditional fluorescent tubes

4 Non-yellowing & high efficiency polycarbonate diffuser

*All sizes are in mm or inches

WH/WW/NW
3in1
WH/WW/NW

LYNES

Set up Dynamic & Vibrant Spaces

LYNES LED LINEAR LIGHT

SMD	AC 220-240V	CCT WH/WW/NW	IP20	120°	Ra80	HOUSING BLACK/WHITE	2 YEARS SERVICE WARRANTY

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
LYNES-48W	48W	3840	>0.9	Ø 75X50X1200	10	5335

1 Special translucent diffuser for soft bright light

2 Low power, high efficacy, long life LED

3 Optimal design providing clean & minimalistic look

4 Optimum light output of 80 Lm/w

INVERTER T-BULB

The right light for every space

Multi Angle Rotation

Front View	Side View

Wider Light Spread

Normal Bulb	T-Bulb

INVERTER T-BULB

SMD	AC 220-240V	IP20	180°	Ra 80	B22 BASE	1 YEAR GUARANTEE

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	DLP
INV-TBULB-10W	10W	WH	1000	>0.9	Ø200X31.2X117	40	930

1 High brightness LED of 100Lm/W

2 Wider light spread construction

3 Bright, soft & uniform light

4 Wide voltage range of 440V & 4KV Surge protection

*All sizes are in mm or inches

ASPIRE T-BULB

The right light for every space

Multi Angle Rotation

Front View	Side View

Wider Light Spread

Normal Bulb	T-Bulb

ASPIRE LED T-BULB

SMD	AC 220-240V	IP20	180°	Ra 80	B22 BASE	1 YEAR GUARANTEE

PRODUCT CODE	POWER	COLOR	LUMENS	PF	BOX QTY	DLP
ASPIRE-30W	30W	WH	3000	>0.9	24	885

1 High brightness LED of 100Lm/W

2 Wider light spread construction

3 Bright, soft & uniform light

4 Wide voltage range of 440V & 4KV Surge protection

ARGON FOOTLIGHT

Sturlite

ARGON FOOT LIGHT

| SMD | AC 220-240V | IP65 | ⚠ 60° | Ra 80 | 2 YEARS GUARANTEE |

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	DLP
ARGON-3W-3K	3W	WW	210	>0.6	Ø85X85X42.5	40	665

1 Aluminium Die-Cast Housing

2 Life Span Of 25000 Hrs

3 Wide Voltage Range

4 Compact Design

*All sizes are in mm or inches

LED Lighting Systems | 70

LED
TRACK LIGHTS

AIR MAX

Enhancing retail space

AIR MAX LED TRACKLIGHT

SMD	AC 220-240V	IP20	38°	Ra 80	BODY BLACK/WHITE	2 YEARS GUARANTEE

PRODUCT CODE	POWER	COLOR	LUMENS	PF	DIMENSION	BOX QTY	DLP
AIRMAX-20W	20W	WH/WW/NW	1800	>0.9	Ø100X70	20	1325
AIRMAX-30W	30W	WH/WW/NW	2700	>0.9	Ø100X70	20	1515

1 Great rendering of colors & whites & excellent color consistency

2 High luminous flux at 90 Lm/w

3 Attractive design that blends in with store architecture

4 Integrated fan design, providing consistent cooling to the module

*All sizes are in mm or inches

VESTA

Exceptional Light Quality

VESTA LED WALL LIGHT

COB	AC 220-240V	CCT WH/WW/NW	BODY BLACK/WHITE	IP20	60°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
VESTA-WALL-3W	3W	240	>0.5	Ø83X60X110	40	685
VESTA-WALL-6W	6W	480	>0.5	Ø98X60X120	40	895
VESTA-WALL-9W	9W	720	>0.9	Ø106X60X1130	40	1080
VESTA-WALL-16W	16W	1280	>0.9	Ø102X75X252	10	1785
VESTA-WALL-30W	30W	2400	>0.9	Ø140X118X282	10	2740
VESTA-WALL-50W	50W	4000	>0.9	Ø160X118X310	10	3855

VESTA LED TRACK LIGHT

COB	AC 220-240V	CCT WH/WW/NW	BODY BLACK/WHITE	IP20	60°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
VESTA-TRACK-9W	9W	720	>0.9	Ø141X58X140	40	1080
VESTA-TRACK-16W	16W	1280	>0.9	Ø181X77X280	10	1785
VESTA-TRACK-30W	30W	2400	>0.9	Ø198X100X300	10	2740
VESTA-TRACK-50W	50W	4000	>0.9	Ø198X118X323	10	3855

VESTA LED TRACK RAIL

BODY BLACK/WHITE	IP20

Black

White

PRODUCT CODE	LENGTH	COLOR	BOX QTY	DLP
VESTA-1M-RAIL	1M	WH/BLK	30	460
VESTA-2M-RAIL	2M	WH/BLK	30	900

1 Superior light quality Great rendering of colors & whites

2 High luminous flux at 80 Lm/w

3 Attractive design that blends in with store architecture

4 High color rendering CRI>80

*All sizes are in mm or inches

XE1

An unrivaled combination of light quality & efficiency

XE1 LED WALL LIGHT

SMD	AC 220-240V	IP20	CCT WW/WH/NW	BODY BLACK/WHITE	60°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
XE1-20W	20W	1600	>0.9	Ø195X95X210	20	1900
XE1-30W	30W	2400	>0.9	Ø215X105X215	20	2500

1 Superior Light Quality

2 Aluminium Die Cast Housing

3 Wide Voltage Range & Surge Protection

4 Sharp & Clear Beam

XE2

An unrivaled combination of light quality & efficiency

XE2 LED TRACK LIGHT

SMD	AC 220-240V	IP20	CCT WW/WH/NW	BODY BLACK/WHITE	60°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
XE2-20W	20W	1600	>0.9	Ø195X95X210	20	1900
XE2-30W	30W	2400	>0.9	Ø215X105X215	20	2500

1 Superior Light Quality

2 Aluminium Die Cast Housing

3 Wide Voltage Range & Surge Protection

4 Sharp & Clear Beam

*All sizes are in mm or inches

ADOR

Functional, Stylish & Efficient

ADOR
Functional, Stylish & Efficient

ADOR SURFACE DOWNLIGHT

COB	AC 220-240V	IP20	CCT WW/WH/NW	HOUSING BLACK/WHITE	45°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	REFLECTOR FINISH	PF	DIMENSION	BOX QTY	DLP
ADOR-16W-RD	16W	ROSEGOLD	>0.9	Ø150X75	30	1925
ADOR-16W-SQ	16W	ROSEGOLD	>0.9	Ø140X75	30	1925

1 Superior Light Quality

2 Aluminium Die Cast Housing

3 Wide Voltage Range & Surge Protection

4 Sharp & Clear Beam

*All sizes are in mm or inches

LED
SPOT LIGHTS

AXON

Compact Design, Seamless Functionality

AXON LED SPOTLIGHT

COB	AC 220-240V	CCT WH/WW/NW	IP20	60°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
AXON-6W	6W	480	>0.5	Ø68 or 2.67"	Ø80X70X35	50	415
AXON-9W	9W	720	>0.9	Ø80 or 3.14"	Ø100X85X37	50	550
AXON-12W	12W	960	>0.9	Ø114 or 4.48"	Ø138X155X45	50	820

1 Clear & well defined beams

2 Wide voltage range & surge protection

3 Metal sink back for good heat dissipation

4 Long life COB LED's

*All sizes are in mm or inches

S-AXIS

Striking Design,
Graceful Versatility

80°

S-AXIS LED SPOT LIGHT

COB	AC 220-240V	CCT WH/WW/NW	IP20	30°	Ra 85	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	CUT OUT	DIMENSION	BOX QTY	DLP
SAXIS-3W	3W	300	>0.6	Ø40 or 1.6"	Ø54X18	100	440
SAXIS-6W	6W	600	>0.6	Ø55 or 2.5"	Ø70X40	40	755
SAXIS-10W	10W	1000	>0.9	Ø85 or 3.5"	Ø96X34	40	1015
SAXIS-15W	15W	1500	>0.9	Ø115 or 4.5"	Ø140X36	40	1475
SAXIS-20W	20W	2000	>0.9	Ø145 or 6.7"	Ø170X38	20	1970
SAXIS-30W	30W	3000	>0.9	Ø195 or 8.85"	Ø225X42	20	2625

1 High quality aviation grade aluminium

2 High performance LED chip

3 Clean & well defined beams

4 Excellent color consistency

*All sizes are in mm or inches

MIZO

Inspired, Beautiful Light

MIZO LED SPOTLIGHT

COB	AC 220-240V	CCT WH/WW/NW	IP20	60°	Ra 80	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	CUT OUT	BOX QTY	DLP
MIZO-7W	7W	600	>0.9	Ø85X55	Ø65 or 2.6"	50	690
MIZO-10W	10W	850	>0.9	Ø85X55	Ø65 or 2.6"	50	755
MIZO-16W	16W	1300	>0.9	Ø110X65	Ø80 or 3.2"	20	1330
MIZO-25W	25W	2150	>0.9	Ø140X85	Ø115 or 4.6"	20	1745
MIZO-35W	35W	2550	>0.9	Ø160X85	Ø135 or 5.4"	20	2205

1 Remarkable spaces with high quality light

2 Clean and robust design blends discreetly in to the store

3 High density aluminium die-cast housing

4 High color rendering index and easy to install

FUSION

## High Quality Light Design To Last for Years

Sturlite

FUSION LED SPOTLIGHT

| COB | AC 220-240V | CCT WW/NW | IP20 | 24° | Ra 80 | Finish Rosegold/Ashgrey | 2 YEARS GUARANTEE |

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	CUT OUT	BOX QTY	DLP
FUSION-7W	7W	770	>0.9	Ø65X60	Ø50 or 2"	50	1080
FUSION-12W	12W	1320	>0.9	Ø85X80	Ø70 or 2.8"	50	1480

1 Deep recess For Visual Comfort

2 Durable & Impact resistant Die-casting Aluminium Housing

3 Decorative Metallic Finishing

4 Long Life Span Upto 30000 Hours

*All sizes are in mm or inches

LED
ROPE & STRIP
LIGHTS

HELIX

Bring life to your space

Yellowing Resistance

Sturlite silicone coating

Other thermal coating

Excellent Stability

UV

45°C

RAIN

-20°C

HELIX 5050-60 LED ROPE LIGHT

| SMD | CCT WH/WW | IP65 | INPUT VOLT 12V | LENGTH IN MTR 100 | 1 YEAR GUARANTEE |

PRODUCT CODE	LED'S	PF	BOX QTY	WATT/MTR	DLP
HELIX-5050-60	60	>0.9	1	12W	26500
HELIX-CORD	CONNECTOR	-		-	245

1 60 LED'S per meter   **2** 3 Chip   **3** Double PCB   **4** 14 LM per LED

PYXIS

High performance lighting

Yellowing Resistance

Sturlite silicone coating

⏱ Time

Other thermal coating

Excellent Stability

☀ UV	☀ 45°C
🌧 RAIN	❄ -20°C

PYXIS 3030-96 LED ROPE LIGHT

SMD	CCT WH/WW/NW	IP65	INPUT VOLT 12V	LENGTH IN MTR 90	1 YEAR GUARANTEE

PRODUCT CODE	LED'S	PF	BOX QTY	WATT/MTR	DLP
PYXIS-3030-96	96	>0.9	1	8.5W	29620
PYXIS-CORD	CORD	–		–	1065

1 96 LED'S per meter   **2** Clear Silicone   **3** Double PCB   **4** 45 LM per LED

*All sizes are in mm or inches

TWNK

Enrich your ambience

TWNK 4040 -60-LED STRIP LIGHT

SMD	INPUT VOLT 12V	20 LUMENS/LED	LENGTH IN MTR - 5	IP20	120°	1 YEAR GUARANTEE

PRODUCT CODE	WATT 5 MTR	COLOR	PF	BOX QTY	DLP
TWNK-4040-60	60W	WH/WW/NW/BL	>0.9	100	600
TWNK-4040-60	60W	RD/GN/PK/AMBER	>0.9	100	625
TWNK-5050-60	60W	RGB	>0.9	100	760

1 Exceptionally low power consumption

2 Flexible & easy installation with heat sink tape

3 20 lumens per LED

4 High color rendering with CRI>90

SPARC

Beautifying your world

SPARC 4040 -60-LED STRIP LIGHT

| SMD | IP20 | INPUT VOLT 12V | LENGTH IN MTR 5 | 120° | 18 LUMENS/LED | 1 YEAR GUARANTEE |

PRODUCT CODE	WATT 5 MTR	COLOR	PF	BOX QTY	DLP
SPARC-4040-60	60W	WH/WW/NW/BL	>0.9	100	440
SPARC-4040-60	60W	RD/GN/PK/AMBER	>0.9	100	465

1 Exceptionally low power consumption

2 Flexible & easy installation with 3M tape

3 18 Lumens per LED

4 High color rendering with CRI>90

*All sizes are in mm or inches

SMD	IP20	INPUT VOLT 12V	LENGTH IN MTR 5	120°	24 LUMENS/LED	Ra 90	1 YEAR GUARANTEE

TWNK 2835-120 LED STRIP LIGHT

PRODUCT CODE	WATT 5 MTR	COLOR	PF	BOX QTY	DLP
TWNK-2835-120	60W	WH/WW/NW/BL	>0.9	100	615

TWNK 2835-240 LED STRIP LIGHT

PRODUCT CODE	WATT 5 MTR	COLOR	PF	BOX QTY	DLP
TWNK-2835-240	90W	WH/WW/NW/BL	>0.9	100	1480

TWNK 2025-300 LED STRIP LIGHT

PRODUCT CODE	WATT 5 MTR	COLOR	PF	BOX QTY	DLP
TWNK-2025-300	60W	WW	>0.9	100	1700

*All sizes are in mm or inches

CUT

If desired, you may cut
along marked lines

UPGRADED
ADHESIVE

Stick adhesive to any clean
and dry surface

CLIP

Use mounting clips, if needed
to make power surface wire
and strips stable

Back

Front

FRONT &
BACK VIEW

Hassle free application

UNIVERSAL DRIVER

ALLO LED STRIP DRIVER

| AC 220-240V | IP67 | PF>0.9 |

PRODUCT CODE	POWER	GUARANTEE	WATT 5 MTR	BOX QTY	DLP
ALLO-2AMP	2 AMPS	1 YEAR	12V - 24W	200	225
ALLO-5AMP	5 AMPS	1 YEAR	12V - 60W	100	480
ALLO-10AMP	10 AMPS	1 YEAR	12V - 120W	100	845
ALLO-15AMP	15 AMPS	1 YEAR	12V - 180W	50	1455
ALLO-RGB	-	NO GUARANTEE	-	100	220

VITO SMPS STRIP DRIVER

| AC 220-240V | IP67 | PF>0.9 | 1 YEAR GUARANTEE |

PRODUCT CODE	POWER	WATT 5 MTR	BOX QTY	DLP
VITO-2AMP	2 AMPS	12V - 24W	100	500
VITO-3AMP	3 AMPS	12V - 36W	100	595
VITO-5AMP	5 AMPS	12V - 60W	100	765
VITO-10AMP	10 AMPS	12V - 120W	100	1070
VITO-12.5AMP	12.5 AMPS	12V - 150W	50	1290
VITO-16.5AMP	16.5 AMPS	12V - 200W	50	1650
VITO-25AMP	25 AMPS	12V - 300W	30	1760
VITO-33.5AMP	33.5 AMPS	12V - 400W	30	2330

*All sizes are in mm or inches

LED
FLOOD &
STREET LIGHTS

AVIOR

A Flood lighting solution with precise optical control

AVIOR FLOOD LIGHT

| SMD | AC 220-240V | CCT WH | 75° | Ra 70 | IP66 | 2 YEARS GUARANTEE |

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
AVIOR-50W	50W	5500	>0.9	Ø 240X162X32	10	1985
AVIOR-100W	100W	11000	>0.9	Ø 300X204X32	10	3500
AVIOR-150W	150W	16500	>0.9	Ø 362X243X32	5	5360
AVIOR-200W	200W	22000	>0.9	Ø 402X261X40	5	6750

1 Highly efficient upto 110 Lm/w

2 High surge protection

3 High performance symmetrical optics

4 Pressure die cast housing for good heat dissipation & increase of service life

STADIA

For every project where light really matters

100W   Sturlite   **IP66**

STADIA LED FLOOD LIGHT

| SMD | AC 220-240V | 120° | Ra 80 | IP66 | 2 YEARS GUARANTEE |

PRODUCT CODE	POWER	LUMENS	COLOR	PF	DIMENSION	BOX QTY	DLP
STADIA-50W	50W	5500	WH/WW	>0.9	Ø 292X140X31	10	1810
STADIA-50W	50W	5500	RD/BL/GN	>0.9	Ø 292X140X31	10	1945
STADIA-100W	100W	11000	WH/WW	>0.9	Ø 364X186X31	10	3120
STADIA-100W	100W	11000	RD/BL/GN	>0.9	Ø 364X186X31	10	3355
STADIA-150W	150W	16500	WH	>0.9	Ø 380X180X31	5	4610

1 Highly efficient upto 110 Lm/w

2 Wide Voltage Range

3 High Surge Protection

4 Pressure die cast housing for good heat dissipation & increase of service life

*All sizes are in mm or inches

SPEKTR

Durable & robust, ideal for
environmentally demanding locations

SPEKTR LED FLOOD LIGHT

| SMD | AC 220-240V | CCT WH/WW | 120° | Ra 80 | IP66 | 2 YEARS GUARANTEE |

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
SPEKTR-10W	10W	1100	>0.9	Ø110X120X52	40	910
SPEKTR-20W	20W	2200	>0.9	Ø182X184X42	30	1425
SPEKTR-30W	30W	3300	>0.9	Ø235X248X62	20	1835
SPEKTR-50W	50W	5500	>0.9	Ø275X285X64	10	2610
SPEKTR-100W	100W	11000	>0.9	Ø292X292X68	5	3985
SPEKTR-150W	150W	16500	>0.9	Ø287X287X84	5	6095
SPEKTR-200W	200W	22000	>0.9	Ø362X333X85	5	7310
SPEKTR-300W	300W	33000	>0.9	Ø423X384X87	1	17235
SPEKTR-400W	400W	44000	>0.9	Ø423X384X87	1	20155
SPEKTR-500W	500W	55000	>0.9	Ø510X510X111	1	22515
DRIVER-50W	50W	–	–	–	10	675

1 Highly efficient upto 110 Lm/w

2 High surge protection

3 Over voltage protection & under voltage protection

4 Pressure die cast housing for good heat dissipation & increase of service life

Sturlite

MYCRA

Cost effective & high performance streetlight

IP66 36 WATT

MYCRA LED STREET LIGHT

SMD	AC 220-240V	CCT WH	120º	Ra80	IP66	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
MYCRA-24W	24W	2400	>0.9	Ø312X106	25	1265
MYCRA-36W	36W	3600	>0.9	Ø360X128	15	1625
MYCRA-50W	50W	5000	>0.9	Ø414X163	12	2325

1 High performance LED's with 100 Lm/w

2 High surge protection

3 Corrosion resistant coating

4 Pressure die cast housing for good heat dissipation & increase of service life

*All sizes are in mm or inches

DYNAMIQ

Robust design, superior performance

36W   IP66

DYNAMIQ LED STREET LIGHT

SMD	AC 220-240V	CCT WH	120°	Ra 80	IP66	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
DYNAMIQ-18W	18W	1980	>0.9	Ø 270X85X42	20	1060
DYNAMIQ-24W	24W	2640	>0.9	Ø 329X111X42	20	1570
DYNAMIQ-36W	36W	3960	>0.9	Ø 370X152X57	20	1990
DYNAMIQ-50W	50W	5500	>0.9	Ø 373X160X60	10	2495
DYNAMIQ-72W	72W	7920	>0.9	Ø 395X198X70	10	3560
DYNAMIQ-100W	100W	11000	>0.9	Ø 395X198X70	10	4280
DYNAMIQ-150W	150W	16500	>0.9	Ø 467X238X72	5	6940
DYNAMIQ-200W	200W	22000	>0.9	Ø 467X238X72	5	8345

1 High performance LED's with 110 Lm/w

2 High surge protection

3 Corrosion resistant coating

4 Pressure die cast housing for good heat dissipation & increase of service life

ASTEOR

Built to last, designed to save

ASTEOR LED STREET LIGHT

| SMD | AC 220-240V | CCT WH | ⚠ 120º | Ra 80 | IP66 | 2 YEARS GUARANTEE |

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
ASTEOR-20W	20W	2200	>0.9	Ø 300X103X46	20	1160
ASTEOR-24W	24W	2640	>0.9	Ø 300X103X46	20	1215
ASTEOR-30W	30W	3300	>0.9	Ø 340X124X47	20	1445
ASTEOR-36W	36W	3460	>0.9	Ø 340X124X47	20	1520
ASTEOR-50W	50W	5500	>0.9	Ø 391X145X50	20	2070
ASTEOR-100W	100W	11000	>0.9	Ø 450X170X56	10	3740
ASTEOR-150W	150W	16500	>0.9	Ø 580X206X85	5	6860

1 High performance LED's with 110 Lm/w

2 High surge protection

3 Corrosion resistant coating

4 Pressure die cast housing for good heat dissipation & increase of service life

*All sizes are in mm or inches

SOLAR
FLOOD LIGHT &
STREET LIGHTS

SF100 SERIES

A whole lot of science that delivers quality light

SF100 SERIES LED SOLAR FLOODLIGHT

SMD	SOLAR WITHOUT MOTION SENSOR	CCT WH	120º	Ra 70	IP65	1 YEAR SERVICE WARRANTY

PRODUCT CODE	POWER	LUMENS	PF	BATTERY	DIMENSION FOR FLOODLIGHT	DIMENSION FOR SOLAR PANEL	BOX QTY	DLP
SF100-20W-6K	20W	2400	>0.9	3.2V 12AH	Ø200X250X55	Ø350X235X18	10	3675

1 High Grade Aluminium Body

2 Multi Functional Intelligent Remote Control

3 Large Capacity Battery

4 High Brightness LED

SX200 SERIES

Bringing the night scene to life

SX200 SERIES LED SOLAR STREETLIGHT

SMD	SOLAR WITHOUT MOTION SENSOR	CCT WH	120°	Ra 70	IP66	1 YEAR SERVICE WARRANTY

PRODUCT CODE	POWER	LUMENS	BATTERY	PF	DIMENSION	BOX QTY	DLP
SX200-24W-6K	24W	2280	3.2V 12AH	>0.9	Ø95X335X60	4	7705
SX200-50W-6K	50W	4750	3.2V 18AH	>0.9	Ø130X385X65	1	9905

1 Polycrystalline solar panel

2 Large capacity lithium battery

3 High photoelectric conversion, fast charging

4 Multi-functional intelligent remote control

*All sizes are in mm or inches

SX350 SERIES

A Luminaire with visual power

SX350 SERIES LED SOLAR STREETLIGHT

SMD	SOLAR WITHOUT MOTION SENSOR	CCT WH	120°	Ra 70	IP66	1 YEAR SERVICE WARRANTY

PRODUCT CODE	POWER	LUMENS	BATTERY	PF	DIMENSION	BOX QTY	DLP
SX350-60W-6K	60W	4200	3.2V 12AH	>0.9	Ø208X398X46	6	7350

1. Polycrystalline solar panel
2. Large capacity lithium battery
3. High photoelctric conversion, fast charging
4. Multi functional intelligent remote control

SX400 SERIES

All In One Solar street Light

SX400 SERIES LED SOLAR FLOODLIGHT

SMD	SOLAR WITH MOTION SENSOR	CCT WH	120°	Ra 70	IP67	1 YEAR SERVICE WARRANTY

PRODUCT CODE	POWER	LUMENS	BATTERY	PF	DIMENSION	BOX QTY	DLP
SX400-15W-6K	15W	1425	3.2V 12AH	>0.9	Ø250X497X60	10	5770
SX400-20W-6K	20W	1900	3.2V 18AH	>0.9	Ø250X633X60	5	7130

1 Inbuilt polycrystalline solar panel

2 High grade ABS housing

3 High photoelectric conversion, fast charging

4 With inbuilt motion sensor for auto on/off

*All sizes are in mm or inches

LED HIGH-BAY FITTINGS

ENDURA

Circular highbay with robust superior aesthetics, suitable for versatile application

ENDURA LED HIGH BAY LIGHT

SMD	AC 85-300V	CCT WH	120°	Ra 80	IP65	2 YEARS GUARANTEE

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
ENDURA-50W-6K	50W	5000	>0.9	Ø250X250X140	8	4065
ENDURA-100W-6K	100W	10000	>0.9	Ø300X300X155	6	5670
ENDURA-150W-6K	150W	15000	>0.9	Ø350X350X155	4	7500

1 High quality white light with controlled light distribution

2 Corrosion resistant coating

3 Best in class SMD LED's provide high lumen output, which contributes upto 55% energy saving

4 Housing with good heat dissipation & increase of service life

PRIMA HIGHBAY

PRIMA HIGH BAY

| SMD | AC 85-300V | CCT WH | 120° | Ra 70 | IP65 | 2 YEARS GUARANTEE |

PRODUCT CODE	POWER	LUMENS	PF	DIMENSION	BOX QTY	DLP
PRIMA-100W-6K	100W	10000	>0.9	Ø225X128	4	6350
PRIMA-200W-6K	200W	20000	>0.9	Ø350X55	1	11205

1 High quality white light with controlled light distribution

2 Corrosion resistant coating

3 Best in class SMD LED's provide high lumen output, which contributes upto 55% energy saving

4 Housing with good heat dissipation & increase of service life

*All sizes are in mm or inches

BETTER **BRIGHTER**
SPACES

FOR THE

BRIGHTER

SIDE OF LIFE

Sturlite

50W   Sturlite   IP66

EXPLORE OUR WIDE RANGE
OF WIRES & CABLES

Multicore

Submersible

UG Cables

SWITCHING TO LED HAS NEVER BEEN SIMPLER

The Sturlite Ledinaire range features a selection of popular LED luminaries that are energy efficient and reliable, at a price you can afford. We keep our prices competitive by focusing on those runner types that are most in demand, while keeping the packaging and service straightforward. Evidently you can be sure the product reliability achieves our high quality standards

Affordable Lighting
from the reputed
name in LED

Smart and
energy eficient

Quality you can trust
You get exactly you
see on the box

Using
BIS Approved
Control Gear

Sturlite X ®

info@sturlite.com
www.sturlite.com