

TEKNIC ELECTRIC

TEKNIC PRICE LIST 2023-24

WHITE	BLACK	GREEN	RED	AMBER	BLUE	YELLOW	(IN METAL SERIES)	MRP(RS)
2AF1	2AF2	2AF3	2AF4	2AF5	2AF6	2AF8	(IN METAL SERIES)	₹ 80.50
P2AF1	P2AF2	P2AF3	P2AF4	P2AF5	P2AF6	P2AF8	(IN PLASTIC SERIES)	₹ 62.00

		TWIN ACTUATOR			
TWIN RED GREEN ACTUTOR	2ATF3F4	₹ 160.00	LED TWIN ACTUTOR	2ATLR5LF3F4(10)	₹ 375.00

		CONTACT ELEMENT FOR PUSHBUTTON	
S1	C1(CLIPON)	₹ 72.50	
S2	C2(CLIPON)	₹ 72.50	
ES1-Economy	EC1(CLIPON)	₹ 60.00	
ES2-Economy	EC2(CLIPON)	₹ 60.00	

		MUSHROOM HEAD PUSHBUTTON IN 22.5MM DIA	
RED MUSHROOM HEAD MOMENTRY	TYPE	2AM4	(IN METAL SERIES) ₹ 125.00
RED MUSHROOM HEAD MOMENTRY	TYPE	P2AM4	(IN PLASTIC SERIES) ₹ 105.00
EMERGENCY STOP PUSH TO OFF, TURN TO RELEASE	TYPE	2AML4	(IN METAL SERIES) ₹ 175.00
EMERGENCY STOP PUSH TO OFF, TURN TO RELEASE	TYPE	P2AML4	(IN PLASTIC SERIES) ₹ 145.00
RED MUSHROOM HEAD EMERGENCY STOP WITH KEY	TYPE	2AMLKB4	IN METAL SERIES ₹ 350.00

		SELECTOR ACTUATOR IN 22.5MM DIA	
SELECTOR TWO POSITION IN 22.55 DIA	TYPE	2AS2-2P	IN METAL SERIES ₹ 242.00
SELECTOR THREE POSITION IN 22.55 DIA	TYPE	2AS2-3P	IN METAL SERIES ₹ 242.00
SELECTOR Two POSITION SPRING RETURN IN 22.55 DIA	TYPE	2AS2-2PSR	IN METAL SERIES ₹ 245.00
SELECTOR THREEPOSITION SPRING RETURN IN 22.55 DIA	TYPE	2AS2-3PSR	IN METAL SERIES ₹ 263.00
SELECTOR TWO POSITION IN 22.55 DIA	TYPE	P2AS2-2P	IN PLASTIC SERIES ₹ 196.00
SELECTOR THREE POSITION IN 22.55 DIA	TYPE	P2AS2-3P	IN PLASTIC SERIES ₹ 196.00
SELECTOR THREEPOSITION SPRING RETURN IN 22.55 DIA	TYPE	P2AS2-3PSR	IN PLASTIC SERIES ₹ 215.00

		KEY SELECTOR IN 22.5MM DIA	
KEY SELECTOR WITH TWO POSITION	TYPE	2AK2-2PB	IN METAL SERIES ₹ 335.00
KEY POSITION WITH THREE POSITION	TYPE	2AK2-3PA	IN METAL SERIES ₹ 355.00

		LED LAMP					
2PLBR4L	2PLBR3L	2PLBR8L	2PLBR5L	2PLBR6L	WHITE	CLEAR	(IN METAL 2PLBR SERIES)
₹ 245.00	₹ 200.00	₹ 500.00	₹ 365.00	₹ 365.00	₹ 325.00	₹ 325.00	6,12,24,48,63,110,240V
P2PLBR4L	P2PLBR3L	P2PLBR8L	P2PLBR5L	P2PLBR6L	WHITE	CLEAR	(IN PLASTIC P2PLBR SERIES)
₹ 160.00	₹ 130.00	₹ 240.00	₹ 240.00	₹ 240.00	₹ 240.00	₹ 240.00	6,12,24,48,63,110,240V
3PLBR4L	3PLBR3L	3PLBR8L	3PLBR5L	3PLBR6L	WHITE	CLEAR	(IN PLASTIC 3PLBR SERIES)
₹ 265.00	₹ 265.00	₹ 550.00	₹ 415.00	₹ 415.00	₹ 415.00	₹ 415.00	6,12,24,48,63,110,240V
3PLBR4LU	3PLBR3LU	3PLBR8LU	3PLBR5LU	3PLBR6LU	WHITE	CLEAR	(IN PLASTIC 3PLBR LU SERIES)
₹ 240.00	₹ 240.00	₹ 240.00	₹ 240.00	₹ 240.00	₹ 240.00	₹ 240.00	24-240VAC/DC UNIVERSAL
3EPLBR4L	3EPLBR3L	3EPLBR8L	3EPLBR5L	3EPLBR6L	WHITE	CLEAR	(IN PLASTIC 3EPLBR ECONOMY)
₹ 130.00	₹ 130.00	₹ 240.00	₹ 240.00	₹ 240.00	₹ 240.00	₹ 240.00	6,12,24,48,63,110,240V

		LED ILLUMINATED PUSHBUTTON	
GREEN LED PUSHBUTTON	METAL	2ALRF3L	₹ 285.00
RED LED PUSHBUTTON	METAL	2ALRF4L	₹ 285.00
BLUE LED PUSHBUTTON	METAL	2ALRF6L	₹ 580.00
GREEN LED PUSHBUTTON	PLASTIC	P2ALRF3L	₹ 235.00
RED LED PUSHBUTTON	PLASTIC	P2ALRF4L	₹ 235.00

NOTE: VOLTAGE MUST BE SPECIFIED, 6V,12V,24V, 48V,63V,110V,240V (AC OR DC)
Red/Green/Yellow/Amber Price will be same



TEKNIC PRICE PUSHBUTTON AND LED LAMP (ECONOMY) 2023-24

MOMENTARY FLUSH PUSH BUTTONS				
	TYPE	COLOUR	ORDERING CODE	PRICE IN Rs.
		White	3PSF110	110.00
	Flush push button with 1NO contact element	Black	3PSF210	110.00
		Green	3PSF310	110.00
		Red	3PSF410	110.00
		Blue	3PSF610	110.00
		Yellow	3PSF810	110.00
		White	3PSF101	110.00
	Flush push button with 1NC contact element	Black	3PSF201	110.00
		Green	3PSF301	110.00
		Red	3PSF401	110.00
		Blue	3PSF601	110.00
		Yellow	3PSF801	110.00
		White	3PSF111	150.00
	Flush push button with 1NO+1NC contact element	Black	3PSF211	150.00
		Green	3PSF311	150.00
		Red	3PSF411	150.00
		Blue	3PSF611	150.00
		Yellow	3PSF811	150.00
		White	3PSF120	150.00
	Flush push button with 2NO contact element	Black	3PSF220	150.00
		Green	3PSF320	150.00
		Red	3PSF420	150.00
		Blue	3PSF620	150.00
		Yellow	3PSF820	150.00
	White	3PSF102	150.00	
Flush push button with 2NC contact element	Black	3PSF202	150.00	
	Green	3PSF302	150.00	
	Red	3PSF402	150.00	
	Blue	3PSF602	150.00	
	Yellow	3PSF802	150.00	

LATCHING FLUSH PUSH BUTTONS				
	TYPE	COLOUR	ORDERING CODE	PRICE IN Rs.
		White	3PSFPP110	125.00
	Flush push - push button with 1NO contact element	Black	3PSFPP210	125.00
		Green	3PSFPP310	125.00
		Red	3PSFPP410	125.00
		Blue	3PSFPP610	125.00
		Yellow	3PSFPP810	125.00
		White	3PSFPP101	125.00
	Flush push - push button with 1NC contact element	Black	3PSFPP201	125.00
		Green	3PSFPP301	125.00
		Red	3PSFPP401	125.00
		Blue	3PSFPP601	125.00
		Yellow	3PSFPP801	125.00
		White	3PSFPP111	165.00
	Flush push - push button with 1NO+1NC contact element	Black	3PSFPP211	165.00
		Green	3PSFPP311	165.00
		Red	3PSFPP411	165.00
		Blue	3PSFPP611	165.00
		Yellow	3PSFPP811	165.00
		White	3PSFPP120	165.00
	Flush push - push button with 2NO contact element	Black	3PSFPP220	165.00
		Green	3PSFPP320	165.00
		Red	3PSFPP420	165.00
		Blue	3PSFPP620	165.00
		Yellow	3PSFPP820	165.00
	White	3PSFPP102	165.00	
Flush push - push button with 2NC contact element	Black	3PSFPP202	165.00	
	Green	3PSFPP302	165.00	
	Red	3PSFPP402	165.00	
	Blue	3PSFPP602	165.00	
	Yellow	3PSFPP802	165.00	



MUSHROOM LATCHING PUSH BUTTONS

	TYPE	COLOUR	ORDERING CODE	PRICE IN Rs.
	Mushroom Latching Ø 40mm with 1NO contact element	Red	3P5ML410	180.00
	Mushroom Latching Ø 40mm with 1NC contact element	Red	3P5ML401	180.00
	Mushroom Latching Ø 40mm with 1NO+1NC contact element	Red	3P5ML411	220.00
	Mushroom Latching Ø 40mm with 2NO contact element	Red	3P5ML420	220.00
	Mushroom Latching Ø 40mm with 2NC contact element	Red	3P5ML402	220.00

SELECTOR PUSH BUTTONS

	TYPE	COLOUR	ORDERING CODE	PRICE IN Rs.
	Selector push button, 2 position, with 1 NO contact element	Black	3P5S210-2P	210.00
	Selector push button, 2 position, with 1 NC contact element	Black	3P5S201-2P	210.00
	Selector push button, 2 position, with 1 NO + 1 NC contact element	Black	3P5S211-2P	250.00
	Selector push button, 2 position, with 2 NO contact element	Black	3P5S220-2P	250.00
	Selector push button, 2 position, with 2 NC contact element	Black	3P5S202-2P	250.00

SELECTOR PUSH BUTTONS

	TYPE	COLOUR	ORDERING CODE	PRICE IN Rs.
	Selector push button, 3 position, with 1NO+1NC Contact Element	Black	3P5S211-3P	250.00
	Selector push button, 3 position, with 2NO contact element	Black	3P5S220-3P	250.00
	Selector push button, 3 position, with 2NC contact element	Black	3P5S202-3P	250.00



LED PILOT LIGHTS ECONOMY SERIES				
	TYPE	COLOUR	ORDERING CODE	PRICE IN Rs. WITH LED BULB
	Integral LED 6V, 12V, 24V, 48V AC/DC, 110VAC, 110VDC, 230VAC, 220VDC	White LED / White Lens	3PLBR1L(S)	325.00
		Green LED / Green Lens	3PLBR3L	160.00
		Red LED / Red Lens	3PLBR4L	160.00
		Amber LED / Amber Lens	3PLBR5L	160.00
		Blue LED / Blue Lens	3PLBR6L	445.00
		White LED / Clear Lens	3PLBR7L(S)	325.00
		Yellow LED / Yellow Lens	3PLBR8L	160.00
Please mention the voltage required after the ordering code				
	Integral LED, 24V upto 240V AC / DC	White LED / White Lens	3PLBR1LU(S)	415.00
		Green LED / Green Lens	3PLBR3LU	265.00
		Red LED / Red Lens	3PLBR4LU	265.00
		Amber LED / Amber Lens	3PLBR5LU	265.00
		Blue LED / Blue Lens	3PLBR6LU	550.00
		White LED / Clear Lens	3PLBR7LU(S)	415.00
Yellow LED / Yellow Lens	3PLBR8LU	265.00		
Please mention the voltage required after the ordering code				
	Integral LED, Dual colour			
	24VAC	Green LED	3PLBR34L	270.00
	110VAC	Red LED		
230VAC	White Lens			
Please mention the voltage required after the ordering code				
	Integral LED with Buzzer			
	12VAC/DC	Red LED	3PLBR4LBZ	285.00
	24VAC/DC			
	110VAC			
230VAC				
Please mention the voltage required after the ordering code				
	Integral LED with Test Lamp			
	12VAC/DC	Red LED	3PLBR4LTL	250.00
	24VAC/DC			
	110VAC			
230VAC				

PLASTIC SERIES

LED PILOT LIGHTS ECONOMY SERIES				
	TYPE	COLOUR	ORDERING CODE	Price in Rs. INTEGRAL LED
	Integral LED 6V, 12V, 24V, 48V AC/DC 110VAC, 110VDC, 230VAC, 220VDC	White LED / White Lens	3EPLBR1L(S)	240.00
		Green LED / Green Lens	3EPLBR3L	130.00
		Red LED / Red Lens	3EPLBR4L	130.00
		Amber LED / Amber Lens	3EPLBR5L	130.00
		Blue LED / Blue Lens	3EPLBR6L	240.00
		White LED / Clear Lens	3EPLBR7L(S)	240.00
		Yellow LED / Yellow Lens	3EPLBR8L	130.00
Please mention the voltage required after the ordering code				
	Integral LED 415VAC	White LED / White Lens	P2PLBR1L(S)	425.00
		Green LED / Green Lens	P2PLBR3L	255.00
		Red LED / Red Lens	P2PLBR4L	255.00
		Amber LED / Amber Lens	P2PLBR5L	255.00
		Blue LED / Blue Lens	P2PLBR6L	550.00
		White LED / Clear Lens	P2PLBR7L(S)	425.00
Yellow LED / Yellow Lens	P2PLBR8L	255.00		
Please mention the voltage required after the ordering code				
	Integral LED, Test Lamp 24V AC/DC, 110VAC, 110VDC, 230VAC, 220VDC	White LED / White Lens	P2PLBR1L(S)**TL	500.00
		Green LED / Green Lens	P2PLBR3L**TL	300.00
		Red LED / Red Lens	P2PLBR4L**TL	300.00
		Amber LED / Amber Lens	P2PLBR5L**TL	300.00
		Blue LED / Blue Lens	P2PLBR6L**TL	645.00
		White LED / Clear Lens	P2PLBR7L(S)**TL	500.00
Yellow LED / Yellow Lens	P2PLBR8L**TL	300.00		
Please mention the voltage required after the ordering code				
Integral LED, Test Lamp ** Please mention the voltage required after the ordering code				

TEKNIC PRICE LIST JOYSTICK 2023-24

METALLIC SERIES

JOYSTICKS				
	TYPE	COLOUR	ORDERING CODE	Price in Rs.
	2 Position, Stayput	Black	2PSJS220-2P	2560.00
	2 Position, Spring Return	Black	2PSJS220-2PSR	2560.00
	4 Position, Stayput	Black	2PSJS240-4P	3350.00
	4 Position, Spring Return	Black	2PSJS240-4PSR	3350.00

TEKNIC PRICE LIST CONTROL STATION- 2023-24



CAST ALUMINIUM CONTROL STATIONS

- Degree of Protection: IP 65 as per IEC 60529, NEMA 4X 12 as per UL 50
- Cable Entries : Tapped Holes
- Available in 1,2,3 & 4 ways
- Colours: Yellow cover/Black base, Grey cover/Black base



1 WAY

Grey Cover / Black Housing	2005A13	80 mm x 90 mm x 52 mm	635.00	50 nos.
----------------------------	---------	-----------------------	--------	---------

Yellow Cover / Black Housing	2005A10	80 mm X 90 mm X 52 mm	635.00	50 nos.
------------------------------	---------	-----------------------	--------	---------

2 WAY CONTROL STATION



2 WAY

Grey Cover / Black Housing	2006C13	80 mm x 135 mm x 52 mm	730.00	50 nos.
----------------------------	---------	------------------------	--------	---------

Yellow Cover / Black Housing	2017C10	80 mm X 135 mm X 52 mm	730.00	50 nos.
------------------------------	---------	------------------------	--------	---------

3 WAY CONTROL STATION

3 WAY



Grey Cover / Black Housing	2007E13	80 mm x 180 mm x 52 mm	840.00	25 nos.
----------------------------	---------	------------------------	--------	---------

Yellow Cover / Black Housing	2014E10	80 mm X 180 mm X 52 mm	840.00	25 nos.
------------------------------	---------	------------------------	--------	---------

4 WAY CONTROL STATION



Grey Cover / Black Housing	2010G13	80 mm X 225 mm X 52 mm	960.00	25 nos.
----------------------------	---------	------------------------	--------	---------

Yellow Cover / Black Housing	2011G10	80 mm X 225 mm X 52 mm	960.00	25 nos.
------------------------------	---------	------------------------	--------	---------

CONTROL STATION OF ALLUMINIUM ENCLOSURE IP 65 WITH EXTRA HIGHT(70MM)

1 WAY CONTROL STATION					
	COLOUR	PART NO.	ENCLOSURE SIZE	MRP PER UNIT	MOQ
	Grey Cover / Black Housing	7001A13	80 mm X 90 mm X 70 mm	795.00	50 nos.
	Yellow Cover / Black Housing	7002A10	80 mm X 90 mm X 70 mm	795.00	50 nos.
2 WAY CONTROL STATION					
	Grey Cover / Black Housing	7001C13	80 mm X 135 mm X 70 mm	865.00	50 nos.
	Yellow Cover / Black Housing	7002C10	80 mm X 135 mm X 70 mm	865.00	50 nos.
3 WAY CONTROL STATION					
	Grey Cover / Black Housing	7001E13	80 mm X 180 mm X 70 mm	1185.00	25 nos.
	Yellow Cover / Black Housing	7002E10	80 mm X 180 mm X 70 mm	1185.00	25 nos.
4 WAY CONTROL STATION					
	Grey Cover / Black Housing	7002G10	80 mm X 225 mm X 70 mm	1290.00	25 nos.
	Yellow Cover / Black Housing	7002G10	80 mm X 225 mm X 70 mm	1290.00	25 nos.
6 WAY CONTROL STATION					
	COLOUR	PART NO.	ENCLOSURE SIZE	MRP PER UNIT	
	Grey Cover / Grey Housing	2010J14	180mm x 200mm x 70 mm	2,270.00	
9 WAY CONTROL STATION					
	Grey Cover / Grey Housing	2009L14	200mm x 250mm x 90 mm	3,370.00	

PLASTIC CONTROL STATIONS

- Degree of Protection: IP 65 as per IEC 60529, NEMA 4X 12 as per UL 50
- Cable Entries: Knock out
- Available in 1,2,3,4,5 & 6 ways
- Colours: Yellow cover/Black base, White cover/Black base



1 WAY CONTROL STATION



COLOUR	PART NO.	ENCLOSURE SIZE	MRP PER UNIT	MOQ
Yellow cover / Black housing	4005A11	73 mm X 73 mm X 51 mm	290.00	50 nos.
Yellow cover / Black housing	4006A10	73 mm X 73 mm X 51 mm	290.00	50 nos.

2 WAY CONTROL STATION



White cover / Black housing	4005C11	73 mm X 113 mm X 51 mm	425.00	50 nos.
Yellow cover / Black housing	4006C10	73 mm X 113 mm X 51 mm	425.00	50 nos.

3 WAY CONTROL STATION



White cover / Black housing	4005E11	73 mm X 153 mm X 51 mm	675.00	25 nos.
Yellow cover / Black housing	4006E10	73 mm X 153 mm X 51 mm	675.00	25 nos.

4 WAY CONTROL STATION



COLOUR	PART NO.	ENCLOSURE SIZE	MRP PER UNIT	MOQ
White cover / Black housing	4005G11	73 mm X 193 mm X 51 mm	735.00	25 nos.
Yellow cover / Black housing	4006G10	73 mm X 193 mm X 51 mm	735.00	25 nos.

5 WAY CONTROL STATION



White cover / Black housing	4005S11	73 mm X 233 mm X 51 mm	825.00	25 nos.
Yellow cover / Black housing	4006S10	73 mm X 233 mm X 51 mm	825.00	25 nos.

6 WAY CONTROL STATION



White cover / Black housing	4005I11	73 mm X 273 mm X 51 mm	900.00	25 nos.
Yellow cover / Black housing	4006I10	73 mm X 273 mm X 51 mm	900.00	25 nos.

RESIDUAL CURRENT CIRCUIT BREAKER (RCCB)

TWO POLE RCCB	TEKNIC PART NUMBER	MRP	RATED CURRENT (A)	EARTH LEAKAGE SENSITIVITY (mA)	MODULE WIDTH 18 mm/MOD
	T2P 25/0.03	3070.00	25A	30	2
	T2P 25/0.1	3250.00		100	2
	T2P 25/0.3	3430.00		300	2
	40A	T2P 40/0.03	3610.00	30	2
		T2P 40/0.3	3970.00	300	2
		T2P 63/0.03	4240.00	30	2
	T2P 63/0.3	4600.00	300	2	
FOUR POLE RCCB	TEKNIC PART NUMBER	MRP	RATED CURRENT (A)	EARTH LEAKAGE SENSITIVITY (mA)	MODULE WIDTH 18 mm/MOD
	T4P 25/0.03	4240.00	25A	30	4
	T4P 25/0.1	4420.00		100	4
	T4P 25/0.3	4510.00		300	4
	40A	T4P 40/0.03	4330.00	30	4
		T4P 40/0.1	4510.00	100	4
		T4P 40/0.3	4600.00	300	4
	63A	T4P 63/0.03	4960.00	30	4
		T4P 63/0.1	5230.00	100	4
		T4P 63/0.3	5320.00	300	4
	T4P 100/0.3	9100.00	100A	300	4

TECHNICAL DATA FOR RCCB

UNIT

SPECIFICATION

Standards		IEC/EN 61008; IS 12640-1: 2008
Number of poles		2P, 4P
Rated Voltages	V	230/400 - 240/415 V
Rated Current	In	25, 40, 63, 100 A
Rated sensitivity	I δ n	30, 100, 300 mA
Rated frequency	Hz	50-60 Hz
Short - Circuit Breaking Capacity	kA	4.5 kA
Mounting		on DIN rail as per EN 60715.
Contact Position Indicator		Yes
Degree of Protection	IP	IP20, IP40 from front panel.
Ambient air Temperatures	Deg Cel	-25 to 55' deg C
Connection		From Top and Bottom sides

MRP PRICE LIST WITH EFFECT FROM 01/06/2019

MINIATURE CIRCUIT BREAKERS

TEKNIC Miniature Circuit Breakers are mechanical switching devices able to switch, conduct and switch-off the current under normal conditions and able to switch, conduct and automatically switch-off the current under abnormal circuit conditions like short circuit. They are used to protect household installations and industrial electric distributions and devices against over currents. This price list covers models for AC circuits, DC circuits, Isolators. Applications / characteristics for our MCBs are detailed in our catalogue. AC range - 1 to 63 Amp, DC range - 2 to 63 Amp.



SINGLE POLE MCB			
B CURVE		C CURVE	
TYPE NO.	INR/UNIT	TYPE NO.	INR/UNIT
		T1 1 C1/3/4/5	352.00
T1 1 B6	244.00	T1 1 C6	244.00
T1 1 B10	244.00	T1 1 C10	244.00
T1 1 B16	244.00	T1 1 C16	244.00
T1 1 B20	244.00	T1 1 C20	244.00
T1 1 B25	244.00	T1 1 C25	244.00
T1 1 B32	244.00	T1 1 C32	244.00
T1 1 B40	523.00	T1 1 C40	523.00
T1 1 B50	523.00	T1 1 C50	523.00
T1 1 B63	523.00	T1 1 C63	523.00



DOUBLE POLE MCB				SPN MCB	
B CURVE		C CURVE		C CURVE	
TYPE NO.	INR/UNIT	TYPE NO.	INR/UNIT	TYPE NO.	INR/UNIT
T1 2 B6	685.00	T1 2 C6	685.00	T1 1N C6	685.00
T1 2 B10	685.00	T1 2 C10	685.00	T1 1N C10	685.00
T1 2 B16	685.00	T1 2 C16	685.00	T1 1N C16	685.00
T1 2 B20	685.00	T1 2 C20	685.00	T1 1N C20	685.00
T1 2 B25	685.00	T1 2 C25	685.00	T1 1N C25	685.00
T1 2 B32	685.00	T1 2 C32	685.00	T1 1N C32	685.00
T1 2 B40	1081.00	T1 2 C40	1081.00	T1 1N C40	1081.00
T1 2 B50	1081.00	T1 2 C50	1081.00	T1 1N C50	1081.00
T1 2 B63	1081.00	T1 2 C63	1081.00	T1 1N C63	1081.00

TECHNICAL DATA	UNIT	AC MCB SERIES
Standards		IS / IEC 60898-1 STN EN 60947-2
Number of poles		1; 1+N; 2; 3; 3+N; 4
Rated Voltages	V	230/400; 240/415
Rated Frequency	Hz	50-60
Short - Circuit Breaking Capacity	kA	10
Mounting		on DIN rail 35x7.5 as per EN 60715.
Degree of Protection	IP	IP20, IP40 from front panel.
Ambient air Temperatures	Deg Cel	-25 to 55' deg C

MINIATURE CIRCUIT BREAKERS

TEKNIC Miniature Circuit Breakers are mechanical switching devices able to switch, conduct and switch-off the current under normal conditions and able to switch, conduct and automatically switch-off the current under abnormal circuit conditions like short circuit. They are used to protect household installations and industrial electric distributions and devices against over currents. This price list covers models for AC circuits, DC circuits, Isolators. Applications / characteristics for our MCBs are detailed in our catalogue. AC range - 1 to 63 Amp, DC range - 2 to 63 Amp.



THREE POLE MCB			
B CURVE		C CURVE	
TYPE NO.	INR/UNIT	TYPE NO.	INR/UNIT
T1 3 B6	1090.00	T1 3 C6	1090.00
T1 3 B10	1090.00	T1 3 C10	1090.00
T1 3 B16	1090.00	T1 3 C16	1090.00
T1 3 B20	1090.00	T1 3 C20	1090.00
T1 3 B25	1090.00	T1 3 C25	1090.00
T1 3 B32	1090.00	T1 3 C32	1090.00
T1 3 B40	1630.00	T1 3 C40	1630.00
T1 3 B50	1630.00	T1 3 C50	1630.00
T1 3 B63	1630.00	T1 3 C63	1630.00



FOUR POLE MCB				TPN MCB	
B CURVE		C CURVE		C CURVE	
TYPE NO.	INR/UNIT	TYPE NO.	INR/UNIT	TYPE NO.	INR/UNIT
T1 4 B6	1477.00	T1 4 C6	1477.00	T1 3N C6	1477.00
T1 4 B10	1477.00	T1 4 C10	1477.00	T1 3N C10	1477.00
T1 4 B16	1477.00	T1 4 C16	1477.00	T1 3N C16	1477.00
T1 4 B20	1477.00	T1 4 C20	1477.00	T1 3N C20	1477.00
T1 4 B25	1477.00	T1 4 C25	1477.00	T1 3N C25	1477.00
T1 4 B32	1477.00	T1 4 C32	1477.00	T1 3N C32	1477.00
T1 4 B40	2134.00	T1 4 C40	2134.00	T1 3N C40	2134.00
T1 4 B50	2134.00	T1 4 C50	2134.00	T1 3N C50	2134.00
T1 4 B63	2134.00	T1 4 C63	2134.00	T1 3N C63	2134.00

TECHNICAL DATA	UNIT	AC MCB SERIES
Standards		IS / IEC 60898-1 STN EN 60947-2
Number of poles		1; 1+N; 2; 3; 3+N; 4
Rated Voltages	V	230/400; 240/415
Rated Frequency	Hz	50-60
Short - Circuit Breaking Capacity	kA	10
Mounting		on DIN rail 35x7.5 as per EN 60715.
Degree of Protection	IP	IP20, IP40 from front panel.
Ambient air Temperatures	Deg Cel	-25 to 55' deg C

DC MCB

SINGLE POLE MCB C CURVE



TYPE NO.	INR/UNIT
T2 1 C2/4	505.00
T2 1 C6/10	424.00
T2 1 C16	424.00
T2 1 C20	424.00
T2 1 C25	424.00
T2 1 C32	424.00
T2 1 C63	586.00

DOUBLE POLE MCB C CURVE



TYPE NO.	INR/UNIT
T2 2 C2/4	1036.00
T2 2 C6/10	919.00
T2 2 C16	919.00
T2 2 C20	919.00
T2 2 C25	919.00
T2 2 C32	919.00
T2 2 C63	1198.00

THREE POLE MCB C CURVE



TYPE NO.	INR/UNIT
T2 3 C16	1360.00
T2 3 C20	1360.00
T2 3 C25	1360.00
T2 3 C32	1360.00
T2 3 C40	1450.00
T2 2 C63	1900.00

FOUR POLE MCB C CURVE



TYPE NO.	INR/UNIT
T2 4 C16	1900.00
T2 4 C20	1900.00
T2 4 C25	1900.00
T2 4 C32	1900.00
T2 4 C40	2260.00
T2 4 C63	2800.00

ISOLATORS



TWO POLE		THREE POLE		FOUR POLE	
TYPE NO.	INR/UNIT	TYPE NO.	INR/UNIT	TYPE NO.	INR/UNIT
T3 2 40A	604.00	T3 3 40A	883.00	T3 4 40A	1216.00
T3 2 63A	604.00	T3 3 63A	883.00	T3 4 63A	1216.00
T3 2 100A	2287.00	T3 3 100A	3394.00	T3 4 100A	4537.00

TECHNICAL DATA

UNIT

ISOLATOR/DC MCB SERIES

Standards		IS / IEC 60898-1
		STN EN 60947-2
Number of poles		1, 2, 3, 4
Rated Voltages	V	220/440V; 440V; 240/415V
Short - Circuit Breaking Capacity	kA	4.5
Mounting		on DIN rail as per EN 60715.
Degree of Protection	IP	IP20, IP40 from front panel.
Ambient air Temperatures	Deg Cel	-25 to 55' deg C

DISTRIBUTION BOARD PRICE LIST 2023-24

ACDB / PSDB

- PSDB available in current ranges
16 to 125 Amps with MCB/RCCB protection
- ACDB available in current ranges 10 to 32 Amps with
MCB/RCCB protection with metal clad plug sockets



DISTRIBUTION BOARDS

- SPN, TPN & VTPN DBs available with
single & double door DB
- MCB enclosure available with 1, 2, 3 & 4 ways
- Phase selector, 7 segment & Flexi tier DBs available



SPN MODULES	SINGLE DOOR IP 30		SPN MODULES	DOUBLE DOOR IP 42	
	PRODUCT CODE			PRODUCT CODE	
4 WAY	TSS04		4 WAY	TSD04	
6 WAY	TSS06		6 WAY	TSD06	
8 WAY	TSS08		8 WAY	TSD08	
12 WAY	TSS12		12 WAY	TSD12	
16 WAY	TSS16		16 WAY	TSD016	

with busbars, neutral, earth links and interconnection wire set.

TSS 04	4 WAY SPN	SINGLE DOOR	IP 30	₹ 955.00
TSS 06	6 WAY SPN	SINGLE DOOR	IP 30	₹ 1,090.00
TSS 08	8 WAY SPN	SINGLE DOOR	IP 30	₹ 1,270.00
TSS 12	12 WAY SPN	SINGLE DOOR	IP 30	₹ 1,640.00
TSS 16	16 WAY SPN	SINGLE DOOR	IP 30	₹ 1,900.00
TSD 04	4 WAY SPN	DOUBLE DOOR	IP 43	₹ 1,730.00
TSD 06	6 WAY SPN	DOUBLE DOOR	IP 43	₹ 1,900.00
TSD 08	8 WAY SPN	DOUBLE DOOR	IP 43	₹ 2,260.00
TSD 12	12 WAY SPN	DOUBLE DOOR	IP 43	₹ 2,800.00
TSD 16	16 WAY SPN	DOUBLE DOOR	IP 43	₹ 3,250.00

TPN DB:

TEKNIC ELECTRIC (I) PRIVATE LIMITED

HO: 703, Madhava, Bandra Kurla Complex, Bandra (E), Mumbai 400 051, Tel: 022-42532500 , Mo: 9608692392

Email: dinesh.rai@teknico.co.in; Website: www.teknico.co.in

TTS 04	4 WAY TPN	SINGLE DOOR	IP 30	₹ 2,890.00
TTS 06	6 WAY TPN	SINGLE DOOR	IP 30	₹ 3,430.00
TTS 08	8 WAY TPN	SINGLE DOOR	IP 30	₹ 4,060.00
TTS 12	12 WAY TPN	SINGLE DOOR	IP 30	₹ 5,680.00
TTS 16	16 WAY TPN	SINGLE DOOR	IP 30	₹ 7,390.00
TTD 04	4 WAY TPN	DOUBLE DOOR	IP 43	₹ 4,330.00
TTD 06	6 WAY TPN	DOUBLE DOOR	IP 43	₹ 5,320.00
TTD 08	8 WAY TPN	DOUBLE DOOR	IP 43	₹ 6,310.00
TTD 12	12 WAY TPN	DOUBLE DOOR	IP 43	₹ 8,470.00
TTD 16	16 WAY TPN	DOUBLE DOOR	IP 43	₹ 10,090.00

MCB ENCLOSURES



ONE WAY METAL ENCLOSURES MODULES		PRODUCT CODE		
SINGLE POLE DOUBLE POLE THREE POLE FOUR POLE		TES01 TES02 TES03 TES04		
TES 01	ONE WAY	SINGLE DOOR	IP 30	₹ 307.00
TES 02	TWO WAY	SINGLE DOOR	IP 30	₹ 370.00
TES 03	THREE WAY	SINGLE DOOR	IP 30	₹ 460.00
TES 04	FOUR WAY	SINGLE DOOR	IP 30	₹ 500.00



METAL PLUG AND SOCKET ENCLOSURES MODULES	PRODUCT CODE
10A SP 230V 20A SP 230V 20A TP 440V 30A TP 440V	TMPS01 TMPS02 TMPS03 TMPS04

AC DB

Model	Configuration	Door Type	IP Rating	Price (₹)
TMPS 01	10 A, SINGLE POLE	SINGLE DOOR	IP 30	946.00
TMPS 02	20 A, SINGLE POLE	SINGLE DOOR	IP 30	1,009.00
TMPS 03	20 A, THREE POLE	SINGLE DOOR	IP 30	1,630.00
TMPS 04	32A, THREE POLE	SINGLE DOOR	IP 30	2,260.00

*Note - Metal ACDB prices include the cost of metal plug & socket

VTPN DB



VERTICAL TPN MODULES	SINGLE DOOR IP 30	VERTICAL TPN MODULES	DOUBLE DOOR IP 42
	PRODUCT CODE		PRODUCT CODE
4 WAY-8+12 6 WAY-8+18 8 WAY-8+24 12 WAY-8+36	TVTS04 TVTS06 TVTS08 TVTS12	4 WAY-8+12 6 WAY-8+18 8 WAY-8+24 12 WAY-8+36	TVTD04 TVTD06 TVTD08 TVTD12

with busbars, neutral, earth links and interconnection wire set.

Model	Configuration	Door Type	IP Rating	Price (₹)
TVTD 04	4 WAY VTPN	DOUBLE DOOR	IP 43	10,180.00
TVTD 06	6 WAY VTPN	DOUBLE DOOR	IP 43	11,980.00
TVTD 08	8 WAY VTPN	DOUBLE DOOR	IP 43	13,510.00
TVTD 12	12 WAY VTPN	DOUBLE DOOR	IP 43	17,830.00

*Note - The above price list doesn't include the cost of plug & socket and MCB

PLUG SOCKET DB



INDUSTRIAL PLUG & SOCKET DBs	PLUG & SOCKET MODULES		PRODUCT CODE		
	16 A 3 PIN PSDB 32 A 3 PIN PSDB 32 A 5 PIN PSDB 63 A 5 PIN PSDB 125 A 5 PIN PSDB		TPS 01 TPS 02 TPS 03 TPS 04 TPS 05		
TPS 01	16 A, 3 PIN (1)	2 POLE	IP 30	₹	1,720.00
TPS 02	32 A, 3 PIN (1)	2 POLE	IP 30	₹	1,720.00
TPS 03	32 A, 5 PIN (1)	4 POLE	IP 30	₹	2,170.00
TPS 04	63 A, 5 PIN (1)	4 POLE	IP 30	₹	2,260.00
TPS 05	125 A, 5 PIN (1) + 16 A, 3 PIN (1)	8 POLE	IP 30	₹	3,520.00
TPS 03B	16 A, 3 PIN (2) + 32 A, 5 PIN (2)	12 POLE	IP 30	₹	2,800.00
TPS 03C	16 A, 3 PIN (1) + 32 A, 5 PIN (2)	12 POLE	IP 30	₹	2,800.00
TPS 03D	16 A, 3 PIN (2) + 32 A, 5 PIN (1)	12 POLE	IP 30	₹	2,800.00
TPS 03E	16 A, 3 PIN (1) + 32 A, 5 PIN (1)	12 POLE	IP 30	₹	2,800.00
TPS 03F	16 A, 3 PIN (2)	12 POLE	IP 30	₹	2,800.00
TPS 03G	32 A, 5 PIN (2)	12 POLE	IP 30	₹	2,800.00
TPS 03H	16 A, 3 PIN (4)	12 POLE	IP 30	₹	2,800.00
TPS 03I	32 A, 5 PIN (4)	12 POLE	IP 30	₹	2,800.00
TPS 03J	SCHUKO VZ 16S (6)	12 POLE	IP 30	₹	2,800.00
TPS 03K	16 A, 3P (1) + 16 A, 5P (1)	12 POLE	IP 30	₹	2,800.00
TPS 04B	63 A, 5 PIN (1) + 32 A, 5 PIN (1)	12 POLE	IP 30	₹	5,590.00
TPS 04C	63 A, 5 PIN (1) + 32 A, 5 PIN (2)	12 POLE	IP 30	₹	5,590.00
TPS 04D	63 A, 5 PIN (1) + 16 A, 3 PIN (2)	12 POLE	IP 30	₹	5,590.00
TPS 04E	63 A, 5 PIN (1) + 16 A, 3 PIN (1)	12 POLE	IP 30	₹	5,590.00
TPS 06A	63 A, 5 PIN (2)	16 POLE	IP 30	₹	8,650.00
TPS 06B	63 A, 5 PIN (2) + 32 A, 5 PIN (2)	16 POLE	IP 30	₹	8,650.00
TPS 06C	63 A, 5 PIN (1) + 32 A, 5 PIN (3)	16 POLE	IP 30	₹	8,650.00
SDB 6A	16 A, 3 PIN (4) + 32 A, 5 PIN (2)	24 POLE	IP 30	₹	7,300.00
SDB 6B	16 A, 3 PIN (5) + 32 A, 5 PIN (1)	24 POLE	IP 30	₹	7,300.00
SDB 6C	32 A, 5 PIN (6)	24 POLE	IP 30	₹	7,300.00
SDB 6D	16 A, 3 PIN (6)	24 POLE	IP 30	₹	7,300.00
SDB 8A	16 A, 3 PIN (8)	32 POLE	IP 30	₹	9,280.00
SDB 8B	16 A, 3 PIN (4) + 32 A, 5 PIN (4)	32 POLE	IP 30	₹	9,280.00
SDB 8C	32 A, 5 PIN (8)	32 POLE	IP 30	₹	9,280.00

FLEXI DB



FLEXI TIER MODULES	SINGLE DOOR IP 30	FLEXI TIER MODULES	DOUBLE DOOR IP 42
	PRODUCT CODE		PRODUCT CODE
14X2 ROWS 14X3 ROWS 14X4 ROWS	T2FTS T3FTS T4FTS	14X2 ROWS 14X3 ROWS 14X4 ROWS	T2FTD T3FTD T4FTD

with insulated busbars, neutral, earth links

T2FTD	2 ROWx 14 MODULES	DOUBLE DOOR	IP 43	₹ 4,870.00
T3FTD	3 ROWx 14 MODULES	DOUBLE DOOR	IP 43	₹ 6,310.00
T4FTD	4 ROWx 14 MODULES	DOUBLE DOOR	IP 43	₹ 8,020.00

7 SEGMENT DB



TPN 7 SEGMENT PHASE SEGREGATED MODULES	SINGLE DOOR IP 30	TPN 7 SEGMENT PHASE SEGREGATED MODULES	DOUBLE DOOR IP 42
	PRODUCT CODE		PRODUCT CODE
4 WAY 6 WAY 8 WAY 12 WAY	T7SS04 T7SS06 T7SS08 T7SS12	4 WAY 6 WAY 8 WAY 12 WAY	T7SD04 T7SD06 T7SD08 T7SD12

with busbars, neutral, earth links and interconnection wire set.

T7SD 04	4 WAY 7 SEGMENT DB	DOUBLE DOOR	IP 43	₹ 9,910.00
T7SD 06	6 WAY 7 SEGMENT DB	DOUBLE DOOR	IP 43	₹ 11,530.00
T7SD 08	8 WAY 7 SEGMENT DB	DOUBLE DOOR	IP 43	₹ 13,420.00
T7SD 12	12 WAY 7 SEGMENT DB	DOUBLE DOOR	IP 43	₹ 16,750.00

*Note - The above price list doesn't include the cost of plug & socket and MCB



INDUSTRIAL PLUGS & SOCKETS

DESCRIPTION	AMPS	IP	2P+PE 230V		3P+PEN 400V		3P+N+PE 400V	
			TYPE	Rs / UNIT	TYPE	Rs / UNIT	TYPE	Rs / UNIT
PLUG								
	16A	IP 44	IVN 1632	280.00	IVN 1643	361.00	IVN 1653	370.00
	32A	IP 44	IVN 3232	388.00	IVN 3243	496.00	IVN 3253	460.00
	63A	IP 44			IV 6343	1,990.00	IVN 6353	2,224.00
	16A	IP 67	IVG 1632	514.00	IVG 1643	810.00	IVG 1653	810.00
	32A	IP 67	IVG 3232	875.00	IVG 3243	910.00	IVG 3253	847.00
	63A	IP 67	IVGN 6332	3,070.00	IVG 6343	2,350.00	IVGN 6353	2,260.00
	125A	IP 67	IVGN 12532	7,030.00	IVGN 12543	8,065.00	IVGN 12553	8,065.00
REVERSING PLUG								
	16A	IP 44					IVNO 1653	955.00
	32A	IP 44					IVNO 3253	1,090.00
SCREWLESS PLUGS								
	16A	IP 44					IVB 1653	487.00
	32A	IP 44					IVB 3253	640.00
BUILT IN SOCKET - ANGLED								
	16A	IP 44	IE 1632	307.00	IE N 1643	514.00	IE N 1653	514.00
	32A	IP 44	IE 3232	469.00	IE N 3243	640.00	IE N 3253	523.00
	63A	IP 44					IE N 6353	2,350.00
	16A	IP 67	IEG 1632	586.00	IEG 1643	793.00	IEG 1653	793.00
	32A	IP 67	IEG 3232	838.00	IEG 3243	973.00	IEG 3253	829.00
	63A	IP 67	IEGN 6332	3,160.00	IEG 6343	2,575.00	IEGN 6353	2,530.00
	125A	IP 67	IEGN 12532	9,640.00	IEGN 12543	10,090.00	IEGN 12553	10,090.00
SCREWLESS SOCKET								
	16A	IP 44					IEB 1653	568.00
	32A	IP 44					IEB 3253	928.00
BUILT IN SOCKET - STRAIGHT								
	16A	IP 44	IERN 1632	388.00	IERN 1643	685.00	IERN 1653	685.00
	32A	IP 44	IERN 3232	577.00	IERN 3243	811.00	IERN 3253	838.00
	63A	IP 67	IERGN 6332	3,070.00				
SCREWLESS SOCKET STRAIGHT								
	16A	IP 44					IERB 1653	730.00
	32A	IP 44					IERB 3253	820.00



CONNECTING SOCKET



16A	IP 44	ISN 1632	397.00	ISN 1643	451.00	ISN 1653	460.00
32A	IP 44	ISN 3232	532.00	ISN 3243	586.00	ISN 3253	631.00
63A	IP 44					ISN 6353	2,440.00



16A	IP 67	ISG 1632	721.00	ISG 1643	1,081.00	ISG 1653	1,108.00
32A	IP 67	ISG 3232	1,216.00	ISG 3243	1,270.00	ISG 3253	1,135.00
63A	IP 67	ISGN 6332	4,870.00	ISG 6343	2,530.00	ISGN 6353	2,620.00
125A	IP 67	ISGN 12532	8,290.00	ISGN 12543	10,180.00	ISGN 12553	10,180.00

SCREWLESS CONN SOCKET

16A	IP 44				ISB 1653	667.00
32A	IP 44				ISB 3253	775.00

WALL SOCKET



16A	IP 44	IZS 1632	550.00	IZN 1643	703.00	IZN 1653	712.00
32A	IP 44	IZS 3232	721.00	IZN 3243	883.00	IZN 3253	910.00
63A	IP 44			IZ 6343	3,340.00		



16A	IP 67	IZG 1632	1,315.00	IZG 1643	1,396.00	IZG 1653	1,432.00
32A	IP 67	IZG 3232	1,441.00	IZG 3243	1,640.00	IZG 3253	1,720.00
63A	IP 67			IZG 6343	3,700.00	IZGN 6353	4,510.00
125A	IP 67	IZGN 12532	8,650.00	IZGN 12543	9,910.00	IZGN 12553	10,225.00

WALL INLET



16A	IP 44	IPN 1632	622.00	IPN 1643	667.00	IPN 1653	748.00
32A	IP 44	IPN 3232	838.00	IPN 3243	847.00	IPN 3253	856.00



16A	IP 67			IPG 1643	910.00	IPG 1653	919.00
32A	IP 67			IPG 3243	1,063.00	IPG 3253	1,072.00
63A	IP 67			IPG 6343	3,610.00	IPGN 6353	3,700.00
125A	IP 67	IPGN 12532	8,200.00	IPGN 12543	9,370.00	IPGN 12553	9,730.00

REVERSING WALL INLET

16A	IP 44				IPNO 1653	1,090.00
32A	IP 44				IPNO 3253	1,180.00

SCREWLESS WALL INLET

16A	IP 44				IPB 1653	990.00
32A	IP 44				IPB 3253	1,090.00

SCREWLESS WALL SOCKET

16A	IP 44				IZB 1653	658.00
32A	IP 44				IZB 3253	1,090.00

SCHUKO PLUG

16A	IP 44	PV 16	280.00
16A	IP 67	PVG 16	1,495.00

SCHUKO CONNECTING SOCKET

16A	IP44	PS 16	370.00
-----	------	-------	--------

SCHUKO SOCKET

16A	IP 44	VZ 16S	343.00
16A	IP 67	VZG 16S	604.00

INDIAN DOMESTIC SCHUKO

16A	IP54	TVZ 1632I	397.00
-----	------	-----------	--------



- » Detailed catalogue on request.
- » 500V available on request.
- » 110V available on request.
- » Plug & Sockets of Higher Current ratings upto 250 Amps available on request.
- » All types in -P denotes connector with Pilot Contact.
- » PE denotes Phase / Earth
- » PEN denotes Phase / Earth / Neutral

TEKNIC PRICE LIST OF CAM SWITCHES 2023-24



Teknic introduces a complete range of Rotary Cam Switches in the 6 & 10 Amp current rating category, to meet all the requirements of the electrical industry. This is a CE marked product, in accordance with the applicable standard IEC 60947-3. Our switches have a finger proof and robust design, thereby providing an optimum performance guarantee. The unique product design enables a quick installation of the product, and a safe operation life. This product can be used effectively in a wide range of Electrical, Electronics & Instrumentation applications viz Control Panels, Elevator Industry, Motor Control, Automation & Machinery. Teknic Rotary Cam Switches offer complete design flexibility to assemble complex switching programs, contact ratings and customize all switching applications. It is suitable for AC switching applications.

GENERAL CHARACTERISTICS:

It's a manual cam operated control switch assembled on packet principle with wide application in electrical, electronics & instrumentation equipment's. It is available with minimum one & maximum six packets. Different cams are used for making breaking depending upon contact sequence. The Cam, which closes and opens the contacts, has rotary movement to multiple positions, thereby multiple Circuit functions can be controlled. Further, the flexibility in the switch type selection covering various current /voltage ratings and options to select the number of contacts, is added advantage. This ensures that a right switch is chosen for the desired application.

CONSTRUCTION: Each packet has two sets of double break bimetal rivet contact for effective making & breaking. Packets are made from insulating material that can withstand mechanical & electrical stresses & have excellent electrical properties.

SWITCHING ANGLE: It is used to perform Make and Break operation in a sequential way by rotating the switch to different positions. Switching angle 30, 45 & 90 are available depending upon number of positions.

MOUNTING: Available in panel mounting version. Fixing centers are: 36X36 & 25X30

WARRANTY: 12 months from the date of supply, against manufacturing defects.

AVAILABLE TYPES: Available in momentary, stay put & combination of momentary & stay put. Also available without flange. Knob plate combination given in chart in ordering code. Flange available in yellow, grey, black & silver. Knobs available in regular & extended type in red & black colour.






DEGREE OF PROTECTION: IP40 as per IEC 60529












: IP65 as per IEC 60529 with Gasket provided on request

DEGREE OF POLLUTION : 3




APPLICABLE STANDARDS: IEC 60947-3

: IEC 60204-1

DESCRIPTION	ANGLE	POLES	6 AMPS	
			ITEM CODE	MRP
ON-OFF				
	90°	1	R6-A11901-Y	127.00
		2	R6-A21901-Y	154.00
		3	R6-A32901-Y	190.00
		4	R6-A42901-Y	208.00
2 WAY NO OFF				
	90°	1	R6-B11N02-Y	154.00
		2	R6-B22N02-Y	208.00
		3	R6-B33N02-Y	271.00
		4	R6-B44N02-Y	334.00
	45°	1	R6-B11F13-Y	154.00
		2	R6-B22F13-Y	208.00
		3	R6-B33F13-Y	271.00
		4	R6-B44F13-Y	334.00
2 WAY WITH OFF				
	90°	1	R6-B11903-Y	154.00
		2	R6-B22903-Y	208.00
		3	R6-B33903-Y	271.00
		4	R6-B44903-Y	334.00
	45°	1	R6-B11401-Y	154.00
		2	R6-B22401-Y	208.00
		3	R6-B33401-Y	271.00
		4	R6-B44401-Y	334.00
	45°	1	R6-B11414-Y	154.00
		2	R6-B22414-Y	208.00
		3	R6-B33414-Y	271.00
		4	R6-B44414-Y	334.00
	45°	1	R6-B11415-Y	154.00
		2	R6-B22415-Y	208.00
		3	R6-B33415-Y	271.00
		4	R6-B44415-Y	334.00
	45°	1	R6-B11416-Y	154.00
		2	R6-B22416-Y	208.00
		3	R6-B33416-Y	271.00
		4	R6-B44416-Y	334.00
3 WAY NO OFF				
	45°	1	R6-C12F02-Y	190.00
		2	R6-C23F02-Y	271.00
		3	R6-C35F02-Y	379.00
		4	R6-C46F02-Y	478.00
DESCRIPTION				
ANGLE				
POLES				
6 AMPS				
ITEM CODE				
MRP				
3 WAY WITH OFF				
	45°	1	R6-C12403-Y	190.00
		2	R6-C23403-Y	271.00
		3	R6-C35403-Y	379.00
		4	R6-C46F03-Y	478.00
4 WAY NO OFF				
	45°	1	R6-D12F04-Y	208.00
		2	R6-D24F04-Y	334.00
		3	R6-D36F04-Y	469.00
4 WAY WITH OFF				
	45°	1	R6-D12405-Y	217.00
		2	R6-D24405-Y	370.00
		3	R6-D36405-Y	514.00

5 WAY NO OFF				
	45°	1	R6-E13F06-Y	253.00
		2	R6-E25F06-Y	433.00
5 WAY WITH OFF				
	45°	1	R6-E13407-Y	253.00
		2	R6-E25407-Y	433.00
6 WAY NO OFF				
	45°	1	R6-F13F08-Y	271.00
		2	R6-F26F08-Y	496.00
6 WAY WITH OFF				
	45°	1	R6-F13409-Y	307.00
		2	R6-F26409-Y	514.00
7 WAY NO OFF				
	45°	1	R6-G14F10-Y	316.00
7 WAY WITH OFF				
	45°	1	R6-G14411-Y	316.00
8 WAY NO OFF				
	45°	1	R6-H14F12-Y	334.00
8 WAY WITH OFF				
	30°	1	R6-H14301-Y	343.00
9 WAY NO OFF				
	30°	1	R6-J15T02-Y	379.00
9 WAY WITH OFF				
	30°	1	R6-J15303-Y	379.00
10 WAY NO OFF				
	30°	1	R6-K15T04-Y	406.00
10 WAY WITH OFF				
	30°	1	R6-K15305-Y	424.00
11 WAY NO OFF				
	30°	1	R6-L16T06-Y	514.00
11 WAY WITH OFF				
	30°	1	R6-L16307-Y	514.00
12 WAY NO OFF				
	30°	1	R6-M16T08-Y	541.00

ROTARY CAM SWITCHES

<u>VOLTMETER SELECTOR SWITCH:</u>				
DESCRIPTION	ANGLE	POLES	6 Amps	
			ITEM CODE	MRP
3 PHASE-PHASE & 3 PHASE-NEUTRAL WITH OFF				
	45°	2	R6-V23401-Y	334.00
3 PHASE WITH OFF				
	90°	2	R6-V22902-Y	235.00
3 PHASE-NEUTRAL WITH OFF				
	90°	2	R6-V22903-Y	334.00
<u>AMMETER SELECTOR SWITCH:</u>				
DESCRIPTION	ANGLE	POLES	6 Amps	
			ITEM CODE	MRP
CURRENT IN EACH PHASE WITH OFF				
	90°	3	R6-R33901-Y	298.00

NOTE: CAM SWITCHES OF 16A, 25 A, 32A, 40A, 63A ON REQUEST



Reference BLACK	Reference GREY	Internal Diameter	External Diameter	Packaging in mts.	Rates Per meter Rs.
TMPA2-10	TMPA8-10	9.7	13.0	50	45.00
TMPA2-12	TMPA8-12	12.2	15.8	50	55.00
TMPA2-17	TMPA8-17	16.8	21.2	50	80.00
TMPA2-23	TMPA8-23	22.6	28.5	50	125.00

Light wall flexible conduit(PA6)



Reference BLACK	Reference GREY	Internal Diameter	External Diameter	Packaging in mts.	Rates Per meter Rs.
TLPA2-10	TLPA8-10	9.7	13.0	50	40.00
TLPA2-12	TLPA8-12	12.2	15.8	50	45.00
TLPA2-17	TLPA8-17	16.8	21.2	50	72.00
TLPA2-23	TLPA8-23	22.6	28.5	50	110.00



Reference BLACK	Internal Diameter	External Diameter	Packaging in mts.	Rates Per meter Rs.
TMPA2-10/S	9.7	13.0	50	49.50
TMPA2-12/S	12.2	15.8	50	60.50
TMPA2-17/S	16.8	21.2	50	88.00
TMPA2-23/S	22.6	28.5	50	137.50

Light wall flexible conduit(PA6) Slitted



Reference BLACK	Internal Diameter	External Diameter	Packaging in mts.	Rates Per meter Rs.
TLPA2-10/S	9.7	13.0	50	44.00
TLPA2-12/S	12.2	15.8	50	49.50
TLPA2-17/S	16.8	21.2	50	79.50
TLPA2-23/S	22.6	28.5	50	121.00

Corrugated Conduit Very light flexible conduit (HB extinguishing)



Reference GREY	Reference BLACK	Internal Diameter	External Diameter	Packaging in mts.	Rates Per meter Rs.
ECT-07G	ECT-07N	6.3	10.0	50	51.50
ECT-10G	ECT-10N	9.7	13.0	50	54.00
ECT-12G	ECT-12N	12.2	15.8	50	65.00
ECT-17G	ECT-17N	16.8	21.2	50	102.50
ECT-23G	ECT-23N	22.6	28.5	50	157.00
ECT-29G	ECT-29N	28.3	34.5	50	209.50
ECT-36G	ECT-36N	36.3	42.5	30	276.00
ECT-48G	ECT-48N	47.4	54.5	30	384.00

CONDUIT MADE OUT OF SPECIALLY MODIFIED POLYAMIDE (PA6)

Light Flexible Conduit (V2 fire-extinguishing)



Reference GREY	Reference BLACK	Internal Diameter	External Diameter	Packaging in mts.	Rates Per meter Rs.
AGT-07G	AGT-07N	6.3	10.0	50	61.00
AGT-10G	AGT-10N	9.7	13.0	50	63.00
AGT-12G	AGT-12N	12.2	15.8	50	78.00
AGT-17G	AGT-17N	16.8	21.2	50	113.00
AGT-23G	AGT-23N	22.6	28.5	50	172.50
AGT-29G	AGT-29N	28.3	34.5	50	232.00
AGT-36G	AGT-36N	36.3	42.5	30	300.50
AGT-48G	AGT-48N	47.4	54.5	30	443.00
AGT-70G	AGT-70N	69.1	80.7	10	1693.00
AGT-95G	AGT-95N	91.7	106.0	10	2023.50

Straight PG Thread Connector



Reference GREY	Reference BLACK	Conduit size	PG thread	Packaging in pcs.	Rates Each Rs.
MIR-07P07G	MIR-07P07N	7	7	100	85.00
MIR-10P07G	MIR-10P07N	10	7	50	90.50
MIR-10P09G	MIR-10P09N	10	9	100	81.00
MIR-12P09G	MIR-12P09N	12	9	50	87.50
MIR-12P11G	MIR-12P11N	12	11	100	81.00
MIR-12P13G	MIR-12P13N	12	13.5	50	81.00
MIR-17P13G	MIR-17P13N	17	13.5	100	94.00
MIR-17P16G	MIR-17P16N	17	16	100	94.00
MIR-23P21G	MIR-23P21N	23	21	50	133.50
MIR-29P29G	MIR-29P29N	29	29	30	151.50
MIR-36P36G	MIR-36P36N	36	36	20	232.00
MIR-48P48G	MIR-48P48N	48	48	10	293.00




Reference GREY	Reference BLACK	Conduit size	Metric thread	Packaging in pcs.	Rate Each Rs.
MIR-07M12G	MIR-07M12N	7	12	100	85.00
MIR-10M12G	MIR-10M12N	10	12	100	87.50
MIR-10M16G	MIR-10M16N	10	16	100	81.00
MIR-10M20G	MIR-10M20N	10	20	100	88.50
MIR-12M16G	MIR-12M16N	12	16	100	80.00
MIR-12M20G	MIR-12M20N	12	20	100	81.00
MIR-17M20G	MIR-17M20N	17	20	100	89.50
MIR-17M25G	MIR-17M25N	17	25	100	98.00
MIR-23M25G	MIR-23M25N	23	25	50	152.50
MIR-23M32G	MIR-23M32N	23	32	50	166.00
MIR-29M32G	MIR-29M32N	29	32	30	182.00
MIR-29M40G	MIR-29M40N	29	40	30	199.50
MIR-36M40G	MIR-36M40N	36	40	20	228.00
MIR-36M50G	MIR-36M50N	36	50	20	385.50
MIR-48M50G	MIR-48M50N	48	50	10	409.50
MIR-48M63G	MIR-48M63N	48	63	10	501.00



"T" Distributor Connectors

Reference GREY	Reference BLACK	Conduit size	Screw	Packaging in pcs.	Rates Each Rs.
TSD-101010G	TSD-101010N	10	M4	20	351.00
TSD-121212G	TSD-121212N	12	M4	20	327.57
TSD-171717G	TSD-171717N	17	M5	20	408.66
TSD-232323G	TSD-232323N	23	M5	10	527.10
TSD-292929G	TSD-292929N	29	M5	5	706.35
TSD-363636G	TSD-363636N	36	M6	5	927.50



Polyamide PG Lock Nuts

Reference GREY	Reference BLACK	Connector thread PG	Packaging in pcs.	Rates Each Rs.
260772	260760	7	100	18.00
260972	260960	9	100	19.00
261172	261160	11	100	20.00
261372	261360	13.5	100	20.00
261672	261660	16	100	23.00
262172	262160	21	100	25.50
262972	262960	29	50	48.50
263672	263660	36	20	103.00
264872	264860	48	10	193.50

TEKNIC

PRICE LIST- 2023-24

Cable Carriers - Plastic / Metal



PROPERTIES OF COMPOSITE PLASTIC MATERIAL	UNIT	PA 66 FV 20
PHYSICAL / THERMAL PROPERTIES		
• BULK DENSITY	Kg/m3	1300
• HUMIDITY ABSORPTION	%	± 2
• LIMIT OXYGEN INDEX		23
• FLAMMABILITY UNDER UL 94		HB
• MELTING POINT	°C	280
• HEAT DISTORTION TEMPERATURE UNDER LOAD 0.46 Mpa	°C	255
MECHANICAL PROPERTIES		
• TENSILE MODULUS	MPa	5500
• STRESS AT BREAK	MPa	105
• BREAKING STRESS (FLEXURAL)	MPa	105
• FRICTION RATE		0.4
ELECTRICAL PROPERTIES		
• VOLUME RESISTIVITY	ohm m	1E11
• ELECTRICAL STRENGTH	Kv/mm	38
• LEAK CURRENT RESISTANCE	V	>600

SPECIFICATION OF TEKNIC DECRIL MODELS

Cable Carrier Chains Specification	MODELS	Outside Width	Outside Height	Inside Width	Inside Height	Pitch	Bending Radius (BR)						Average Self-Supporting Length	
	3010/A	30	30	20	24	30	35	55	75	95	-	-	-	1 M
	3010/B	40	30	30	24	30	35	55	75	95	-	-	-	1 M
	3010/D	60	30	50	24	30	35	55	75	95	-	-	-	1 M
	4230/A	54	40	40	34	42	55	105	155	-	-	-	-	2 M
	4230/B	74	40	60	34	42	55	105	155	-	-	-	-	2 M
	4230/C	94	40	80	34	42	55	105	155	-	-	-	-	2 M
	4230/D	114	40	100	34	42	55	105	155	-	-	-	-	2 M
	4710/A	56	40	32	31	47	55	75	95	125	145	190	-	2 M
	4710/B	75	40	51	31	47	55	75	95	125	145	190	-	2 M
	4710/C	95	40	71	31	47	55	75	95	125	145	190	-	2 M
	4710/D	119	40	95	31	47	55	75	95	125	145	190	-	2 M
	4760/A	70	50	48	39	47	95	125	145	190	-	-	-	2.5 M
	4760/B	120	50	98	39	47	95	125	145	190	-	-	-	2.5 M
	4760/C	170	50	148	39	47	95	125	145	190	-	-	-	2.5 M
	7710/A	95	60	53	37	77	90	110	145	170	215	295	-	2.5 M
	7710/B	126	60	84	37	77	90	110	145	170	215	295	-	2.5 M
	7710/C	150	60	108	37	77	90	110	145	170	215	295	-	2.5 M
	7710/D	174	60	132	37	77	90	110	145	170	215	295	-	2.8 M
	7710/E	192	60	150	37	77	90	110	145	170	215	295	-	2.5 M
	7710/F	224	60	182	37	77	90	110	145	170	215	295	-	2.5 M
	7710/G	274	60	232	37	77	90	110	145	170	215	295	-	2.5 M
	7710/H	324	60	282	37	77	90	110	145	170	215	295	-	2.5 M
	7710/GMP	80-600	60	38-558	37	77	90	110	145	170	215	295	-	2.5 M
		6830/A	100	64	75	45	68	85	105	125	155	205	-	-
6830/B		150	64	125	45	68	85	105	125	155	205	-	-	3 M
6830/C		200	64	175	45	68	85	105	125	155	205	-	-	3 M
9210/A		150	85	100	60	91	155	205	255	305	355	405	-	3 M
	9210/B	200	85	150	60	91	155	205	255	305	355	405	-	3 M
	9210/C	250	85	200	60	91	155	205	255	305	355	405	-	3 M
	9210/D	300	85	250	60	91	155	205	255	305	355	405	-	3 M
	9210/E	350	85	300	60	91	155	205	255	305	355	405	-	3 M
	9210/F	435	85	385	60	91	155	205	255	305	355	405	-	3 M
	9210/GMP	100-1000	85	50-950	50	91	155	205	255	305	355	405	-	3 M



TEKNIC PRICE LIST CABLE DRAG CHAIN 2023-24

PRICE LIST				
TEKNIC PART NO	INSIDE WIDTH (mm)	INSIDE HEIGHT (mm)	PRICE/METER (Rs)	CONNECTOR (METAL) (Rs)
3010/A	20	24	1450.00	300.00
3010/B	30	24	1495.00	300.00
3010/D	50	24	1540.00	300.00
4230/A	40	34	2530.00	350.00
4230/B	60	34	2575.00	350.00
4230/C	80	34	2620.00	350.00
4230/D	100	34	2665.00	350.00
4710/A	32	31	3655.00	350.00
4710/B	51	31	3890.00	350.00
4710/C	71	31	4285.00	350.00
4710/D	95	31	4375.00	350.00
4750/A	48	39	2620.00	400.00
4750/B	98	39	2800.00	400.00
4750/C	148	39	2890.00	400.00
4760/A	48	39	3430.00	400.00
4760/B	98	39	3520.00	400.00
4760/C	148	39	3610.00	400.00
6830/A	75	45	4960.00	450.00
6830/B	125	45	5050.00	450.00
6830/C	175	45	5140.00	450.00
7710/A	53	37	6940.00	450.00
7710/B	84	37	7120.00	450.00
7710/C	108	37	7300.00	450.00
7710/D	132	37	7390.00	450.00
7710/E	150	37	7570.00	450.00
7710/F	182	37	7615.00	450.00
7710/G	232	37	7930.00	450.00
7710/H	282	37	8200.00	450.00
9210/A	100	60	11080.00	550.00
9210/B	150	60	11440.00	550.00
9210/C	200	60	11800.00	550.00
9210/D	250	60	12430.00	550.00
9210/E	300	60	12700.00	550.00
9210/F	385	60	13510.00	550.00

NOTE: ALL THE PRICE LISTS ARE IN SHORT WITH REGULAR USED ITEMS, FOR DETAIL PRICE LIST PLEASE CONTACT: DINESH KUMAR RAI, MO. 9608692392/ EMAIL: dinesh.ra@gmail.com